

Abbreviation	Regulatory status the abbreviation represents
E	Endangered species.
T	Threatened species.
E (S/A)	Endangered based on similarity of appearance to an existing listed species.
T (S/A)	Threatened based on similarity of appearance to an existing listed species.
XE	Essential experimental population (See subpart H of this part).
XN	Nonessential experimental population (See subpart H of this part).
(f) “Listing Citations and Applicable Rules” column. The “Listing Citations and Applicable Rules” column is nonregulatory in nature and is provided for informational and navigational purposes only.	
(1) Within the “Listing Citations and Applicable Rules” column, the following superscripts are used:	
Superscript	Description of citation or rule
N	NMFS listing citation (NMFS Lead).
J	Both FWS and NMFS listing citation (Joint Jurisdiction).
CH	Critical habitat rule.
4d	Species-specific “4(d)” rule (a rule issued under the authority of section 4(d) of the Act).

10j

Species-specific “10(j)” rule (a rule issued under the authority of section 10(j) of the Act).

(2) Listing citations contain the volume, document starting page number, and publication date of the Federal Register publication(s) in which a species was given status, listed, or reclassified. At least since 1973, these documents have included a statement indicating the basis for the listing, as well as the effective date(s) of the listing or other rules that changed how the species was identified in the List in paragraph (h) of this section.

(3) “Critical habitat” and “Species-specific” rules superscripts provide cross-references to other sections in this part or part 222, 223, or 226 of chapter II of this title where critical habitat and species-specific rules are found. The species-specific superscripts also identify experimental populations. Experimental populations (superscript “10j”) are a separate citation, with one of the following symbols in the “Status” column: “XE” for an essential experimental population and “XN” for a nonessential experimental population.

(4) This column is for reference and navigational purposes only. All other appropriate rules in this part, parts 217 through 226 of chapter II of this title, and part 402 of chapter IV of this title apply, if no species-specific rules are referenced. In addition, other rules in this title could relate to such species (for example, port-of-entry requirements). The references in the “Listing Citations and Applicable Rules” column do not comprise a comprehensive list of all regulations that the Services might apply to the species or to the regulations of other Federal agencies or State or local governments.

(g) The Services will rely to the extent practicable on ITIS (<http://www.itis.gov>) and standard references adopted for CITES (<http://cites.org>).

(h) The “List of Endangered and Threatened Wildlife” is provided in the table in this paragraph (h):

<Text of Monitor, blue tree added by [89 FR 104895](https://www.federalregister.gov/documents/2024/12/26/2024-29855), effective Dec. 26, 2024 through Aug. 25, 2025.>

Common name	Scientific name	Where listed	Status	Listing citations and applicable rules
Mammals				
Addax	Addax nasomaculatus	Wherever found	E	70 FR 52319; 9/2/2005.
Anoa, lowland	Bubalus depressicornis	Wherever found	E	35 FR 8491; 6/2/1970.

Anoa, mountain	<i>Bubalus quarlesi</i>	Wherever found	E	41 FR 24061; 6/14/1976.
Antelope, giant sable	<i>Hippotragus niger variani</i>	Wherever found	E	41 FR 24061; 6/14/1976.
Antelope, Tibetan	<i>Panthalops hodgsonii</i>	Wherever found	E	71 FR 15620; 3/29/2006.
Argali [All populations except Kyrgyzstan, Mongolia, and Tajikistan]	<i>Ovis ammon</i>	Wherever found except Kyrgyzstan, Mongolia, and Tajikistan	E	41 FR 24061; 6/14/1976, 57 FR 28014; 6/23/1992.
Argali [Kyrgyzstan, Mongolia, and Tajikistan]	<i>Ovis ammon</i>	Kyrgyzstan, Mongolia, and Tajikistan	T	41 FR 24061; 6/14/1976, 57 FR 28014; 6/23/1992, 50 CFR 17.40(j) ^{4d} .
Armadillo, giant	<i>Priodontes maximus</i>	Wherever found	E	41 FR 24061; 6/14/1976.
Armadillo, pink fairy	<i>Chlamyphorus truncatus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Ass, African wild	<i>Equus africanus</i>	Wherever found	E	35 FR 8491; 6/2/1970, 42 FR 15971; 3/24/1977.
Ass, Asian wild	<i>Equus hemionus</i>	Wherever found	E	35 FR 8491; 6/2/1970.

Avahi	<i>Avahi laniger</i> (=entire genus)	Wherever found	E	35 FR 8491; 6/2/1970.
Aye-aye	<i>Daubentoniasis</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Babirusa	<i>Babyrousa babyrussa</i>	Wherever found	E	41 FR 24061; 6/14/1976.
Baboon, gelada	<i>Theropithecus gelada</i>	Wherever found	T	41 FR 45990; 10/19/1976, 50 CFR 17.40(c) ^{4d} .
Bandicoot, barred	<i>Perameles bougainville</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Bandicoot, desert	<i>Perameles eremiana</i>	Wherever found	E	38 FR 14678; 6/4/1973.
Bandicoot, lesser rabbit	<i>Macrotis leucura</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Bandicoot, pig-footed	<i>Chaeropus ecaudatus</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Bandicoot, rabbit	<i>Macrotis lagotis</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Banteng	<i>Bos javanicus</i>	Wherever found	E	35 FR 8491; 6/2/1970.

Bat, Bulmer's fruit (flying fox)	<i>Aproteles bulmerae</i>	Wherever found	E	49 FR 2779; 1/23/1984.
Bat, bumblebee	<i>Craseonycteris thonglongyai</i>	Wherever found	E	49 FR 2779; 1/23/1984.
Bat, Florida bonneted	<i>Eumops floridanus</i>	Wherever found	E	78 FR 61004, 10/2/2013; 50 CFR 17.95(a). ^{CH}
Bat, gray	<i>Myotis grisescens</i>	Wherever found	E	41 FR 17736; 4/28/1976.
Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	Wherever found	E	35 FR 16047, 10/13/1970.
Bat, Indiana	<i>Myotis sodalis</i>	Wherever found	E	32 FR 4001; 3/11/1967, 50 CFR 17.95(a) ^{CH} .
Fruit Bat, Mariana (=fanihi, Mariana flying fox)	<i>Pteropus mariannus mariannus</i>	Wherever found	T	49 FR 33881; 8/27/1984, 70 FR 1190; 1/6/2005, 50 CFR 17.95(a) ^{CH} .
Bat, Mexican long- nosed	<i>Leptonycteris nivalis</i>	Wherever found	E	53 FR 38456; 9/30/1988.
Bat, northern long- eared	<i>Myotis septentrionalis</i>	Wherever found	E	80 FR 17974, 4/2/2015; 87 FR 73488, 11/30/22.
Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus)</i>	Wherever found	E	44 FR 69206; 11/30/1979.

	townsendii ingens			
Bat, Pacific sheath-tailed (Mariana subspecies) (Payeyi, Paischeey)	Emballonura semicaudata rotensis	Wherever found	E	80 FR 59423; 10/1/2015.
Bat, Pacific sheath-tailed (South Pacific subspecies) (= peapea vai, American Samoa; = tagiti, Samoa; = beka beka, Fiji)	Emballonura semicaudata semicaudata	Wherever found	E	81 FR 65466; 09/22/2016.
Bat, Rodrigues fruit (flying fox)	Pteropus rodricensis	Wherever found	E	49 FR 2779; 1/23/1984.
Bat, Singapore roundleaf horseshoe	Hipposideros ridleyi	Wherever found	E	49 FR 2779; 1/23/1984.
Bat, Virginia big-eared	Corynorhinus (=Plecotus) townsendii virginianus	Wherever found	E	44 FR 69206; 11/30/1979, 50 CFR 17.95(a) ^{CH} .
Bear, Baluchistan	Ursus thibetanus gedrosianus	Wherever found	E	51 FR 17977; 5/16/1986.
Bear, brown [Italy]	Ursus arctos arctos	Italy	E	41 FR 24062; 6/14/1976, 41

				FR 26019; 6/24/1976.
Bear, brown	<i>Ursus arctos pruinosus</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Bear, grizzly	<i>Ursus arctos horribilis</i>	U.S.A., conterminous (lower 48) States, except where listed as an experimental population	T	32 FR 4001, 3/11/1967;
				35 FR 16047, 10/13/1970;
				40 FR 31734, 7/28/1975;
				72 FR 14866, 3/29/2007;
				75 FR 14496, 3/26/2010;
				82 FR 30502, 6/30/2017;
				84 FR 37144, 7/31/2019;
				50 CFR 17.40(b) ^{4d} .
Bear, grizzly [Bitterroot XN]	<i>Ursus arctos horribilis</i>	U.S.A. (portions of ID and MT; see § 17.84(l))	XN	65 FR 69624, 11/17/2000; 50 CFR 17.84(l) ^{10j} .
Bear, grizzly [North Cascades XN]	<i>Ursus arctos horribilis</i>	U.S.A. (WA, except the portion of northeastern Washington	XN	89 FR 36982, 5/3/2024;

		defined by the Kettle River from the international border with Canada, downstream to the Columbia River to its confluence with the Spokane River, then upstream on the Spokane River to the WA-ID border; see § 17.84(y))		
Bear, Mexican grizzly	<i>Ursus arctos</i>	Mexico	E	50 CFR 17.84(y) ^{10j} . 35 FR 8491; 6/2/1970.
Bear, polar	<i>Ursus maritimus</i>	Wherever found	T	73 FR 28212; 5/15/2008, 50 CFR 17.40(q) ^{4d} , 50 CFR 17.95(a) ^{CH} .
Beaver (Mongolia)	<i>Castor fiber birulai</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Bison, wood	<i>Bison bison athabascae</i>	Wherever found, except where listed as an experimental population	T	35 FR 8491; 6/2/1970, 77 FR 26191; 5/3/2012.
Bison, wood	<i>Bison bison athabascae</i>	U.S.A. (Alaska)	XN	79 FR 26175; 5/7/2014, 50 CFR 17.84(x) ^{10j} .

Bobcat, Mexican	<i>Lynx (=Felis) rufus escuinapae</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Bontebok (antelope)	<i>Damaliscus pygarus (=dorcas) dorcas</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Camel, Bactrian	<i>Camelus bactrianus</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Caribou, barren-ground [Dolphin and Union caribou DPS]	<i>Rangifer tarandus groenlandicus</i>	Canada (Victoria Island, Coronation Gulf, Dolphin and Union Strait, Dease Strait, and Canadian Mainland in Nunavut and Northwest Territories)	E	87 FR 76112, 12/13/2022.
Caribou, woodland [Southern Mountain DPS]	<i>Rangifer tarandus caribou</i>	U.S.A. (wherever found), Canada (southeastern British Columbia)	E	48 FR 1722, 1/14/1983; 48 FR 49245, 10/25/1983; 49 FR 7390, 2/29/1984; 84 FR 52598, Oct. 2, 2019; 50 CFR 17.95(a). ^{CH}
Cat, Andean	<i>Felis jacobita</i>	Wherever found	E	41 FR 24062; 6/14/1976.

Cat, Asian golden (=Temminck's)	<i>Catopuma</i> (= <i>Felis</i>) <i>temminckii</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Cat, black-footed	<i>Felis nigripes</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Cat, flat-headed	<i>Prionailurus</i> (= <i>Felis</i>) <i>planiceps</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Cat, Iriomote	<i>Prionailurus</i> (= <i>Felis</i>) <i>bengalensis</i> <i>iriomotensis</i>	Wherever found	E	44 FR 37124; 6/25/1979.
Cat, leopard	<i>Prionailurus</i> (= <i>Felis</i>) <i>bengalensis</i> <i>bengalensis</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Cat, marbled	<i>Pardofelis</i> (= <i>Felis</i>) <i>marmorata</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Cat, Pakistan sand	<i>Felis margarita</i> <i>scheffeli</i>	Wherever found	E	49 FR 2779; 1/23/1984.
Cat, tiger	<i>Leopardus</i> (= <i>Felis</i>) <i>tigrinus</i>	Wherever found	E	37 FR 6476; 3/30/1972.
Chamois, Apennine	<i>Rupicapra</i> <i>rupicapra</i> <i>ornata</i>	Wherever found	E	41 FR 24062; 6/14/1976.

Cheetah	<i>Acinonyx jubatus</i>	Wherever found	E	35 FR 8491; 6/2/1970, 37 FR 6476; 3/30/1972.
Chimpanzee	<i>Pan troglodytes</i>	Wherever found	E	41 FR 45990; 10/19/1976, 55 FR 9129; 3/12/1990, 80 FR 34500; 6/16/2015.
Chimpanzee, pygmy	<i>Pan paniscus</i>	Wherever found	E	41 FR 45990; 10/19/1976, 55 FR 9129; 3/12/1990.
Chinchilla	<i>Chinchilla brevicaudata</i> <i>boliviana</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Chipmunk, Peñasco least	<i>Neotamias minimus</i> <i>atrifasciatus</i>	Wherever found	E	89 FR 99656, 12/10/2024; 50 CFR 17.95(a). ^{CH}
Civet, Malabar large-spotted	<i>Viverra civettina</i> (= <i>megaspila</i> c.)	Wherever found	E	44 FR 37124; 6/25/1979.
Deer, Bactrian	<i>Cervus elaphus bactrianus</i>	Wherever found	E	44 FR 37124; 6/25/1979.
Deer, Barbary	<i>Cervus elaphus barbarus</i>	Wherever found	E	44 FR 37124; 6/25/1979.

Deer, Calamianes (=Philippine)	<i>Axis porcinus calamianensis</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Deer, Cedros Island mule	<i>Odocoileus hemionus cedrosensis</i>	Wherever found	E	40 FR 44149; 9/25/1975.
Deer, Columbian white-tailed [Columbia River DPS]	<i>Odocoileus virginianus leucurus</i>	Columbia River (Clark, Cowlitz, Pacific, Skamania, and Wahkiakum Counties, WA, and Clatsop, Columbia, and Multnomah Counties, OR)	T	32 FR 4001; 3/11/1967, 68 FR 43647; 7/24/2003, 81 FR 71408 10/17 2016, 50 CFR 17.40(i) ^{4d} .
Deer, Corsican red	<i>Cervus elaphus corsicanus</i>	Wherever found	E	44 FR 37124; 6/25/1979.
Deer, Eld's brow- antlered	<i>Cervus eldi</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Deer, Formosan sika	<i>Cervus nippon taiouanus</i>	Wherever found	E	44 FR 37124; 6/25/1979.
Deer, Indochina hog	<i>Axis (=Cervus) porcinus annamiticus</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Deer, key	<i>Odocoileus virginianus clavium</i>	Wherever found	E	32 FR 4001; 3/11/1967.

Deer, Kuhl's (=Bawean)	<i>Axis porcinus</i> <i>kuhli</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Deer, marsh	<i>Blastocerus</i> <i>dichotomus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Deer, McNeill's	<i>Cervus elaphus</i> <i>macneilii</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Deer, musk	<i>Moschus</i> spp. (all species)	Afghanistan, Bhutan, Burma, China (Tibet, Yunnan), India, Nepal, Pakistan, Sikkim	E	41 FR 24062; 6/14/1976.
Deer, North China sika	<i>Cervus nippon</i> <i>mandarinus</i>	Wherever found	E	44 FR 37124; 6/25/1979.
Deer, pampas	<i>Ozotoceros</i> <i>bezoarticus</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Deer, Persian fallow	<i>Dama</i> <i>mesopotamica</i> (=dama m.)	Wherever found	E	35 FR 8491; 6/2/1970.
Deer, Ryukyu sika	<i>Cervus nippon</i> <i>keramae</i>	Wherever found	E	44 FR 37124; 6/25/1979.
Deer, Shansi sika	<i>Cervus nippon</i> <i>grassianus</i>	Wherever found	E	44 FR 37124; 6/25/1979.

Deer, South China sika	<i>Cervus nippon kopschi</i>	Wherever found	E	44 FR 37124; 6/25/1979.
Deer, swamp	<i>Cervus duvauceli</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Deer, Visayan	<i>Cervus alfredi</i>	Wherever found	E	53 FR 33990; 9/1/1988.
Deer, Yarkand	<i>Cervus elaphus yarkandensis</i>	Wherever found	E	44 FR 37124; 6/25/1979.
Dhole	<i>Cuon alpinus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Dibbler	<i>Antechinus apicalis</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Dog, African wild	<i>Lycaon pictus</i>	Wherever found	E	49 FR 2779; 1/23/1984.
Dolphin, Chinese river	<i>Lipotes vexillifer</i>	Wherever found	E	54 FR 22906; 5/30/1989 ^N , 54 FR 22905; 5/30/1989.
Dolphin, Hector's	<i>Cephalorhynchus hectori</i>	Wherever found	T	82 FR 43701, 9/19/2017; ^N 84 FR 13809, 4/8/2019.
Dolphin, Maui	<i>Cephalorhynchus hectori maui</i>	Wherever found	E	82 FR 43701, 9/19/2017; ^N 84 FR 13809, 4/8/2019.

Dolphin, South Asian River (Indus River subspecies)	<i>Platanista gangetica minor</i>	Wherever found	E	55 FR 50835; 12/11/1990 ^N , 56 FR 1463; 1/14/1991.
Dolphin, Taiwanese humpback	<i>Sousa chinensis taiwanensis</i>	Wherever found	E	83 FR 21182, 5/9/2018; ^N 84 FR 13809, 4/8/2019.
Drill	<i>Mandrillus (=Papio) leucophaeus</i>	Wherever found	E	41 FR 45990; 10/19/1976.
Dugong	<i>Dugong dugon</i>	Wherever found	E	35 FR 18319; 12/2/1970, 68 FR 70185; 12/17/2003.
Duiker, Jentink's	<i>Cephalophus jentinki</i>	Wherever found	E	44 FR 37124; 6/25/1979.
Eland, western giant	<i>Taurotragus derbianus</i>	Wherever found	E	44 FR 37124; 6/25/1979.
Elephant, African	<i>Loxodonta africana</i>	Wherever found	T	43 FR 20499; 5/12/1978, 50 CFR 17.40(e) ^{4d} .
Elephant, Asian	<i>Elephas maximus</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Ferret, black-footed	<i>Mustela nigripes</i>	Wherever found, except where listed as an experimental population	E	32 FR 4001, 3/11/1967;

35 FR 16047,
10/13/1970.

Ferret, black-footed	Mustela nigripes	U.S.A. (parts of WY (Shirley Basin/Medicine Bow Management XN Area); see § 17.84(g)(9)(i))	56 FR 41473, 8/21/199 1;
----------------------	---------------------	--	-----------------------------------

50 CFR 17.84(g).^{10j}

Ferret, black-footed	Mustela nigripes	U.S.A. (parts of SD (Conata Basin/Badlands XN Reintroduction Area); see § 17.84(g)(9)(ii))	59 FR 42682, 8/18/199 4;
----------------------	---------------------	--	-----------------------------------

50 CFR 17.84(g).^{10j}

Ferret, black-footed	Mustela nigripes	U.S.A. (parts of MT (Northcentral Montana XN Reintroduction Area); see § 17.84(g)(9)(iii))	59 FR 42696, 8/18/199 4;
----------------------	---------------------	--	-----------------------------------

50 CFR 17.84(g).^{10j}

Ferret, black-footed	Mustela nigripes	U.S.A. (parts of AZ, NM, UT (Southwest Experimental XN Population Area), see § 17.84(g)(9)(iv))	61 FR 11320, 3/20/199 6;
----------------------	---------------------	---	-----------------------------------

88 FR 69045,
10/5/2023; 50 CFR
17.84(g).^{10j}

Ferret, black-footed	Mustela nigripes	U.S.A. (parts of CO, UT (Northwestern Colorado/Northea stern Utah Experimental XN Population Area), see § 17.84(g)(9)(v))	63 FR 52824, 10/1/199 8;
----------------------	---------------------	--	-----------------------------------

50 CFR 17.84(g).^{10j}

Ferret, black-footed	Mustela nigripes	U.S.A. (parts of SD (Cheyenne River Sioux Tribe Reintroduction XN Area), see § 17.84(g)(9)(vi))	65 FR 60879, 10/13/20 00;
----------------------	---------------------	--	------------------------------------

50 CFR 17.84(g).^{10j}

Ferret, black-footed	Mustela nigripes	U.S.A. (parts of SD (Rosebud Sioux Reservation Experimental XN Population Area), see § 17.84(g)(9)(vii))	68 FR 26498, 5/16/200 3;
----------------------	---------------------	--	-----------------------------------

50 CFR 17.84(g).^{10j}

Ferret, black-footed	Mustela nigripes	U.S.A. (most of WY (Wyoming Experimental XN Population Area), see § 17.84(g)(9)(viii))	80 FR 66821, 10/30/20 15;
----------------------	---------------------	---	------------------------------------

50 CFR 17.84(g).^{10j}

Fisher (Southern Sierra Nevada DPS)	Pekania pennanti	U.S.A. (Southern Sierra Nevada, CA)	E	85 FR 29532, 5/15/2020.
Fox, northern swift	Vulpes velox hebes	Canada	E	35 FR 8491; 6/2/1970.
Fox, San Joaquin kit	Vulpes macrotis mutica	Wherever found	E	32 FR 4001; 3/11/1967.
Fox, Santa Catalina Island	Urocyon littoralis catalinae	Wherever found	T	69 FR 10335; 3/5/2004
Fox, Sierra Nevada red [Sierra Nevada DPS]	Vulpes vulpes necator	U.S.A. (CA)—Sierra Nevada	E	81 FR 53315; 8/12/2016, 50 CFR 17.95 (a) ^{CH}
Fox, Simien	Canis simensis	Wherever found	E	44 FR 37124; 6/25/1979.
Gazelle, Arabian	Gazella gazella	Wherever found	E	44 FR 37124; 6/25/1979.
Gazelle, Clark's	Ammendorcas clarkei	Wherever found	E	35 FR 8491, 6/2/1970.

Gazelle, dama	Gazella dama	Wherever found	E	70 FR 52319; 9/2/2005, 35 FR 8491; 6/2/1970.
Gazelle, Moroccan	Gazella dorcas massaesyia	Wherever found	E	35 FR 8491; 6/2/1970.
Gazelle, mountain (=Cuvier's)	Gazella cuvieri	Wherever found	E	35 FR 8491; 6/2/1970.
Gazelle, Pelzeln's	Gazella dorcas pelzelni	Wherever found	E	44 FR 37124; 6/25/1979.
Gazelle, sand	Gazella subgutturosa marica	Wherever found	E	44 FR 37124; 6/25/1979.
Gazelle, Saudi Arabian	Gazella dorcas saudiya	Wherever found	E	44 FR 37124; 6/25/1979.
Gazelle, slender- horned	Gazella leptoceros	Wherever found	E	35 FR 8491; 6/2/1970.
Gibbons	Hylobates spp. (including Nomascus)	Wherever found	E	35 FR 8491; 6/2/1970, 41 FR 24062; 6/14/1976.
Goral	Nemorhaedus goral	Wherever found	E	41 FR 24062; 6/14/1976.
Gorilla	Gorilla gorilla	Wherever found	E	35 FR 8491; 6/2/1970.

Hare, hispid	<i>Caprolagus hispidus</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Hartebeest, Swayne's	<i>Alcelaphus buselaphus swaynei</i>	Wherever found	E	35 FR 8491; 6/2/1970, 41 FR 24062; 6/14/1976.
Hartebeest, Tora	<i>Alcelaphus buselaphus tora</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Hog, pygmy	<i>Sus salvianus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Horse, Przewalski's	<i>Equus przewalskii</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Huemul, north Andean	<i>Hippocamelus antisensis</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Huemul, south Andean	<i>Hippocamelus bisulcus</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Hutia, Cabrera's	<i>Capromys angelcabrerai</i>	Wherever found	E	51 FR 17977; 5/16/1986.
Hutia, dwarf	<i>Capromys nana</i>	Wherever found	E	51 FR 17977; 5/16/1986.
Hutia, large-eared	<i>Capromys auritus</i>	Wherever found	E	51 FR 17977; 5/16/1986.

Hutia, little earth	<i>Capromys sanfelipensis</i>	Wherever found	E	51 FR 17977; 5/16/1986.
Hyena, Barbary	<i>Hyaena hyaena barbara</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Hyena, brown	<i>Parahyaena (=Hyaena) brunnea</i>	Wherever found	E	35 FR 8491, 6/2/1970.
Ibex, Pyrenean	<i>Capra pyrenaica pyrenaica</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Ibex, Walia	<i>Capra walie</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Impala, black-faced	<i>Aepyceros melampus petersi</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Indri	<i>Indri indri (=entire genus)</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Jaguar	<i>Panthera onca</i>	Wherever found	E	37 FR 6476; 3/30/1972, 62 FR 39147; 7/22/1997, 50 CFR 17.95(a) ^{CH} .
Jaguarundi, Guatemalan	<i>Herpailurus (=Felis) yagouaroundi fossata</i>	Wherever found	E	41 FR 24062; 6/14/1976.

Jaguarundi, Gulf Coast	Puma yagouaroundi cacomitli	Wherever found	E	41 FR 24062, 6/14/1976.
Jaguarundi, Panamanian	Herpailurus (=Felis) yagouaroundi panamensis	Wherever found	E	41 FR 24062; 6/14/1976.
Jaguarundi, Sinaloan	Puma yagouaroundi tolteca	Wherever found	E	41 FR 24062, 6/14/1976.
Kangaroo rat, Fresno	Dipodomys nitratoides exilis	Wherever found	E	50 FR 4222; 1/30/1985, 50 CFR 17.95(a) ^{CH} .
Kangaroo rat, giant	Dipodomys ingens	Wherever found	E	52 FR 283; 1/5/1987.
Kangaroo rat, Morro Bay	Dipodomys heermanni morroensis	Wherever found	E	35 FR 16047; 10/13/1970, 50 CFR 17.95(a) ^{CH} .
Kangaroo rat, San Bernardino Merriam's	Dipodomys merriami paryus	Wherever found	E	63 FR 3835, 1/27/1998; 63 FR 51005, 9/24/1998; 50 CFR 17.95(a). ^{CH}
Kangaroo rat, Stephens'	Dipodomys stephensi (incl. D. cascus)	Wherever found	T	53 FR 38465, 9/30/1988; 87 FR 8967; 2/17/2022; 50 CFR 17.40(t). ^{4d}

Kangaroo rat, Tipton	Dipodomys nitratoides nitratoides	Wherever found	E	53 FR 25608; 7/8/1988.
Kangaroo, Tasmanian forester	Macropus giganteus tasmaniensis	Wherever found	E	38 FR 14678; 6/4/1973.
Koala	Phascolarctos cinereus	Australia	T	65 FR 26762; 5/9/2000.
Kouprey	Bos sauveli	Wherever found	E	35 FR 8491; 6/2/1970.
Langur, capped	Trachypithecus (=Presbytis) pileatus	Wherever found	E	41 FR 24062; 6/14/1976.
Langur, Douc	Pygathrix nemaeus	Wherever found	E	35 FR 8491; 6/2/1970.
Langur, Francois'	Trachypithecus (=Presbytis) francoisi	Wherever found	E	41 FR 45990; 10/19/1976.
Langur, golden	Trachypithecus (=Presbytis) geei	Wherever found	E	41 FR 24062; 6/14/1976.
Langur, gray (=entellus)	Semnopithecus (=Presbytis) entellus	Wherever found	E	41 FR 24062; 6/14/1976.

Langur, long-tailed	<i>Presbytis potenziani</i>	Wherever found	T	41 FR 45990; 10/19/1976, 50 CFR 17.40(c) ^{4d} .
Langur, Pagi Island	<i>Nasalis concolor</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Langur, purple-faced	<i>Presbytis senex</i>	Wherever found	T	41 FR 45990; 10/19/1976, 50 CFR 17.40(c) ^{4d} .
Lechwe, red	<i>Kobus leche</i>	Wherever found	T	35 FR 8491; 6/2/1970, 41 FR 24062; 6/14/1976, 45 FR 65132; 10/1/1980.
Lemurs	Lemuridae (incl. genera Lemur, Phaner, Hapalemur, Lepilemur, Wherever found Microcebus, Allocebus, Cheirogaleus, Varecia)		E	35 FR 8491; 6/2/1970, 41 FR 24062; 6/14/1976, 41 FR 26019; 6/24/1976.
Leopard	<i>Panthera pardus</i>	Wherever found, except where it is listed as threatened	E	35 FR 8491; 6/2/1970, 37 FR 6476; 3/30/1972, 47 FR 4204; 1/28/1982.
Leopard [Southern Africa populations]	<i>Panthera pardus</i>	In Africa, in the wild, south of, and including, the following countries: Gabon,	T	35 FR 8491: 6/2/1970, 37 FR 6476; 3/30/1972, 47 FR 4204;

		Congo, Zaire, Uganda, Kenya		1/28/1982, 50 CFR 17.40(f) ^{4d} .
Leopard, clouded	<i>Neofelis nebulosa</i>	Wherever found	E	35 FR 8491; 6/2/1970, 41 FR 24062; 6/14/1976.
Leopard, snow	<i>Uncia</i> (= <i>Panthera</i>) <i>uncia</i>	Wherever found	E	37 FR 6476; 3/30/1972.
Linsang, spotted	<i>Prionodon pardicolor</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Lion	<i>Panthera leo</i> <i>leo</i>	Wherever found	E	80 FR 79999; 12/23/2015.
Lion	<i>Panthera leo</i> <i>melanochaita</i>	Wherever found	T	80 FR 79999; 12/23/2015, 50 CFR 17.40(r) ^{4d} .
Loris, lesser slow	<i>Nycticebus pygmaeus</i>	Wherever found	T	41 FR 45990; 10/19/1976, 50 CFR 17.40(c) ^{4d} .
Lynx, Canada [Contiguous U.S. DPS]	<i>Lynx canadensis</i>	Where found within contiguous U.S.A.	T	65 FR 16053; 3/24/2000, 50 CFR 17.40(k) ^{4d} , 50 CFR 17.95(a) ^{CH} .
Lynx, Spanish	<i>Felis pardina</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Macaque, Formosan rock	<i>Macaca cyclopis</i>	Wherever found	T	41 FR 45990; 10/19/1976, 50 CFR 17.40(c) ^{4d} .

Macaque, Japanese	<i>Macaca fuscata</i>	Wherever found	T	41 FR 45990; 10/19/1976, 50 CFR 17.40(c) ^{4d} .
Macaque, lion-tailed	<i>Macaca silenus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Macaque, stump-tailed	<i>Macaca arctoides</i>	Wherever found	T	41 FR 45990; 10/19/1976, 50 CFR 17.40(c) ^{4d} .
Macaque, Toque	<i>Macaca sinica</i>	Wherever found	T	41 FR 45990; 10/19/1976, 50 CFR 17.40(c) ^{4d} .
Manatee, Amazonian	<i>Trichechus inunguis</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Manatee, West African	<i>Trichechus senegalensis</i>	Wherever found	T	44 FR 42910; 7/20/1979.
Manatee, West Indian	<i>Trichechus manatus</i>	Wherever found	T	32 FR 4001, 3/11/1967; 35 FR 8491, 6/2/1970; 82 FR 16668, 4/5/2017; 50 CFR 17.108(a); 50 CFR 17.95(a). ^{CH}
Mandrill	<i>Mandrillus (=Papio) sphinx</i>	Wherever found	E	41 FR 45990; 10/19/1976.
Mangabey, Tana River	<i>Cercocebus galeritus</i>	Wherever found	E	35 FR 8491; 6/2/1970.

Mangabey, white-collared	<i>Cercocebus torquatus</i>	Wherever found	E	41 FR 45990; 10/19/1976.
Margay	<i>Leopardus (=Felis) wiedii</i>	Wherever found	E	37 FR 6476, 3/30/1972.
Markhor, chiltan (=wild goat)	<i>Capra falconeri (=aegagrus) chiltanensis</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Markhor, straight-horned	<i>Capra falconeri megaceros</i>	Wherever found	T	41 FR 24062; 6/14/1976, 79 FR 60365; 10/7/2014, 50 CFR 17.40(d) ^{4d} .
Marmoset, buff-headed	<i>Callithrix flaviceps</i>	Wherever found	E	49 FR 2779; 1/23/1984.
Marmoset, cotton-top	<i>Saguinus oedipus</i>	Wherever found	E	41 FR 45990; 10/19/1976.
Marmoset, Goeldi's	<i>Callimico goeldii</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Marmoset, white-eared (=buffy tufted-ear)	<i>Callithrix aurita (=jacchus a.)</i>	Wherever found	E	51 FR 17977; 5/16/1986.
Marmot, Vancouver Island	<i>Marmota vancouverensis</i>	Wherever found	E	49 FR 2779; 1/23/1984.

Marsupial, eastern jerboa	<i>Antechinomys laniger</i>	Wherever found	E	35 FR 18319; 6/2/1970.
Marsupial-mouse, large desert	<i>Sminthopsis psammophila</i>	Wherever found	E	35 FR 18319; 6/2/1970.
Marsupial-mouse, long-tailed	<i>Sminthopsis longicaudata</i>	Wherever found	E	35 FR 18319; 6/2/1970.
Marten, Formosan yellow-throated	<i>Martes flavigula chrysospila</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Marten, Pacific [Coastal DPS].	<i>Martes caurina</i>	U.S.A. (CA (northwestern), OR T (southwestern)).		85 FR 63806, 10/8/2020; 50 CFR 17.40(s); ⁴ 50 CFR 17.95(a). ^C H
Monkey, black colobus	<i>Colobus satanas</i>	Wherever found	E	41 FR 45990; 10/19/1976.
Monkey, black howler	<i>Alouatta pigra</i>	Wherever found	T	41 FR 45990; 10/19/1976, 50 CFR 17.40(c) ^{4d} .
Monkey, Diana	<i>Cercopithecus diana</i>	Wherever found	E	41 FR 45990; 10/19/1976.
Monkey, Guizhou snub-nosed	<i>Rhinopithecus brelichi</i>	Wherever found	E	55 FR 39414; 9/27/1990.

Monkey, L'hoest's	<i>Cercopithecus lhoesti</i>	Wherever found	E	41 FR 45990; 10/19/1976.
Monkey, mantled howler	<i>Alouatta palliata</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Monkey, Preuss' red colobus	<i>Procolobus (=Colobus) preussi (=badius p.)</i>	Wherever found	E	49 FR 2779; 1/23/1984.
Monkey, proboscis	<i>Nasalis larvatus</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Monkey, red-backed squirrel	<i>Saimiri oerstedii</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Monkey, red-bellied	<i>Cercopithecus erythrogaster</i>	Wherever found	E	41 FR 45990; 10/19/1976.
Monkey, red-eared nose-spotted	<i>Cercopithecus erythrotis</i>	Wherever found	E	41 FR 45990; 10/19/1976.
Monkey, Sichuan snub-nosed	<i>Rhinopithecus roxellana</i>	Wherever found	E	55 FR 39414; 9/27/1990.
Monkey, spider	<i>Ateles geoffroyi frontatus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Monkey, spider	<i>Ateles geoffroyi panamensis</i>	Wherever found	E	35 FR 8491; 6/2/1970.

Monkey, Tana River red colobus	<i>Procolobus</i> (= <i>Colobus</i>) <i>rufomitratus</i> (= <i>badius r.</i>)	Wherever found	E	35 FR 8491; 6/2/1970.
Monkey, Tonkin snub-nosed	<i>Rhinopithecus</i> <i>avunculus</i>	Wherever found	E	41 FR 45990; 10/19/1976, 55 FR 39414; 9/27/1990.
Monkey, woolly spider	<i>Brachyteles</i> <i>arachnoides</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Monkey, yellow- tailed woolly	<i>Lagothrix</i> <i>flavicauda</i>	Wherever found	E	41 FR 45990; 10/19/1976.
Monkey, Yunnan snub-nosed	<i>Rhinopithecus</i> <i>bieti</i>	Wherever found	E	55 FR 39414; 9/27/1990.
Monkey, Zanzibar red colobus	<i>Procolobus</i> (= <i>Colobus</i>) <i>pennantii</i> (= <i>kirkii</i>) <i>kirkii</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Mountain beaver, Point Arena	<i>Aplodontia rufa</i> <i>nigra</i>	Wherever found	E	56 FR 64716; 12/12/1991.
Mouse, Alabama beach	<i>Peromyscus</i> <i>polionotus</i> <i>ammobates</i>	Wherever found	E	50 FR 23872; 6/6/1985, 50 CFR 17.95(a) ^{CH} .

Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>	Wherever found	E	54 FR 20598; 5/12/1989.
Mouse, Australian native	<i>Notomys aquilo</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Mouse, Australian native	<i>Zyzomys pedunculatus</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>	Wherever found	E	50 FR 23872; 6/6/1985, 50 CFR 17.95(a) ^{CH} .
Mouse, Field's	<i>Pseudomys fieldi</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Mouse, Gould's	<i>Pseudomys gouldii</i>	Wherever found	E	38 FR 14678; 6/4/1973.
Mouse, Key Largo cotton	<i>Peromyscus gossypinus allapaticola</i>	Wherever found	E	48 FR 43040; 9/21/1983, 49 FR 34504; 8/31/1984.
Mouse, New Holland meadow jumping	<i>Pseudomys novaehollandiae</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Mouse, New Mexico meadow jumping	<i>Zapus hudsonius luteus</i>	Wherever found	E	79 FR 33119; 6/10/2014, 50 CFR 17.95(a) ^{CH} .

Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>	Wherever found	E	59 FR 5306; 2/3/1994, 59 FR 49752; 9/29/1994.
Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>	Wherever found	E	50 FR 23872; 6/6/1985, 50 CFR 17.95(a) ^{CH} .
Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	Wherever found	T	63 FR 26517; 5/13/1998, 78 FR 31679; 5/24/2013, 50 CFR 17.40(l) ^{4d} , 50 CFR 17.95(a) ^{CH} .
Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>	Wherever found	E	35 FR 16047; 10/13/1970.
Mouse, Shark Bay	<i>Pseudomys praecoxis</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Mouse, Shortridge's	<i>Pseudomys shortridgei</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Mouse, smoky	<i>Pseudomys fumeus</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Mouse, southeastern beach	<i>Peromyscus polionotus niveiventeris</i>	Wherever found	T	54 FR 20598; 5/12/1989.
Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>	Wherever found	E	63 FR 70053; 12/18/1998, 50 CFR 17.95(a) ^{CH} .

Mouse, western	<i>Pseudomys occidentalis</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Muntjac, Fea's	<i>Muntiacus feae</i>	Wherever found	E	44 FR 37124; 6/25/1979.
Native-cat, eastern	<i>Dasyurus viverrinus</i>	Wherever found	E	38 FR 14678; 6/4/1973.
Numbat	<i>Myrmecobius fasciatus</i>	Wherever found	E	35 FR 18319; 12/2/1970, 38 FR 14678; 6/4/1973.
Ocelot	<i>Leopardus (=Felis) pardalis</i>	Wherever found	E	37 FR 6476; 3/30/1972, 47 FR 31670; 7/21/1982.
Orangutan	<i>Pongo abelii</i>	Wherever found	E	35 FR 8491, 6/2/1970; 83 FR 2085, 1/16/2018.
Orangutan	<i>Pongo pygmaeus</i>	Wherever found	E	35 FR 8491, 6/2/1970; 83 FR 2085, 1/16/2018.
Oryx, Arabian	<i>Oryx leucoryx</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Oryx, scimitar-horned	<i>Oryx dammah</i>	Wherever found	E	70 FR 52319; 9/2/2005.
Otter, Cameroon clawless	<i>Aonyx congicus</i> (=congica) <i>microdon</i>	Wherever found	E	35 FR 8491; 6/2/1970.

Otter, giant	<i>Pteronura brasiliensis</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Otter, long-tailed	<i>Lontra (=Lutra) longicaudis</i> (incl. <i>platensis</i>)	Wherever found	E	35 FR 8491; 6/2/1970, 41 FR 24062; 6/24/1976.
Otter, marine	<i>Lontra (=Lutra) felina</i>	Wherever found	E	41 FR 24062; 6/24/1976.
Otter, northern sea [Southwest Alaska DPS]	<i>Enhydra lutris</i> <i>kenyoni</i>	Southwest Alaska, from Attu Island to Western Cook Inlet, including Bristol Bay, the Kodiak Archipelago, and the Barren Islands	T	70 FR 46366; 8/9/2005, 50 CFR 17.40(p) ^{4d} , 50 CFR 17.95(a) ^{CH} .
Otter, southern river	<i>Lontra (=Lutra) provocax</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Otter, southern sea	<i>Enhydra lutris</i> <i>nereis</i>	Wherever found	T	42 FR 2965; 1/14/1977.
Panda, giant	<i>Ailuropoda melanoleuca</i>	Wherever found	E	49 FR 2779; 1/23/1984.
Pangolin, Temnick's ground	<i>Manis temmincki</i>	Wherever found	E	41 FR 24062; 6/14/1976.

Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	Wherever found	E	32 FR 4001; 3/11/1967.
Planigale, little	<i>Planigale ingrami</i> <i>subtilissima</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Planigale, southern	<i>Planigale tenuirostris</i>	Wherever found	E	35 FR 18319; 12/2. 1970.
Pocket gopher, Olympia	<i>Thomomys mazama</i> <i>pugetensis</i>	Wherever found	T	79 FR 19759; 4/9/2014, 50 CFR 17.40(a) ^{4d} , 50 CFR 17.95(a) ^{CH} .
Pocket gopher, Roy Prairie	<i>Thomomys mazama</i> <i>glacialis</i>	Wherever found	T	79 FR 19759; 4/9/2014, 50 CFR 17.40(a) ^{4d} .
Pocket gopher, Tenino	<i>Thomomys mazama tumuli</i>	Wherever found	T	79 FR 19759; 4/9/2014, 50 CFR 17.40(a) ^{4d} , 50 CFR 17.95(a) ^{CH} .
Pocket gopher, Yelm	<i>Thomomys mazama</i> <i>yelmensis</i>	Wherever found	T	79 FR 19759; 4/9/2014, 50 CFR 17.40(a) ^{4d} , 50 CFR 17.95(a) ^{CH} .
Porcupine, thin-spined	<i>Chaetomys subspinosus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Porpoise, Gulf of California harbor (cochito, vaquita)	<i>Phocoena sinus</i>	Wherever found	E	50 FR 1056; 1/9/1985 ^N , 50

				FR 1056; 1/9/1985.
Possum, Leadbeater's	Gymnobelideus leadbeateri	Wherever found	E	51 FR 17977; 5/16/1986.
Possum, mountain pygmy	Burramys parvus	Wherever found	E	35 FR 18319; 12/2/1970.
Possum, scaly-tailed	Wyulda squamicaudata	Wherever found	E	35 FR 18319; 12/2/1970.
Prairie dog, Mexican	Cynomys mexicanus	Wherever found	E	35 FR 8491; 6/2/1970.
Prairie dog, Utah	Cynomys parvidens	Wherever found	T	38 FR 14678; 6/4/1973, 49 FR 22330; 5/29/1984, 50 CFR 17.40(g) ^{4d} .
Pronghorn, peninsular	Antilocapra americana peninsularis	Wherever found	E	40 FR 44149; 9/25/1975.
Pronghorn, Sonoran	Antilocapra americana sonoriensis	Wherever found, except where listed as an experimental population	E	32 FR 4001; 3/11/1967, 35 FR 8491; 6/2/1970.
Pronghorn, Sonoran	Antilocapra americana sonoriensis	In Arizona, an area north of Interstate 8 and south of Interstate 10, bounded by the Colorado River on the west and	XN	76 FR 25593; 5/5/2011, 50 CFR 17.84(v) ^{10j} .

		Interstate 10 on the east; and an area south of Interstate 8, bounded by Highway 85 on the west, Interstates 10 and 19 on the east, and the U.S.- Mexico border on the south		
Pudu	Pudu pudu	Wherever found	E	41 FR 24062; 6/14/1976.
Puma (=mountain lion)	Puma (=Felis) concolor (all subsp. except coryi)	U.S.A. (FL)	T(S/A)	56 FR 40265; 8/14/1991, 50 CFR 17.40(h) ^{4d} .
Puma, Costa Rican	Puma (=Felis) concolor costaricensis	Wherever found	E	41 FR 24062; 6/14/1976.
Quokka	Setonix brachyurus	Wherever found	E	38 FR 14678; 6/4/1973.
Rabbit, Columbia Basin pygmy [Columbia Basin DPS]	Brachylagus idahoensis	U.S.A. (WA— Douglas, Grant, Lincoln, Adams, Benton Counties)	E	68 FR 10388; 3/5/2003.
Rabbit, Lower Keys	Sylvilagus palustris hefneri	Wherever found	E	55 FR 25588; 6/21/1990.

Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>	Wherever found	E	65 FR 8881; 2/23/2000.
Rabbit, Ryukyu	<i>Pentalagus furnessi</i>	Wherever found	E	44 FR 37124; 6/25/1979.
Rabbit, volcano	<i>Romerolagus diazi</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Rat, false water	<i>Xeromys myoides</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Rat, stick-nest	<i>Leporillus conditor</i>	Wherever found	E	38 FR 14678; 6/4/1970.
Rat-kangaroo, brush-tailed	<i>Bettongia penicillata</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Rat-kangaroo, desert (=plain)	<i>Caloprymnus campestris</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Rat-kangaroo, Gaimard's	<i>Bettongia gaimardi</i>	Wherever found	E	38 FR 14678; 6/4/1970.
Rat-kangaroo, Lesuer's	<i>Bettongia lesueur</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Rat-kangaroo, Queensland	<i>Bettongia tropica</i>	Wherever found	E	35 FR 18319; 12/2/1970.

Rhinoceros, black	<i>Diceros bicornis</i>	Wherever found	E	45 FR 47352; 7/14/1980.
Rhinoceros, great Indian	<i>Rhinoceros unicornis</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Rhinoceros, Javan	<i>Rhinoceros sondaicus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Rhinoceros, northern white	<i>Ceratotherium simum cottoni</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Rhinoceros, southern white	<i>Ceratotherium simum simum</i>	Wherever found	T(S/A)	79 FR 28847; 5/20/2014.
Rhinoceros, Sumatran	<i>Dicerorhinus sumatrensis</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Rice rat [Lower FL Keys DPS]	<i>Oryzomys palustris natator</i>	Lower FL Keys (west of Seven Mile Bridge)	E	56 FR 19809; 4/30/1990, 50 CFR 17.95(a) ^{CH} .
Saiga, Mongolian (antelope)	<i>Saiga tatarica mongolica</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Saki, southern bearded	<i>Chiropotes satanas</i>	Wherever found	E	51 FR 17977; 5/16/1986.
Saki, white-nosed	<i>Chiropotes albinasus</i>	Wherever found	E	35 FR 8491; 6/2/1970.

Sea lion, Steller [Western DPS]	<i>Eumetopias</i> <i>jubatus</i>	Western DPS—see 50 CFR 224.101	E	55 FR 13488; 4/10/1990, 55 FR 50005; 12/4/1990, 62 FR 24345; 5/5/1997 ^N , 62 FR 30772; 6/5/1997, 50 CFR 226.202 ^{CH} , 50 CFR 224.103.
Seal, bearded [Beringia DPS]	<i>Erignathus</i> <i>barbatus</i> <i>nauticus</i>	Beringia DPS—see 50 CFR 223.102	T	77 FR 76740, 12/28/2012; ^N
Seal, bearded [Okhotsk DPS]	<i>Erignathus</i> <i>barbatus</i> <i>nauticus</i>	Okhotsk DPS—see 50 CFR 223.102	T	79 FR 42687, 7/23/2014; 50 CFR 226.229. ^{CH}
Seal, Guadalupe fur	<i>Arctocephalus</i> <i>townsendi</i>	Wherever found	T	77 FR 76739; 12/28/2012 ^N , 79 FR 42687; 7/23/2014.
Seal, Hawaiian monk	<i>Neomonachus</i> <i>schauinslandi</i> (= <i>Monachus</i> <i>schauinslandi</i>)	Wherever found	E	32 FR 4001; 3/11/1967, 35 FR 16047; 10/13/1970, 50 FR 51251; 12/16/1985, 55 FR 14051; 3/23/1999 ^N , 50 CFR 223.201 ^{4d} .
				41 FR 51611; 11/23/1976, 55 FR 14051;

				3/23/1999 ^N , 50 CFR 226.201 ^{CH} .
Seal, Mediterranean monk	<i>Monachus monachus</i>	Wherever found	E	35 FR 8491; 6/2/1970, 55 FR 14051; 3/23/1999 ^N .
Seal, ringed (Arctic subspecies)	<i>Phoca (=Pusa) hispida hispida</i>	Wherever found	T	77 FR 76706, 12/28/2012; ^N
Seal, ringed (Baltic subspecies)	<i>Phoca (=Pusa) hispida botnica</i>	Wherever found	T	79 FR 42687, 7/23/2014;
Seal, ringed (Ladoga subspecies)	<i>Phoca (=Pusa) hispida ladogensis</i>	Wherever found	E	50 CFR 226.228. ^{CH}
Seal, ringed (Okhotsk subspecies)	<i>Phoca (=Pusa) hispida ochotensis</i>	Wherever found	T	77 FR 76705; 12/28/2012 ^N , 79 FR 42687; 7/23/2014.
Seal, ringed (Saimaa subspecies)	<i>Phoca (=Pusa) hispida saimensis</i>	Wherever found	E	77 FR 76705; 12/28/2012 ^N , 79 FR 42687; 7/23/2014.
Seal, spotted [Southern DPS]	<i>Phoca largha</i>	Southern DPS— see 50 CFR 223.102	T	58 FR 26920, 5/6/1993; ^N 58 FR 40538, 7/28/1993.
				75 FR 65239; 10/22/2010 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687;

				7/23/2014, 50 CFR 223.212 ^{4d} .
Seledang	<i>Bos gaurus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Serow	<i>Naemorhedus</i> (= <i>Capricornis</i>) <i>sumatraensis</i>	Wherever found	E	41 FR 26019; 6/24/1976.
Serval, Barbary	<i>Leptailurus</i> (= <i>Felis</i>) <i>serval</i> <i>constantina</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Shapo	<i>Ovis vignei</i>	Wherever found	E	41 FR 24062, 6/14/1976; 41 FR 26019, 6/24/1976.
Sheep, Peninsular bighorn [Peninsular CA DPS]	<i>Ovis canadensis</i> <i>nelsoni</i>	U.S.A. (CA) Peninsular Ranges	E	63 FR 13134; 3/18/1998, 50 CFR 17.95(a) ^{CH} .
Sheep, Sierra Nevada bighorn	<i>Ovis canadensis</i> <i>sierrae</i>	U.S.A. (CA)—Sierra Nevada	E	64 FR 19300; 4/20/1999, 65 FR 20; 1/3/2000, 73 FR 45534; 8/5/2008, 50 CFR 17.95(a) ^{CH} .
Shou	<i>Cervus elaphus</i> <i>wallichii</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Shrew, Buena Vista Lake	<i>Sorex ornatus</i> <i>relictus</i>	Wherever found	E	67 FR 10101; 3/6/2002, 50 CFR 17.95(a) ^{CH} .

Siamang	<i>Symphalangus syndactylus</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Sifakas	<i>Propithecus spp.</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Sloth, Brazilian three-toed	<i>Bradypus torquatus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Solenodon, Cuban	<i>Solenodon cubanus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Solenodon, Haitian	<i>Solenodon paradoxus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	Wherever found	E	50 FR 26999; 7/1/1985.
Squirrel, Mount Graham red	<i>Tamiasciurus fremonti grahamensis</i>	Wherever found	E	52 FR 20994, 6/3/1987; 50 CFR 17.95(a). ^{CH}
Squirrel, northern Idaho ground	<i>Urocitellus brunneus</i>	Wherever found	T	65 FR 17779, 4/5/2000.
Stag, Barbary	<i>Cervus elaphus barbarus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Stag, Kashmir	<i>Cervus elaphus hanglu</i>	Wherever found	E	35 FR 8491; 6/2/1970.

Suni, Zanzibar	<i>Neotragus moschatus</i> <i>moschatus</i>	Wherever found	E	44 FR 37124; 6/25/1979.
Tahr, Arabian	<i>Hemitragus jayakari</i>	Wherever found	E	44 FR 37124; 6/25/1979.
Tamaraw	<i>Bubalus mindorensis</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Tamarin, golden-rumped	<i>Leontopithecus</i> spp.	Wherever found	E	35 FR 8491; 6/2/1970.
Tamarin, pied	<i>Saguinus bicolor</i>	Wherever found	E	41 FR 45990; 10/19/1976.
Tamarin, white-footed	<i>Saguinus leucopus</i>	Wherever found	T	41 FR 45990; 10/19/1976, 50 CFR 17.40(c) ^{4d} .
Tapir, Asian	<i>Tapirus indicus</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Tapir, Central American	<i>Tapirus bairdii</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Tapir, mountain	<i>Tapirus pinchaque</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Tapir, South American (=Brazilian)	<i>Tapirus terrestris</i>	Wherever found	E	35 FR 8491; 6/2/1970.

Tarsier, Philippine	<i>Tarsius syrichta</i>	Wherever found	T	41 FR 45990; 10/19/1976, 50 CFR 17.40(c) ^{4d} .
Tiger	<i>Panthera tigris</i>	Wherever found	E	35 FR 8491; 6/2/1970, 37 FR 6476; 3/30/1972.
Tiger, Tasmanian	<i>Thylacinus cynocephalus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Uakari (all species)	<i>Cacajao</i> spp.	Wherever found	E	35 FR 8491; 6/2/1970.
Urial	<i>Ovis musimon ophion</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Vicuna [Argentina, Bolivia, Chile and Peru]	<i>Vicugna vicugna</i>	Wherever found, except Ecuador	T	35 FR 8491; 6/2/1970, 67 FR 37695; 5/30/2002, 50 CFR 17.40(m) ^{4d} .
Vicuna [Ecuador DPS]	<i>Vicugna vicugna</i>	Ecuador	E	35 FR 8491; 6/2/1970, 67 FR 37695; 5/30/2002.
Vole, Amargosa	<i>Microtus californicus scirpensis</i>	Wherever found	E	49 FR 45160; 11/15/1984, 50 CFR 17.95(a) ^{CH} .
Vole, Florida salt marsh	<i>Microtus pennsylvanicus dukecampbelli</i>	Wherever found	E	56 FR 1457; 1/14/1991.

Wallaby, banded hare	<i>Lagostrophus fasciatus</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Wallaby, brindled nail-tailed	<i>Onychogalea fraenata</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Wallaby, crescent nail-tailed	<i>Onychogalea lunata</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Wallaby, Parma	<i>Macropus parma</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Wallaby, western hare	<i>Lagorchestes hirsutus</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Wallaby, yellow-footed rock	<i>Petrogale xanthopus</i>	Wherever found	E	38 FR 14678; 6/4/1973.
Whale, beluga [Cook Inlet DPS]	<i>Delphinapterus leucas</i>	Cook Inlet DPS— see 50 CFR 224.101	E	73 FR 62919; 10/22/2008 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 226.220 ^{CH} .
Whale, blue	<i>Balaenoptera musculus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Whale, bowhead	<i>Balaena mysticetus</i>	Wherever found	E	35 FR 8491; 6/2/1970.

Whale, false killer [Main Hawaiian Islands Insular DPS]	<i>Pseudorca crassidens</i>	Main Hawaiian Islands Insular DPS—see 50 CFR 224.101	E	77 FR 70915, 11/28/2012; ^N 79 FR 42687, 7/23/2014; 50 CFR 226.226. CH
Whale, finback	<i>Balaenoptera physalus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Whale, gray [Western North Pacific DPS]	<i>Eschrichtius robustus</i>	Western North Pacific DPS—see 50 CFR 224.101	E	35 FR 8491; 6/2/1970, 59 FR 31094; 6/16/1994 ^N , 79 FR 42687; 7/23/2014.
Whale, humpback [Arabian Sea DPS]	<i>Megaptera novaeangliae</i>	Arabian Sea DPS—see 50 CFR 224.101	E	35 FR 8491; 6/2/1970, 35 FR 18319; 12/2/1970, 81 FR 62260; 9/8/2016 ^N , 81 FR 93639, 12/21/2016.
Whale, humpback [Cape Verde Islands/Northwest Africa DPS]	<i>Megaptera novaeangliae</i>	Cape Verde Islands/Northwest Africa DPS—see 50 CFR 224.101	E	35 FR 8491; 6/0/1970, 35 FR 18319; 12/2/1970, 81 FR 62260; 9/8/2016 ^N , 81 FR 93639, 12/21/2016.
Whale, humpback [Central America DPS]	<i>Megaptera novaeangliae</i>	Central America DPS—see 50 CFR 224.101	E	35 FR 8491, 6/2/1970; 35 FR 18319, 12/2/1970; 81 FR 62260,

				9/8/2016; ^N 81 FR 93639, 12/21/2016; 87 FR 8981, 2/17/2022; 50 CFR 226.227. ^{CH}
Whale, humpback [Mexico DPS]	Megaptera novaehollandiae	Mexico DPS—see 50 CFR 223.102	T	35 FR 8491, 6/2/1970; 35 FR 18319, 12/2/1970; 81 FR 62260, 9/8/2016; ^N 81 FR 93639, 12/21/2016; 87 FR 8981, 2/17/2022; 50 CFR 223.213; 50 CFR 223.214; 50 CFR 226.227. ^{CH}
Whale, humpback [Western North Pacific DPS]	Megaptera novaehollandiae	Western North Pacific DPS—see 50 CFR 224.101	E	35 FR 8491, 6/2/1970; 35 FR 18319, 12/2/1970; 81 FR 62260, 9/8/2016; ^N 81 FR 93639, 12/21/2016; 87 FR 8981, 2/17/2022; 50 CFR 224.103; 50 CFR 226.227. ^{CH}
Whale, killer [Southern Resident DPS]	Orcinus orca	Southern Resident DPS—see 50 CFR 224.101	E	70 FR 69903; 11/18/2005 ^N , 72 FR 16284; 4/4/2007, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 80 CFR 7380;

Whale, North Atlantic right	<i>Eubalaena glacialis</i>	Wherever found	E	2/10/2015 ^N , 50 CFR 224.103, 50 CFR 226.206 ^{CH} . 35 FR 8491; 6/2/1970, 73 FR 12024; 3/6/2008, ^N 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 224.103, 50 CFR 224.105, 50 CFR 226.203. ^{CH}
Whale, North Pacific right	<i>Eubalaena japonica</i>	Wherever found	E	35 FR 8491; 6/2/1970, 73 FR 12024; 3/6/2008 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 226.215 ^{CH} .
Whale, Rice's	<i>Balaenoptera ricei</i>	Wherever found	E	84 FR 15446, 4/15/2019; 86 FR 47022, 8/23/2021, ^N 87 FR 8981, 2/17/2022.
Whale, sei	<i>Balaenoptera borealis</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Whale, Southern right	<i>Eubalaena australis</i>	Wherever found	E	35 FR 8491; 6/2/1970, 73 FR 12024; 3/6/2008 ^N , 76

FR 20558;
4/13/2011.

Whale, sperm	Physeter catodon (=macrocephalus)	Wherever found	E	35 FR 8491; 6/2/1970.
Wolf, gray	Canis lupus	U.S.A.: All of AL, AR, CA, CT, DE, FL, GA, IA, IN, IL, KS, KY, LA, MA, MD, ME, MI, MO, MS, NC, ND, NE, NH, NJ, NV, NY, OH, OK, PA, RI, SC, SD, TN, TX, VA, VT, WI, and WV; and portions of AZ, NM, OR, UT, and WA as follows:	E	32 FR 4001, 3/11/196 7; 41 FR 24062, 6/14/197 6; 43 FR 9607, 3/9/1978; 73 FR 75356, 12/11/20 08; 74 FR 47483, 9/16/200 9; 80 FR 9218, 2/20/201 5; 50 CFR 17.95(a). ^c H
		(1) Northern AZ (that portion north of the centerline of Interstate Highway 40); (2) Northern NM (that portion north of the centerline of Interstate Highway 40); (3) Western OR (that portion of OR		

(1) Northern AZ
(that portion north
of the centerline of
Interstate Highway
40);

(2) Northern NM
(that portion north
of the centerline of
Interstate Highway
40);

(3) Western OR
(that portion of OR

west of the centerline of Highway 395 and Highway 78 north of Burns Junction and that portion of OR west of the centerline of Highway 95 south of Burns Junction);

(4) Most of UT (that portion of UT south and west of the centerline of Interstate Highway 84 and that portion of UT south of Interstate Highway 80 from Echo to the UT/WY Stateline); and

(5) Western WA (that portion of WA west of the centerline of Highway 97 and Highway 17 north of Mesa and that portion of WA west of the centerline of Highway 395 south of Mesa); Mexico.

Wolf, gray [Colorado XN]	Canis lupus	U.S.A. (CO)	XN	88 FR 77014, 11/8/2023; 50 CFR 17.84(n). ^{10j}
Wolf, gray	Canis lupus	U.S.A. (MN)	T	43 FR 9607, 3/9/1978; 50 CFR 17.40(d); ^{4(d)} 50 CFR 17.95(a). ^{CH}

Wolf, maned	<i>Chrysocyon brachyurus</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Wolf, Mexican	<i>Canis lupus baileyi</i>	Wherever found, except where included in an experimental population as set forth in § 17.84(k)	E	40 FR 17590; 4/21/1975, 80 FR 2488; 1/16/2015.
Wolf, Mexican	<i>Canis lupus baileyi</i>	U.S.A. (portions of AZ and NM)—see § 17.84(k)	XN	63 FR 1752; 1/12/1998, 80 FR 2512; 1/16/2015, 50 CFR 17.84(k) ^{10j} .
Wolf, red	<i>Canis rufus</i>	Wherever found, except where listed as an experimental population	E	32 FR 4001; 3/11/1967, 51 FR 41790; 11/19/1986, 56 FR 56325; 11/4/1991, 60 FR 18941; 4/13/1995.
Wolf, red	<i>Canis rufus</i>	U.S.A. (portions of NC and TN—see § 17.84(c)(9))	XN	51 FR 41790; 11/19/1986, 56 FR 56325; 11/4/1991, 60 FR 18941; 4/13/1995, 50 CFR 17.84(c) ^{10j} .
Wolverine, North American [Contiguous U.S. DPS]	<i>Gulo gulo luscus</i>	Where found within the contiguous U.S.A	T	88 FR 83726, 11/30/20 23; 50 CFR 17.40(u). ⁴ d

Wombat, Queensland hairy- nosed (incl. Barnard's)	Lasiorhinus krefftii (formerly L. Wherever found barnardi and L. gillespiei)	E	35 FR 18319; 12/2/1970, 38 FR 14678; 6/4/1973.
Woodrat, Key Largo	Neotoma floridana smalli	E	48 FR 43040; 9/21/1983, 49 FR 34504; 8/31/1984.
Woodrat, riparian (San Joaquin Valley)	Neotoma fuscipes riparia	E	65 FR 8881; 2/23/2000.
Yak, wild	Bos mutus (=grunniens m.)	E	35 FR 8491; 6/2/1970.
Zebra, Grevy's	Equus grevyi	T	44 FR 49218; 8/21/1979.
Zebra, Hartmann's mountain	Equus zebra hartmannae	T	44 FR 49218; 8/21/1979 46 FR 11665; 2/10/1981.
Zebra, mountain	Equus zebra zebra	E	41 FR 24062; 6/14/1976 46 FR 11665; 2/10/1981.
Birds			
Adjutant, greater	Leptoptilos dubius	E	76 FR 50052; 8/11/2011.
Akekee (honeycreeper)	Loxops caeruleirostris	E	75 FR 18960; 4/13/2010 50 CFR 17.95(b) ^{CH} .

Akepa, Hawaii	<i>Loxops coccineus</i>	Wherever found	E	35 FR 16047; 10/13/1970.
Akiapolaau	<i>Hemignathus wilsoni</i>	Wherever found	E	32 FR 4001; 3/11/1967.
Akikiki (honeycreeper)	<i>Oreomystis bairdi</i>	Wherever found	E	75 FR 18960; 4/13/2010 50 CFR 17.95(b) ^{CH} .
Akohekohe (crested honeycreeper)	<i>Palmeria dolei</i>	Wherever found	E	32 FR 4001, 3/11/1967; 50 CFR 17.95(b). ^{CH}
Alauahio, Oahu	<i>Paroreomyza maculata</i>	Wherever found	E	35 FR 16047, 10/13/1970.
Albatross, Amsterdam	<i>Diomedea amsterdamsensis</i>	Wherever found	E	60 FR 2899; 1/12/1995.
Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>	Wherever found	E	35 FR 8491; 6/2/1970, 65 FR 46643; 7/31/2000.
Alethe, Thyolo	<i>Alethe choloensis</i>	Wherever found	E	60 FR 2899; 1/12/1995.
Antpitta, brown-banded	<i>Grallaria milleri</i>	Wherever found	E	78 FR 64637; 10/29/2013.
Antwren, black-hooded	<i>Formicivora erythronotos</i>	Wherever found	E	75 FR 81794; 12/28/2010.

Blackbird, yellow-shouldered	<i>Agelaius xanthomus</i>	Wherever found	E	41 FR 51019; 11/19/1976, 50 CFR 17.95(b) ^{CH} .
Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>	Wherever found	E	32 FR 4001; 3/11/1967, 35 FR 8491; 6/2/1970.
Booby, Abbott's	<i>Papasula (=Sula) abbotti</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Bristlebird, western	<i>Dasyornis longirostris (=brachypterus l.)</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Bristlebird, western rufous	<i>Dasyornis broadbenti littoralis</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Bulbul, Mauritius olivaceous	<i>Hypsipetes borbonicus olivaceus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Bullfinch, Sao Miguel (finch)	<i>Pyrrhula pyrrhula murina</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Bush-shrike, Ulugura	<i>Malaconotus alius</i>	Wherever found	T	60 FR 2899; 1/12/1995.

Bushwren, New Zealand	<i>Xenicus longipes</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Bustard, great Indian (=Choriotis nigriceps)	<i>Ardeotis</i> <i>nigriceps</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Cahow	<i>Pterodroma cahow</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Capercaillie, Cantabrian	<i>Tetrao urogallus cantabricus</i>	Wherever found	E	76 FR 50052; 8/11/2011.
Caracara, crested, (Audubon's) [FL DPS]	<i>Caracara plancus audubonii</i>	U.S.A. (FL)	T	52 FR 25229, 7/6/1987.
Cinclodes, royal	<i>Cinclodes aricomae</i>	Wherever found	E	77 FR 43434; 7/24/2012.
Cockatoo, Philippine	<i>Cacatua haematuropygi a</i>	Wherever found	E	79 FR 35870; 6/24/2014.
Cockatoo, salmon-crested	<i>Cacatua moluccensis</i>	Wherever found	T	76 FR 30758; 5/26/2011 50 CFR 17.41(c) ^{4d} .
Cockatoo, white	<i>Cacatua alba</i>	Wherever found	T	79 FR 35870; 6/24/2014 50 CFR 17.41(c) ^{4d} .

Cockatoo, yellow-crested	<i>Cacatua sulphurea</i>	Wherever found	E	79 FR 35870; 6/24/2014.
Condor, Andean	<i>Vultur gryphus</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Condor, California	<i>Gymnogyps californianus</i>	Wherever found, except where listed as an experimental population	E	32 FR 4001, 3/11/1996 7; 50 CFR 17.95(b). ^c H
Condor, California	<i>Gymnogyps californianus</i>	U.S.A. (specific portions of Arizona, Nevada, and Utah)—see § 17.84(j)	XN	61 FR 54045, 10/16/1996; 50 CFR 17.84(j) ^{10j} .
Condor, California	<i>Gymnogyps californianus</i>	U.S.A. (Oregon, and specific portions of northern California and northwest Nevada)—see § 17.84(i)	XN	86 FR 15602, 3/24/2021; 50 CFR 17.84(i) ^{10j} .
Conure, golden, (=golden parakeet)	<i>Guaruba guarouba</i>	Wherever found	T	41 FR 24062, 6/14/1976; 85 FR 22653, 4/23/2020; 50 CFR 17.41(c). ^{4d}
Coot, Hawaiian (alae keokeo)	<i>Fulica alai</i>	Wherever found	E	35 FR 16047, 10/13/1970.
Cotinga, banded	<i>Cotinga maculata</i>	Wherever found	E	41 FR 24062; 6/14/1976.

Cotinga, white-winged	<i>Xipholena atropurpurea</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Courser, Jerdon's	<i>Rhinoptilus bitorquatus</i>	Wherever found	E	76 FR 50052; 8/11/2011.
Crane, black-necked	<i>Grus nigricollis</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Crane, Cuba sandhill	<i>Grus canadensis nesiotes</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Crane, hooded	<i>Grus monacha</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Crane, Japanese	<i>Grus japonensis</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Crane, Mississippi sandhill	<i>Antigone canadensis pulla</i>	Wherever found	E	38 FR 14678, 6/4/1973;
Crane, Siberian white	<i>Grus leucogeranus</i>	Wherever found	E	50 CFR 17.95(b). ^{CH}
Crane, white-naped	<i>Grus vipio</i>	Wherever found	E	41 FR 24062; 6/14/1976.

Crane, whooping	<i>Grus americana</i>	Wherever found, except where listed as an experimental population	E	32 FR 4001; 3/11/1967, 35 FR 8491; 3/9/1978 50 CFR 17.95(b) ^{CH} .	
Crane, whooping	<i>Grus americana</i>	U.S.A. (AL, AR, CO, FL, GA, ID, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, NM, OH, SC, TN, UT, VA, WI, WV, western half of WY)	XN	58 FR 5561; 1/22/1993, 62 FR 38932; 7/21/1997, 66 FR 33903; 6/26/2001, 76 FR 6066; 2/3/2011, 50 CFR 17.84(h) ^{10j} .	
Creeper, Hawaii (alawi)	<i>Loxops mana</i>	Wherever found	E	40 FR 44149, 9/25/1975.	
Crow, Hawaiian (alala)	<i>Corvus hawaiiensis</i>	Wherever found	E	32 FR 4001, 3/11/1967.	
Crow, Mariana (aga)	<i>Corvus kubaryi</i>	Wherever found	E	49 FR 33881, 8/27/1984; 50 CFR 17.95(b) ^{CH} .	
Crow, white-necked	<i>Corvus leucognaphalus</i>	Wherever found	E	56 FR 13598; 4/3/1991.	
Cuckoo, yellow-billed [Western DPS]	<i>Coccyzus americanus</i>	U.S.A., Canada, Mexico, Central and South America	Western DPS: U.S.A. (AZ, CA, CO (western), ID, MT (western), NM (western), NV, OR, TX (western),	T	79 FR 59991, 10/3/2014; 50 CFR 17.95(b) ^{CH} .

			UT, WA, WY (western)); Canada (British Columbia (southweste rn); Mexico (Baja California, Baja California Sur, Chihuahua, Durango (western), Sinaloa, Sonora)	
Cuckoo-shrike, Mauritius	<i>Coquus typicus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Cuckoo-shrike, Reunion	<i>Coquus newtoni</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Curassow, blue- billed	<i>Crax alberti</i>	Wherever found	E	78 FR 64637; 10/29/2013.
Curassow, razor- billed	<i>Mitu mitu mitu</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Curassow, red-billed	<i>Crax blumenbachii</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Curassow, Sira	<i>Pauxi koepckeae</i>	Wherever found	E	89 FR 60327, 7/25/2024.

Curassow, southern helmeted (= horned curassow)	<i>Pauxi unicornis</i>	Wherever found	E	89 FR 60327, 7/25/2024.
Curassow, Trinidad white-headed	Pipile pipile pipile	Wherever found	E	35 FR 8491; 6/2/1970.
Curlew, Eskimo	<i>Numenius borealis</i>	Wherever found	E	32 FR 4001; 3/11/1967, 35 FR 8491; 6/2/1970.
Curlew, slender- billed	<i>Numenius tenuirostris</i>	Wherever found	E	76 FR 50052; 8/11/2011.
Dove, cloven- feathered	<i>Drepanoptila holosericea</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Dove, Grenada gray- fronted	<i>Leptotila rufaxilla wellsi</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Duck, Hawaiian (koloa maoli)	<i>Anas wyvilliana</i>	Wherever found	E	32 FR 4001, 3/11/1967.
Duck, Laysan	<i>Anas laysanensis</i>	Wherever found	E	32 FR 4001; 3/11/1967.
Duck, pink-headed	<i>Rhodonessa caryophyllacea</i>	Wherever found	E	41 FR 24062; 6/14/1976.

Duck, white-winged wood	<i>Cairina scutulata</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Eagle, Greenland white-tailed	<i>Haliaeetus albicilla groenlandicus</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Eagle, harpy	<i>Harpia harpyja</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Eagle, Madagascar sea	<i>Haliaeetus vociferoides</i>	Wherever found	E	60 FR 2899; 1/12/1995.
Eagle, Madagascar serpent	<i>Eutriorchis astur</i>	Wherever found	E	60 FR 2899; 1/12/1995.
Eagle, Philippine	<i>Pithecophaga jefferyi</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Eagle, Spanish imperial	<i>Aquila heliaca adalberti</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Egret, Chinese	<i>Egretta eulophotes</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Eider, spectacled	<i>Somateria fischeri</i>	Wherever found	T	58 FR 27474; 5/10/1993, 50 CFR 17.95(b) ^{CH} .
Eider, Steller's [AK Breeding DPS]	<i>Polysticta stelleri</i>	U.S.A. (AK breeding population only)	T	62 FR 31748; 6/11/1997, 50 CFR 17.95(b) ^{CH} .

Elepaio, Oahu	<i>Chasiempis ibidis</i>	Wherever found	E	65 FR 20760; 4/18/2000, 50 CFR 17.95(b) ^{CH} .
Falcon, Eurasian peregrine	<i>Falco peregrinus</i> <i>peregrinus</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Falcon, northern aplomado	<i>Falco femoralis</i> <i>septentrionalis</i>	Wherever found, except where listed as an experimental population	E	51 FR 6686; 2/25/1986.
Falcon, northern aplomado	<i>Falco femoralis</i> <i>septentrionalis</i>	U.S.A. (AZ, NM)	XN	71 FR 42298; 7/26/2006, 50 CFR 17.84(p) ^{10j} .
Finch, Laysan	<i>Telespiza cantans</i>	Wherever found	E	32 FR 4001, 3/11/1967.
Finch, Nihoa	<i>Telespiza ultima</i>	Wherever found	E	32 FR 4001, 3/11/1967.
Fire-eye, fringed-backed	<i>Pyriglena atra</i>	Wherever found	E	75 FR 81794; 12/28/2010.
Flamingo, Andean	<i>Phoenicoparrus andinus</i>	Wherever found	E	75 FR 50814; 8/17/2010.
Flycatcher, Euler's	<i>Empidonax euleri</i> <i>johnstonei</i>	Wherever found	E	35 FR 8491; 6/2/1970.

Flycatcher, Seychelles paradise	<i>Terpsiphone corvina</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	Wherever found	E	60 FR 10695; 2/27/1995, 50 CFR 17.95(b) ^{CH} .
Flycatcher, Tahiti	<i>Pomarea nigra</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Fody, Mauritius	<i>Foudia rubra</i>	Wherever found	E	60 FR 2899; 1/12/1995.
Fody, Rodrigues	<i>Foudia flavicans</i>	Wherever found	E	60 FR 2899; 1/12/1995.
Fody, Seychelles (weaver-finch)	<i>Foudia sechellarum</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Francolin, Djibouti	<i>Francolinus ochropectus</i>	Wherever found	E	60 FR 2899; 1/12/1995.
Frigatebird, Andrew's	<i>Fregata andrewsi</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Gallinule, Hawaiian common (Alae ula)	<i>Gallinula galeata sandvicensis</i>	Wherever found	E	32 FR 4001, 3/11/1967.
Gnatcatcher, coastal California	<i>Polioptila californica californica</i>	Wherever found	T	58 FR 16742; 3/30/1993, 50 CFR 17.41(b) ^{4d} , 50 CFR 17.95(b) ^{CH} .

Goose, Hawaiian (Nene)	<i>Branta sandvicensis</i>	Wherever found	T	32 FR 4001, 3/11/1967; 84 FR 69918, 12/19/2019; 50 CFR 17.41(d) ^{4d} .
Goshawk, Christmas Island	<i>Accipiter fasciatus natalis</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Goshawk, Queen Charlotte [British Columbia DPS]	<i>Accipiter gentilis laingi</i>	British Columbia, Canada	T	77 FR 45870; 8/1/2012.
Grackle, slender- billed	<i>Quiscalus palustris</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Grasswren, Eyrean (flycatcher)	<i>Amytornis goyderi</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Grebe, Alaotra	<i>Tachybaptus rufoflavatus</i>	Wherever found	E	60 FR 2899; 1/12/1995.
Grebe, Atitlan	<i>Podilymbus gigas</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Grebe, Junín	<i>Podiceps taczanowskii</i>	Wherever found	E	77 FR 43434; 7/24/2012.
Greenshank, Nordmann's	<i>Tringa guttifer</i>	Wherever found	E	41 FR 24062; 6/14/1976.

Ground-cuckoo, southeastern rufous-vented	<i>Neomorphus geoffroyi dulcis</i>	Wherever found	E	75 FR 81794; 12/28/2010.
Ground-dove, friendly (= tuaimeo) (American Samoa DPS)	<i>Gallicolumba stairi</i>	U.S.A. (AS)	E	81 FR 65466; 09/22/2016.
Guan, cauca	<i>Penelope perspicax</i>	Wherever found	E	78 FR 64637; 10/29/2013.
Guan, horned	<i>Oreophasis derbianus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Guan, white-winged	<i>Penelope albipennis</i>	Wherever found	E	55 FR 39858; 9/28/1990.
Guineafowl, white- breasted	<i>Agelastes meleagrides</i>	Wherever found	T	60 FR 2899; 1/12/1995.
Gull, Audouin's	<i>Larus audouinii</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Gull, relict	<i>Larus relictus</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Hawk, Galapagos	<i>Buteo galapagoensis</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Hawk, Puerto Rican broad-winged	<i>Buteo platypterus brunnescens</i>	Wherever found	E	59 FR 46710; 9/9/1994.

Hawk, Puerto Rican sharp-shinned	<i>Accipiter striatus venator</i>	Wherever found	E	59 FR 46710; 9/9/1994.
Hermit, hook-billed (hummingbird)	<i>Ramphodon (=Glaucis) dohrnii</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Hermit, Margaretta's	<i>Phaethornis malaris margaretae</i>	Wherever found	E	75 FR 81794; 12/28/2010.
Honeyeater, helmeted	<i>Lichenostomus melanops cassidix</i> (= <i>Meliphaga c.</i>)	Wherever found	E	35 FR 18319; 12/2/1970.
Hornbill, helmeted	<i>Buceros (=Rhinoplax) vigil</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Hummingbird, Honduran emerald	<i>Amazilia luciae</i>	Wherever found	E	80 FR 45086; 7/29/2015.
Ibis, giant	<i>Pseudibis gigantea</i>	Wherever found	E	73 FR 3146; 1/16/2008.
Ibis, Japanese crested	<i>Nipponia nippon</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Ibis, northern bald	<i>Geronticus eremita</i>	Wherever found	E	55 FR 39858; 9/28/1990.

Liwi (honeycreeper)	<i>Drepanis coccinea</i>	Wherever found	T	82 FR 43873, 9/20/2017.
Kagu	<i>Rhynochetos jubatus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Kakapo	<i>Strigops habroptilus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Kestrel, Mauritius	<i>Falco punctatus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Kestrel, Seychelles	<i>Falco araea</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Kingfisher, Guam (=sihek)	<i>Todiramphus cinnamominus</i>	Wherever found, except where listed as an experimental population	E	49 FR 33881, 8/27/1984; 50 CFR 17.95(b) ^{CH} .
Kingfisher, Guam (=sihek)	<i>Todiramphus cinnamominus</i>	U.S.A. (Palmyra Atoll)	XN	88 FR 19880, 4/4/2023; 50 CFR 17.84(a) ^{10j} .
Kite, Cuba hook-billed	<i>Chondrohierax uncinatus wilsonii</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Kite, Grenada hook-billed	<i>Chondrohierax uncinatus mirus</i>	Wherever found	E	35 FR 8491; 6/2/1970.

Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	Wherever found	E	32 FR 4001, 3/11/196 7; 50 CFR 17.95(b). ^c H
Knot, rufa red	<i>Calidris canutus rufa</i>	Wherever found	T	79 FR 73705; 12/11/2014.
Kokako (wattlebird)	<i>Callaeas cinerea</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Lark, Raso	<i>Alauda razae</i>	Wherever found	E	60 FR 2899; 1/12/1995.
Lark, streaked horned	<i>Eremophila alpestris strigata</i>	Wherever found	T	78 FR 61451; 10/3/2013, 50 CFR 17.41(a) ^{4d} , 50 CFR 17.95(b) ^{CH} .
Macaw, blue-throated	<i>Ara glaucogularis</i>	Wherever found	E	78 FR 61208; 10/3/2013.
Macaw, glaucous	<i>Anodorhynchus glaucus</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Macaw, great green	<i>Ara ambiguus</i>	Wherever found	E	80 FR 59975; 10/2/2015.
Macaw, hyacinth	<i>Anodorhynchus hyacinthinus</i>	Wherever found	T	83 FR 39894, 8/13/2018; 50 CFR 17.41(c) ^{4d} .
Macaw, indigo	<i>Anodorhynchus leari</i>	Wherever found	E	41 FR 24062; 6/14/1976.

Macaw, little blue	<i>Cyanopsitta spixii</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Macaw, military	<i>Ara militaris</i>	Wherever found	E	80 FR 59975; 10/2/2015.
Macaw, scarlet	<i>Ara macao cyanoptera</i>	Wherever found	E	84 FR 6278, 2/26/2019.
Macaw, scarlet [Northern DPS]	<i>Ara macao macao</i>	Colombia (northwest of the Andes), Costa Rica (Pacific slope), Panama (mainland)	T	84 FR 6278, 2/26/2019; 50 CFR 17.41(c). ^{4d}
Macaw, scarlet [Southern DPS]	<i>Ara macao macao</i>	Bolivia, Brazil, Colombia (southeast of the Andes), Ecuador, French Guiana, Guyana, Peru, Suriname, Venezuela	T(S/A)	84 FR 6278, 2/26/2019; 50 CFR 17.41(c). ^{4d}
Macaw, scarlet [Subspecies crosses]	<i>Ara macao macao X Ara macao cyanoptera</i>	Costa Rica, Nicaragua (Atlantic slope border region)	T(S/A)	84 FR 6278, 2/26/2019; 50 CFR 17.41(c). ^{4d}
Magpie-robin, Seychelles (thrush)	<i>Copsychus sechellarum</i>	Wherever found	E	35 FR 8491; 6/2/1970.

Malimbe, Ibadan	<i>Malimbus ibadanensis</i>	Wherever found	E	60 FR 2899; 1/12/1995.
Malkoha, red-faced (cuckoo)	<i>Phaenicophaeus</i> <i>s</i> <i>pyrrhocephalu</i> <i>s</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Mao (= maomao) (honeyeater)	<i>Gymnomyza samoensis</i>	Wherever found	E	81 FR 65466; 09/22/2016.
Megapode, Maleo	<i>Macrocephalon maleo</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Megapode, Micronesian (sasangat)	<i>Megapodius laperouse</i>	Wherever found	E	35 FR 8491, 6/2/1970.
Merganser, Brazilian	<i>Mergus octosetaceus</i>	Wherever found	E	75 FR 81794; 12/28/2010.
Millerbird, Nihoa (old world warbler)	<i>Acrocephalus familiaris kingi</i>	Wherever found	E	32 FR 4001; 3/11/1967.
Mockingbird, Socorro	<i>Mimus Graysoni</i>	Wherever found	E	73 FR 3146; 1/16/2008.
Moorhen, Mariana common (pulattat)	<i>Gallinula chloropus guami</i>	Wherever found	E	49 FR 33881, 8/27/1984.

Murrelet, marbled [CA, OR, WA DPS]	<i>Brachyramphus marmoratus</i>	U.S.A. (CA, OR, WA)	T	57 FR 45337; 10/1/1992, 50 CFR 17.95(b) ^{CH} .
Nightjar, Puerto Rican	<i>Antrostomus noctitherus</i>	Wherever found	E	38 FR 14678, 6/4/1973.
Nuthatch, Algerian	<i>Sitta ledanti</i>	Wherever found	E	60 FR 2899; 1/12/1995.
Olomao, Molokai	<i>Myadestes lanaiensis rutha</i>	Wherever found	E	35 FR 16047, 10/13/1970.
Ostrich, Arabian	<i>Struthio camelus syriacus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Ostrich, West African	<i>Struthio camelus spatzi</i>	Wherever found	E	35 FR 8491; 6/2/1970.
‘O‘u (honeycreeper)	<i>Psittirostra psittacea</i>	Wherever found	E	32 FR 4001; 3/11/1967.
Owl, Anjouan scops	<i>Otus rutilus capnodes</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Owl, giant scops	<i>Mimizuku (=Otus) gurneyi</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Owl, Madagascar red	<i>Tyto soumagnei</i>	Wherever found	E	55 FR 39858; 9/28/1990.

Owl, Mexican spotted	<i>Strix occidentalis</i> <i>lucida</i>	Wherever found	T	58 FR 14248; 3/16/1993 50 CFR 17.95(b) ^{CH} .
Owl, northern spotted	<i>Strix occidentalis</i> <i>caurina</i>	Wherever found	T	55 FR 26114; 6/26/1990, 50 CFR 17.95(b) ^{CH} .
Owl, Seychelles scops	<i>Otus magicus</i> (=insularis) <i>insularis</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Owlet, Morden's	<i>Otus ireneae</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Oystercatcher, Canarian black	<i>Haematopus meadewaldoi</i>	Wherever found	E	60 FR 2899; 1/12/1995.
Palila (honeycreeper)	<i>Loxioides bailleui</i>	Wherever found	E	32 FR 4001; 3/11/1967, 50 CFR 17.95(b) ^{CH} .
Paradise-flycatcher, caerulean	<i>Eutrichomyias rowleyi</i>	Wherever found	E	73 FR 3146; 1/16/2008.
Parakeet, blue-throated (=ochre-marked)	<i>Pyrrhura cruentata</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Parakeet, Forbes'	<i>Cyanoramphus auriceps</i> <i>forbesi</i>	Wherever found	E	35 FR 8491; 6/2/1970.

Parakeet, golden-shouldered	<i>Psephotus chrysopterygius</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Parakeet, Mauritius	<i>Psittacula echo</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Parakeet, Norfolk Island	<i>Cyanoramphus cookii</i> (=novaehollandiae c.)	Wherever found	E	55 FR 39858; 9/28/1990.
Parakeet, orange-bellied	<i>Neophema chrysogaster</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Parakeet, paradise	<i>Psephotus pulcherrimus</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Parrot, Bahaman or Cuban	<i>Amazona leucocephala</i>	Wherever found	E	35 FR 8491; 6/2/1970, 41 FR 24062; 6/14/1976.
Parrot, ground	<i>Pezoporus wallicus</i>	Wherever found	E	38 FR 14678; 6/4/1973.
Parrot, imperial	<i>Amazona imperialis</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Parrot, night (=Australian)	<i>Geopsittacus occidentalis</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Parrot, Puerto Rican	<i>Amazona vittata</i>	Wherever found	E	32 FR 4001; 3/11/1967.

Parrot, red-browed	<i>Amazona rhodocorytha</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Parrot, red-capped	<i>Pionopsitta pileata</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Parrot, red-necked	<i>Amazona arausiaca</i>	Wherever found	E	44 FR 37124; 6/25/1979.
Parrot, red-spectacled	<i>Amazona pretrei pretrei</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Parrot, red-tailed	<i>Amazona brasiliensis</i>	Wherever found	E	55 FR 39858; 9/28/1990.
Parrot, Seychelles lesser vasa	<i>Coracopsis nigra barklyi</i>	Wherever found	E	60 FR 2899; 1/12/1995.
Parrot, St. Vincent	<i>Amazona guildingii</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Parrot, St. Lucia	<i>Amazona versicolor</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Parrot, thick-billed	<i>Rhynchopsitta pachyrhyncha</i>	Wherever found	E	35 FR 8491, 6/2/1970.
Parrot, vinaceous-breasted	<i>Amazona vinacea</i>	Wherever found	E	41 FR 24062; 6/14/1976.

Parrot, yellow-billed	<i>Amazona collaria</i>	Wherever found	T	78 FR 15624; 3/12/2013, 50 CFR 17.41(c) ^{4d} .
Parrotbill, Maui (Kiwikiu)	<i>Pseudonestor xanthophrys</i>	Wherever found	E	32 FR 4001; 3/11/1967, 50 CFR 17.95(b) ^{CH} .
Penguin, African	<i>Spheniscus demersus</i>	Wherever found	E	75 FR 59645; 9/28/2010.
Penguin, emperor	<i>Aptenodytes forsteri</i>	Wherever found	T	87 FR 64720, October 26, 2022; 50 CFR 17.41(m) ^{4d}
Penguin, erect-crested	<i>Eudyptes sclateri</i>	Wherever found	T	75 FR 45497; 8/3/2010.
Penguin, Fiordland crested	<i>Eudyptes pachyrhynchus</i>	Wherever found	T	75 FR 45497; 8/3/2010.
Penguin, Galapagos	<i>Spheniscus mendiculus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Penguin, Humboldt	<i>Spheniscus humboldti</i>	Wherever found	T	75 FR 45497; 8/3/2010.
Penguin, southern rockhopper [New Zealand-Australia DPS]	<i>Eudyptes chrysocome</i>	New Zealand-Australia DPS, associated with the Campbell Plateau and Macquarie Island	T	76 FR 9681; 2/22/2011.

Penguin, white-flippered	<i>Eudyptula minor albosignata</i>	Wherever found	T	75 FR 45497; 8/3/2010.
Penguin, yellow-eyed	<i>Megadyptes antipodes</i>	Wherever found	T	75 FR 45497; 8/3/2010.
Petrel, black-capped	<i>Pterodroma hasitata</i>	Wherever found	E	88 FR 89611, 12/28/2023.
Petrel, Chatham	<i>Pterodroma axillaris</i>	Wherever found	E	74 FR 46914; 9/14/2009.
Petrel, Fiji	<i>Pseudobulweria macgillivrayi</i>	Wherever found	E	74 FR 46914; 9/14/2009.
Petrel, Galapagos	<i>Pterodroma phaeopygia</i>	Wherever found	T	75 FR 235; 1/5/2010.
Petrel, Hawaiian (uau)	<i>Pterodroma sandwichensis</i>	Wherever found	E	32 FR 4001, 3/11/1967.
Petrel, Madeira	<i>Pterodroma madeira</i>	Wherever found	E	60 FR 2899; 1/12/1995.
Petrel, magenta	<i>Pterodroma magentae</i>	Wherever found	E	74 FR 46914; 9/14/2009.

Petrel, Mascarene black	<i>Pterodroma aterrima</i>	Wherever found	E	60 FR 2899; 1/12/1995.
Pheasant, bar-tailed	<i>Syrmaticus humiae</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Pheasant, Blyth's tragopan	<i>Tragopan blythii</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Pheasant, brown eared	<i>Crossoptilon mantchuricum</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Pheasant, Cabot's tragopan	<i>Tragopan caboti</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Pheasant, cheer	<i>Catreus wallichii</i>	Wherever found	E	55 FR 39858; 9/28/1990.
Pheasant, Chinese monal	<i>Lophophorus lhuysii</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Pheasant, Edward's	<i>Lophura edwardsi</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Pheasant, Elliot's	<i>Syrmaticus ellioti</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Pheasant, imperial	<i>Lophura imperialis</i>	Wherever found	E	35 FR 8491; 6/2/1970.

Pheasant, Mikado	<i>Syrmaticus mikado</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Pheasant, Palawan peacock	<i>Polyplectron emphanum</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Pheasant, Sclater's monal	<i>Lophophorus sclateri</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Pheasant, Swinhoe's	<i>Lophura swinhoii</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Pheasant, western tragopan	<i>Tragopan melanocephalus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Pheasant, white eared	<i>Crossoptilon crossoptilon</i>	Wherever found	E	35 FR 18319; 12/2/1970.
Pigeon, Azores wood	<i>Columba palumbus azorica</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Pigeon, Chatham Island	<i>Hemiphaga novaeseelandiae</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Pigeon, Marquesan imperial	<i>Ducula galeata</i>	Wherever found	E	76 FR 50052; 8/11/2011.

Pigeon, Mindoro imperial (=zone-tailed)	<i>Ducula mindorensis</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Pigeon, pink	<i>Columba mayeri</i>	Wherever found	E	60 FR 2899; 1/12/1995.
Pigeon, Puerto Rican plain	<i>Patagioenas inornata wetmorei</i>	Wherever found	E	35 FR 16047, 10/13/1970.
Pigeon, white-tailed laurel	<i>Columba junoniae</i>	Wherever found	T	60 FR 2899; 1/12/1995.
Piping-guan, black-fronted	<i>Pipile jacutinga</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Pitta, Gurney's	<i>Pitta gurneyi</i>	Wherever found	E	73 FR 3146; 1/16/2008.
Pitta, Koch's	<i>Pitta kochi</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Plantcutter, Peruvian	<i>Phytotoma raimondii</i>	Wherever found	E	77 FR 43434; 7/24/2012.
Plover, New Zealand shore	<i>Thinornis novaeseelandiae</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Plover, piping [Great Lakes watershed DPS]	<i>Charadrius melanotos</i>	Great Lakes, watershed in States of IL, IN, MI, MN, NY, OH, PA,	E	50 FR 50726; 12/11/1985, 50 CFR 17.95(b) ^{CH} .

and WI and
Canada (Ont.)

Plover, piping [Atlantic Coast and Northern Great Plains populations]	Charadrius melodus	Wherever found, except those areas where listed as endangered	T	50 FR 50726; 12/11/1985, 50 CFR 17.95(b) ^{CH} .
Plover, western snowy [Pacific Coast population DPS]	Charadrius nivosus nivosus	Pacific Coast population DPS— U.S.A. (CA, OR, WA), Mexico (within 50 miles of Pacific coast)	T	58 FR 12864, 3/5/1993; 50 CFR 17.95(b). ^{CH}
Pochard, Madagascar	Aythya innotata	Wherever found	E	60 FR 2899; 1/12/1995.
Prairie-chicken, Attwater's greater	Tympanuchus cupido attwateri	Wherever found	E	32 FR 4001; 3/11/1967.
Prairie-chicken, lesser [Northern DPS]	Tympanuchus pallidicinctus	U.S.A. (All lesser prairie-chickens north of a line starting at 37.9868 N, 105.0133 W, and ending at 31.7351 N, 98.3773 W, NAD83; see map at § 17.41(k))	T	87 FR 72753, 11/25/2022;
				50 CFR 17.41(k). ^{4d}

Prairie-chicken, lesser [Southern DPS]	<i>Tympanuchus</i> <i>pallidicinctus</i>	U.S.A. (All lesser prairie-chickens south of a line starting at 37.9868 N, 105.0133 W, and ending at 31.7351 N, 98.3773 W, NAD83; see map at § 17.41(k))	E	87 FR 72753, 11/25/2022.
Ptarmigan, Mount Rainier white-tailed	<i>Lagopus</i> <i>leucura</i> <i>rainierensis</i>	Wherever found	T	89 FR 55091, 7/3/2024; 50 CFR 17.41(i). ^{4d}
Puaiohi	<i>Myadestes</i> <i>palmeri</i>	Wherever found	E	32 FR 4001, 3/11/1967.
Puffleg, black- breasted	<i>Eriocnemis</i> <i>nigrivestis</i>	Wherever found	E	75 FR 43844; 7/27/2010.
Pygmy-owl, cactus ferruginous	<i>Glaucidium</i> <i>brasilianum</i> <i>cactorum</i>	Wherever found	T	88 FR 46910, 7/20/2023; 50 CFR 17.41(l). ^{4d}
Quail, Merriam's Montezuma	<i>Cyrtonyx</i> <i>montezumae</i> <i>merriami</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Quetzl, resplendent	<i>Pharomachrus</i> <i>mocinno</i>	Wherever found	E	41 FR 24062; 6/14/1976.

Rail, Aukland Island	<i>Rallus pectoralis muelleri</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Rail, California Ridgway's	<i>Rallus obsoletus obsoletus</i>	Wherever found	E	35 FR 16047, 10/13/1970.
Rail, eastern black	<i>Laterallus jamaicensis jamaicensis</i>	Wherever found	T	85 FR 63764, 10/8/2020; 50 CFR 17.41(f). ^{4d}
Rail, Guam (koko)	<i>Gallirallus owstoni</i>	Wherever found, except where listed as an experimental population	E	49 FR 33881, 8/27/1984.
Rail, Guam (koko)	<i>Gallirallus owstoni</i>	Rota	XN	54 FR 43966, 10/30/1989; 50 CFR 17.84(f). ^{10j}
Rail, Junín	<i>Laterallus tuerosi</i>	Wherever found	E	77 FR 43434; 7/24/2012.
Rail, light-footed Ridgway's	<i>Rallus obsoletus levipes</i>	Wherever found	E	34 FR 5034, 3/8/1969; 35 FR 16047, 10/13/1970.
Rail, Lord Howe wood	<i>Gallirallus (=Tricholimnas) sylvestris</i>	Wherever found	E	41 FR 24062; 6/14/1976.

Rail, Yuma Ridgway's	<i>Rallus</i> <i>obsoletus</i> <i>yumanensis</i>	Wherever found	E	32 FR 4001, 3/11/196 7.
Rhea, lesser (incl. Darwin's)	<i>Rhea</i> (=Pterocnemia) <i>pennata</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Robin, Chatham Island	<i>Petroica</i> <i>traversi</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Robin, dappled mountain	<i>Arcanator</i> <i>orostruthus</i>	Wherever found	T	60 FR 2899; 1/12/1995.
Robin, scarlet- breasted (flycatcher)	<i>Petroica</i> <i>multicolor</i> <i>multicolor</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Rockfowl, grey- necked	<i>Picathartes</i> <i>oreas</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Rockfowl, white- necked	<i>Picathartes</i> <i>gymnocephalus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Roller, long-tailed ground	<i>Uratelornis</i> <i>chimaera</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Sage-grouse, Gunnison	<i>Centrocercus</i> <i>minimus</i>	Wherever found	T	79 FR 69191; 11/20/2014, 50 CFR 17.95(b) ^{CH} .

Scrub-bird, noisy	<i>Atrichornis clamosus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Scrub-jay, Florida	<i>Aphelocoma coerulescens</i>	Wherever found	T	52 FR 20715; 6/3/1987.
Shama, Cebu black (thrush)	<i>Copsychus niger cebuensis</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Shearwater, Heinroth's	<i>Puffinus heinrothi</i>	Wherever found	T	75 FR 235; 1/5/2010.
Shearwater, Newell's (ao)	<i>Puffinus newelli</i>	Wherever found	T	40 FR 44149, 9/25/1975.
Shrike, San Clemente loggerhead	<i>Lanius ludovicianus mearnsi</i>	Wherever found	E	42 FR 40682; 8/11/1977.
Siskin, red	<i>Carduelis cucullata</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Sparrow, Cape Sable seaside	<i>Ammospiza maritima mirabilis</i>	Wherever found	E	32 FR 4001, 3/11/1967;
				50 CFR 17.95(b). ^{CH}
Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	Wherever found	E	51 FR 27492; 7/31/1986.

Sparrowhawk, Anjouan Island	<i>Accipiter francesii pusillus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Starling, Ponape mountain	<i>Aplonis pelzelni</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Starling, Rothschild's (myna)	<i>Leucopsar rothschildi</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Stilt, black	<i>Himantopus novaeseelandiae</i>	Wherever found	E	73 FR 3146; 1/16/2008.
Stilt, Hawaiian	<i>Himantopus mexicanus (=himantopus) knudseni</i>	Wherever found	E	35 FR 16047; 10/13/1970.
Stork, oriental white	<i>Ciconia boyciana (=ciconia b.)</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Stork, wood [Southeast U.S. DPS]	<i>Mycteria americana</i>	U.S.A. (AL, FL, GA, MS, NC, SC)	T	49 FR 7332; 2/28/1984, 79 FR 37077; 6/30/2014.
Storm-petrel, band- rumped (akeake) [Hawaii DPS]	<i>Hydrobates castro</i>	U.S.A. (HI)	E	81 FR 67786, 9/30/2016.

Sunbird, Marungu	<i>Nectarinia prigoginei</i>	Wherever found	E	60 FR 2899; 1/12/1995.
Swiftlet, Mariana (yayaguak)	<i>Aerodramus bartschi</i>	Wherever found	E	49 FR 33881, 8/27/1984.
Tanager, cherry-throated	<i>Nemosia rourei</i>	Wherever found	E	75 FR 81794; 12/28/2010.
Teal, Campbell Island flightless	<i>Anas aucklandica nesiotis</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Tern, California least	<i>Sternula antillarum browni</i>	Wherever found	E	35 FR 16047, 10/13/1970;
				35 FR 8491, 6/2/1970.
Tern, roseate [Northeast U.S. nesting population DPS]	<i>Sterna dougallii dougallii</i>	U.S.A. (Atlantic Coast south to NC), Canada (Newf., N.S., Que.), Bermuda	E	52 FR 42064; 11/2/1987.
Tern, roseate [Western Hemisphere DPS]	<i>Sterna dougallii dougallii</i>	Western Hemisphere and adjacent oceans, incl. U.S.A. (FL, PR, VI), where not listed as endangered	T	52 FR 42064; 11/2/1987.

Thicketbird, long-legged	<i>Trichocichla rufa</i>	Wherever found	E	73 FR 3146; 1/16/2008.
Thrasher, white-breasted	<i>Ramphocinclus brachyurus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Thrush, New Zealand (wattlebird)	<i>Turnagra capensis</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Thrush, St. Lucia forest	<i>Cichlherminia lherminieri sanctaeluciae</i>	Wherever found	E	75 FR 50814; 8/17/2010.
Thrush, Taita	<i>Turdus olivaceous helleri</i>	Wherever found	E	60 FR 2899; 1/12/1995.
Tinamou, solitary	<i>Tinamus solitarius</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Tit-spinetail, white-browed	<i>Leptasthenura xenothorax</i>	Wherever found	E	77 FR 43434; 7/24/2012.
Tit-tyrant, ash-breasted	<i>Anairetes alpinus</i>	Wherever found	E	77 FR 43434; 7/24/2012.
Tody-tyrant, Kaempfer's	<i>Hemitriccus kaempferi</i>	Wherever found	E	75 FR 81794; 12/28/2010.
Towhee, Inyo California	<i>Melozone crissalis eremophilus</i>	Wherever found	T	52 FR 28780, 8/3/1987;

				50 CFR 17.95(b). ^{CH}
Tree-finches, medium	<i>Camarhynchus pauper</i>	Wherever found	E	75 FR 43853; 7/27/2010.
Trembler, Martinique (thrasher)	<i>Cinclocerthia ruficauda gutturalis</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Turaco, Bannerman's	<i>Tauraco bannermani</i>	Wherever found	E	60 FR 2899; 1/12/1995.
Turtle-dove, Seychelles	<i>Streptopelia picturata rostrata</i>	Wherever found	E	60 FR 2899; 1/12/1995.
Vanga, Pollen's	<i>Xenopirostris polleni</i>	Wherever found	T	60 FR 2899; 1/12/1995.
Vanga, Van Dam's	<i>Xenopirostris damii</i>	Wherever found	T	60 FR 2899; 1/12/1995.
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	Wherever found	E	51 FR 16474; 5/2/1986, 50 CFR 17.95(b) ^{CH} .
Wanderer, plain (collared-hemipode)	<i>Pedionomus torquatus</i>	Wherever found	E	38 FR 14678; 6/4/1973.
Warbler, Aldabra (old world warbler)	<i>Nesillas aldabranus</i>	Wherever found	E	60 FR 2899; 1/12/1995.

Warbler (wood), Barbados yellow	Dendroica petechia petechia	Wherever found	E	35 FR 8491; 6/2/1970.
Warbler, elfin-woods	Setophaga angelae	Wherever found	T	81 FR 40534, 6/22/2016; 50 CFR 17.41(e); ^{4d} , 50 CFR 17.95(b). ^{CH}
Warbler (wood), golden-cheeked	Setophaga chrysoparia	Wherever found	E	55 FR 18844, 5/4/1990; 55 FR 53153, 12/27/1990.
Warbler, Eiao Marquesas reed-	Acrocephalus percernis aquilonis	Wherever found	E	76 FR 50052; 8/11/2011.
Warbler, nightingale reed, (old world warbler)	Acrocephalus luscinia	Wherever found	E	35 FR 8491; 6/2/1970, 35 FR 18319; 12/2/1970.
Warbler, Rodrigues (old world warbler)	Bebrornis rodericanus	Wherever found	E	35 FR 8491; 6/2/1970.
Warbler (wood), Semper's	Leucopeza semperi	Wherever found	E	35 FR 8491; 6/2/1970.
Warbler, Seychelles (old world warbler)	Bebrornis sechellensis	Wherever found	E	35 FR 8491; 6/2/1970.
Wattle-eye, banded	Platysteira laticincta	Wherever found	E	60 FR 2899; 1/12/1995.

Weaver, Clarke's	<i>Ploceus golandi</i>	Wherever found	E	60 FR 2899; 1/12/1995.
Whipbird, western	<i>Psophodes nigrogularis</i>	Wherever found	E	35 FR 8491; 6/2/1970.
White-eye, Norfolk Island	<i>Zosterops albogularis</i>	Wherever found	E	41 FR 24062; 6/14/1976.
White-eye, Ponape greater	<i>Rukia longirostra</i>	Wherever found	E	35 FR 8491; 6/2/1970.
White-eye, Rota (nosa Luta)	<i>Zosterops rotensis</i>	Wherever found	E	69 FR 3022, 1/22/2004; 50 CFR 17.95(b). ^{CH}
White-eye, Seychelles	<i>Zosterops modesta</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Woodpecker, imperial	<i>Campephilus imperialis</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Woodpecker, ivory-billed	<i>Campephilus principalis</i>	Wherever found	E	32 FR 4001; 3/11/1967, 35 FR 8491; 6/2/1970.
Woodpecker, red-cockaded	<i>Dryobates borealis</i>	Wherever found	T	35 FR 16047, 10/13/1970; 89 FR 85294, 10/25/2024; 50 CFR 17.41(h). ^{4d}

Woodpecker, Tristam's	<i>Dryocopus</i> <i>javensis</i> <i>richardsi</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Wood-quail, gorgeted	<i>Odontophorus</i> <i>strophium</i>	Wherever found	E	78 FR 64637; 10/29/2013.
Woodstar, Chilean	<i>Eulidia yarrellii</i>	Wherever found	E	75 FR 50814; 8/17/2010.
Woodstar, Esmeraldas	<i>Chaetocercus</i> <i>berlepschi</i>	Wherever found	E	78 FR 64637; 10/29/2013.
Wren, Guadeloupe house	<i>Troglodytes</i> <i>aedon</i> <i>guadeloupensi</i> s	Wherever found	E	35 FR 8491; 6/2/1970.
Wren, St. Lucia house	<i>Troglodytes</i> <i>aedon</i> <i>mesoleucus</i>	Wherever found	E	35 FR 8491; 6/2/1970.

Reptiles

Alligator, American	<i>Alligator</i> <i>mississippiensi</i> s	Wherever found	T(S/A)	32 FR 4001; 3/11/1967, 40 FR 44412; 9/26/1975, 42 FR 2071; 1/10/1977, 44 FR 37130; 6/25/1979, 44 FR 59080; 10/12/1979, 46 FR 40664; 8/10/1981, 48 FR 46332;
---------------------	---	----------------	--------	---

				10/12/1983, 50 FR 25672; 6/20/1985, 52 FR 21059; 6/4/1987, 50 CFR 17.42(a) ^{4d} .
Alligator, Chinese	<i>Alligator sinensis</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Anole, Culebra Island giant	<i>Anolis roosevelti</i>	Wherever found	E	42 FR 37371; 7/21/1977, 50 CFR 17.95(c) ^{CH} .
Boa, Jamaican	<i>Epicrates subflavus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Boa, Mona	<i>Epicrates monensis</i> <i>monensis</i>	Wherever found	T	43 FR 4618; 2/3/1978, 50 CFR 17.95(c) ^{CH} .
Boa, Puerto Rican	<i>Epicrates inornatus</i>	Wherever found	E	35 FR 16047; 10/13/1970.
Boa, Round Island (unnamed)	<i>Bolyeria multocarinata</i>	Wherever found	E	45 FR 18009; 3/20/1980.
Boa, Round Island (unnamed)	<i>Casarea dussumieri</i>	Wherever found	E	45 FR 18009; 3/20/1980.
Boa, Virgin Islands tree	<i>Epicrates monensis granti</i>	Wherever found	E	35 FR 16047; 10/13/1970, 44 FR 70677; 12/7/1979.

Caiman, Apaporis River	Caiman crocodilus apaporiensis	Wherever found	E	41 FR 24062; 6/14/1976.
Caiman, black	Melanosuchus niger	Wherever found	E	41 FR 24062; 6/14/1976.
Caiman, broad-snouted [Bolivia, Brazil, Paraguay, Uruguay DPS]	Caiman latirostris	Bolivia, Brazil, Paraguay, Uruguay	E	41 FR 24062; 6/14/1976.
Caiman, broad-snouted [Argentina DPS]	Caiman latirostris	Argentina	T	78 FR 38162; 6/25/2013, 50 CFR 17.42(c) ^{4d} .
Caiman, brown	Caiman crocodilus fuscus (includes Caiman crocodilus chiapasius)	Wherever found	T(S/A)	65 FR 25867; 5/4/2000, 50 CFR 17.42(c) ^{4d} .
Caiman, common	Caiman crocodilus crocodilus	Wherever found	T(S/A)	65 FR 25867; 5/4/2000, 50 CFR 17.42(c) ^{4d} .
Caiman, yacare	Caiman yacare	Wherever found	T	35 FR 8491; 6/2/1970, 65 FR 25867; 5/4/2000, 50 CFR 17.42(c) ^{4d} .
Chuckwalla, San Esteban Island	Sauromalus varius	Wherever found	E	45 FR 18009; 3/20/1980.

Crocodile, African dwarf	<i>Osteolaemus tetraspis</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Crocodile, African slender-snouted	<i>Crocodylus cataphractus</i>	Wherever found	E	37 FR 6476; 3/30/1972.
Crocodile, American [Non-U.S. populations]	<i>Crocodylus acutus</i>	Wherever found, except in U.S.A. (FL)	E	40 FR 44149; 9/25/1975, 44 FR 75074; 12/18/1979 72 FR 13027; 3/20/2007.
Crocodile, American [FL DPS]	<i>Crocodylus acutus</i>	U.S.A. (FL)	T	40 FR 44149; 9/25/1975, 72 FR 13027; 3/20/2007, 50 CFR 17.95(c) ^{CH} .
Crocodile, Ceylon mugger	<i>Crocodylus palustris kimbula</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Crocodile, Congo dwarf	<i>Osteolaemus tetraspis osborni</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Crocodile, Cuban	<i>Crocodylus rhombifer</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Crocodile, mugger	<i>Crocodylus palustris palustris</i>	Wherever found	E	41 FR 24062; 6/14/1976.

Crocodile, Nile	<i>Crocodylus niloticus</i>	Wherever found	T	35 FR 8491; 6/2/1970, 52 FR 23148; 6/17/1987, 53 FR 38451; 9/30/1988, 58 FR 49870; 9/23/1993, 61 FR 32356; 6/24/1996, 50 CFR 17.42(c) ^{4d} .
Crocodile, Orinoco	<i>Crocodylus intermedius</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Crocodile, Philippine [Crocodile, novaeguineae mindorensis]	<i>Crocodylus</i> <i>novaeguineae</i> <i>mindorensis</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Crocodile, saltwater [All populations except Papua New Guinea and Australia]	<i>Crocodylus porosus</i>	Wherever found, except Papua New Guinea and Australia	E	44 FR 75074; 12/18/1979, 61 FR 32356;6/24/19 96.
Crocodile, saltwater [Australia DPS]	<i>Crocodylus porosus</i>	Australia	T	44 FR 75074; 12/18/1979, 61 FR 32356; 6/24/1996, 50 CFR 17.42(c) ^{4d} .
Crocodile, Siamese	<i>Crocodylus siamensis</i>	Wherever found	E	41 FR 24062; 6/4/1976.
Gartersnake, narrow-headed	<i>Thamnophis rufipunctatus</i>	Wherever found	T	79 FR 38678, 7/8/2014; 50 CFR 17.95(c). ^{CH}

Gartersnake, northern Mexican	<i>Thamnophis</i> <i>eques</i> <i>megalops</i>	Wherever found	T	79 FR 38678, 7/8/2014; 50 CFR 17.42(g); ^{4d} 50 CFR 17.95(c). ^{CH}
Gavial	<i>Gavialis</i> <i>gangeticus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Gecko, day	<i>Phelsuma</i> <i>edwardnewtoni</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Gecko, Round Island day	<i>Phelsuma</i> <i>guentheri</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Gecko, Serpent Island	<i>Cyrtodactylus</i> <i>serpensinsula</i>	Wherever found	T	48 FR 28460; 6/22/1983.
Iguana, Acklins ground	<i>Cyclura</i> <i>rileyi</i> <i>nuchalis</i>	Wherever found	T	48 FR 28460; 6/22/1983.
Iguana, Allen's Cay	<i>Cyclura</i> <i>cyclura</i> <i>inornata</i>	Wherever found	T	48 FR 28460; 6/22/1983.
Iguana, Andros Island ground	<i>Cyclura</i> <i>cyclura</i> <i>cyclura</i>	Wherever found	T	48 FR 28460; 6/22/1983.
Iguana, Anegada ground	<i>Cyclura</i> <i>pinguis</i>	Wherever found	E	35 FR 8491; 6/2/1970.

Iguana, Barrington land	<i>Conolophus pallidus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Iguana, Cayman Brac ground	<i>Cyclura nubila caymanensis</i>	Wherever found	T	48 FR 28460; 6/22/1983.
Iguana, Cuban ground	<i>Cyclura nubila nubila</i>	Wherever found (excluding population introduced in Puerto Rico)	T	48 FR 28460; 6/22/1983.
Iguana, Exuma Island	<i>Cyclura cychlura figginsi</i>	Wherever found	T	48 FR 28460; 6/22/1983.
Iguana, Fiji banded	<i>Brachylophus fasciatus</i>	Wherever found	E	45 FR 18009; 3/20/1980.
Iguana, Fiji crested	<i>Brachylophus vitiensis</i>	Wherever found	E	45 FR 18009; 3/20/1980.
Iguana, Grand Cayman blue	<i>Cyclura lewisi</i>	Wherever found	E	48 FR 28460; 6/22/1983.
Iguana, Jamaican	<i>Cyclura collei</i>	Wherever found	E	48 FR 28460; 6/22/1983.
Iguana, Mayaguana	<i>Cyclura carinata bartschi</i>	Wherever found	T	48 FR 28460; 6/22/1983.

Iguana, Mona ground	<i>Cyclura stejnegeri</i>	Wherever found	T	43 FR 4618; 2/3/1978, 50 CFR 17.95(c) ^{CH} .
Iguana, Turks and Caicos	<i>Cyclura carinata carinata</i>	Wherever found	T	48 FR 28460; 6/22/1983.
Iguana, Watling Island ground	<i>Cyclura rileyi rileyi</i>	Wherever found	E	48 FR 28460; 6/22/1983.
Iguana, White Cay ground	<i>Cyclura rileyi cristata</i>	Wherever found	T	48 FR 28460; 6/22/1983.
Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	Wherever found	E	32 FR 4001; 3/11/1967.
Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>	Wherever found	T	45 FR 63812; 9/25/1980, 50 CFR 17.95(c) ^{CH} .
Lizard, dunes sagebrush	<i>Sceloporus arenicolus</i>	Wherever found	E	89 FR 43748, 5/20/2024.
Lizard, Hierro giant	<i>Gallotia simonyi simonyi</i>	Wherever found	E	49 FR 7394; 2/29/1984.
Lizard, Ibiza wall	<i>Podarcis pityusensis</i>	Wherever found	T	49 FR 7394; 2/29/1984.
Lizard, Maria Island ground	<i>Cnemidophorus vanzoi</i>	Wherever found	E	56 FR 49469; 9/30/1991.

Lizard, St. Croix ground	<i>Ameiva polops</i>	Wherever found	E	42 FR 28543; 6/3/1977, 50 CFR 17.95(c) ^{CH} .
Monitor, blue tree	<i>Varanus macraei</i>	Wherever found	E	89 FR 104891, 12/26/20 24.
Monitor, desert	<i>Varanus griseus</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Monitor, Indian (=Bengal)	<i>Varanus bengalensis</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Monitor, Komodo Island	<i>Varanus komodoensis</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Monitor, yellow	<i>Varanus flavescens</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Pinesnake, black	<i>Pituophis melanoleucus lodingi</i>	Wherever found	T	80 FR 60468, 10/6/2015; 50 CFR 17.42(h) ^{4d} ; 50 CFR 17.95(c). ^{CH}
Pinesnake, Louisiana	<i>Pituophis ruthveni</i>	Wherever found	T	83 FR 14958, April 6, 2018; 50 CFR 17.42(i). ^{4d}
Python, Indian	<i>Python molurus molurus</i>	Wherever found	E	41 FR 24062; 6/14/1976.

Rattlesnake, Aruba Island	<i>Crotalus unicolor</i>	Wherever found	T	48 FR 28460; 6/22/1983.
Rattlesnake, eastern massasauga	<i>Sistrurus catenatus</i>	Wherever found	T	81 FR 67214; 9/30/2016.
Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>	Wherever found	T	43 FR 34476; 8/4/1978, 50 CFR 17.95(c) ^{CH} .
Sea snake, dusky	<i>Aipysurus fuscus</i>	Wherever found	E	80 FR 60560, 10/7/2015; ^N 81 FR 76311, 11/2/2016.
Sea turtle, green [Central North Pacific DPS]	<i>Chelonia mydas</i>	Green sea turtles originating from the Central North Pacific Ocean, bounded by the following coordinates: 41° N., 169° E. in the northwest; 41° N., 143° W. in the northeast; 9° N., 125° W. in the southeast; and 9° N., 175° W. in the southwest Pacific coast of Mexico	T	81 FR 20057; 4/6/2016 ^J , 50 CFR 223.205, 50 CFR 223.206, 50 CFR 223.207.
Sea turtle, green [Central South Pacific DPS]	<i>Chelonia mydas</i>	Green sea turtles originating from the Central South Pacific Ocean, bounded by the following coordinates: 9° N.,	E	81 FR 20057; 4/6/2016 ^J , 50 CFR 224.104.

		175° W. in the northwest; 9° N., 125° W. in the northeast; 40° S., 96° W. in the southeast; 40° S., 176° E. in the southwest; and 13° S., 171° E. in the west	
Sea turtle, green [Central West Pacific DPS]	<i>Chelonia mydas</i>	Green sea turtles originating from the Central West Pacific Ocean, bounded by the following coordinates: 41° N., 146° E. in the northwest; 41° N., 169° E. in the northeast; 9° N., 175° W. in the east; 13° S., 171° E. in the southeast; along the northern coast of the island of New Guinea; and 4.5° N., 129° E. in the west	E 81 FR 20057; 4/6/2016 ^j , 50 CFR 224.104.
Sea turtle, green [East Indian—West Pacific DPS]	<i>Chelonia mydas</i>	Green sea turtles originating from the Eastern Indian and Western Pacific Oceans, bounded by the following lines and coordinates: 41° N. Lat. in the north, 41° N., 146° E. in	T 81 FR 20057; 4/6/2016 ^j , 50 CFR 17.42(b) ^{4d} , 50 CFR 223.205, 50 CFR 223.206, 50 CFR 223.207.

		the northeast; 4.5° N., 129° E. in the southeast; along the southern coast of the island of New Guinea; along the western coast of Australia (west of 142° E. Long.); 40° S. Lat. in the south; and 84° E. Long. in the east	
Sea turtle, green [East Pacific DPS]	<i>Chelonia mydas</i>	Green sea turtles originating from the East Pacific Ocean, bounded by the following lines and coordinates: 41° N., 143° W. in the northwest; 41° N. Lat. in the north; along the western coasts of the Americas; 40° S. Lat. in the south; and 40° S., 96° W. in the southwest	T 81 FR 20057; 4/6/2016 ^j , 50 CFR 17.42(b) ^{4d} , 50 CFR 223.205, 50 CFR 223.206, 50 CFR 223.207.
Sea turtle, green [Mediterranean DPS]	<i>Chelonia mydas</i>	Green sea turtles originating from the Mediterranean Sea, bounded by 5.5° W. Long. in the west	E 81 FR 20057; 4/6/2016 ^j , 50 CFR 224.104.
Sea turtle, green [North Atlantic DPS]	<i>Chelonia mydas</i>	Green sea turtles originating from the North Atlantic	T 81 FR 20057; 4/6/2016 ^j , 50 CFR 17.42(b) ^{4d} ,

		Ocean, bounded by the following lines and coordinates: 48° N. Lat. in the north, along the western coasts of Europe and Africa (west of 5.5° W. Long.); north of 19° N. Lat. in the east; bounded by 19° N., 65.1° W. to 14° N., 65.1° W. then 14° N., 77° W. in the south and west; and along the eastern coasts of the Americas (north of 7.5° N., 77° W.)	50 CFR 223.205, 50 CFR 223.206, 50 CFR 223.207.
Sea turtle, green [North Indian DPS]	<i>Chelonia mydas</i>	Green sea turtles originating from the North Indian Ocean, bounded by: Africa and Asia in the west and north; 84° E. Long. in the east; and the equator in the south	81 FR 20057; 4/6/2016 ^j , 50 CFR 17.42(b) ^{4d} , 50 CFR 223.205, 50 CFR 223.206, 50 CFR 223.207. T
Sea turtle, green [South Atlantic DPS]	<i>Chelonia mydas</i>	Green sea turtles originating from the South Atlantic Ocean, bounded by the following lines and coordinates: along the northern and	81 FR 20057; 4/6/2016 ^j , 50 CFR 17.42(b) ^{4d} , 50 CFR 223.205, 50 CFR 223.206, 50 CFR 223.207. T

		eastern coasts of South America (east of 7.5° N., 77° W.); 14° N., 77° W. to 14° N., 65.1° W. to 19° N., 65.1° W. in the north and west; 19° N. Lat. in the northeast; 40° S., 19° E. in the southeast; and 40° S. Lat. in the south	
Sea turtle, green [Southwest Indian DPS]	<i>Chelonia mydas</i>	Green sea turtles originating from the Southwest Indian Ocean, bounded by the following lines: the equator to the north; 84° E. Long. to the east; 40° S. Lat. to the south; and 19° E. Long (and along the eastern coast of Africa) in the west	T 81 FR 20057; 4/6/2016 ^j , 50 CFR 17.42(b) ^{4d} , 50 CFR 223.205, 50 CFR 223.206, 50 CFR 223.207.
Sea turtle, green [Southwest Pacific DPS]	<i>Chelonia mydas</i>	Green sea turtles originating from the Southwest Pacific Ocean, bounded by the following lines and coordinates: along the southern coast of the island of New Guinea and the Torres Strait (east of 142° E Long.); 13° S., 171°	T 81 FR 20057; 4/6/2016 ^j , 50 CFR 17.42(b) ^{4d} , 50 CFR 223.205, 50 CFR 223.206, 50 CFR 223.207.

			E. in the northeast; 40° S., 176° E. in the southeast; and 40° S., 142° E. in the southwest	
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Wherever found	E	35 FR 8491; 6/2/1970 ^j , 50 CFR 224.104 ^{4d} , 50 CFR 17.95(c) ^{CH} , 50 CFR 226.209 ^{CH} .
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Wherever found	E	35 FR 18319; 12/2/1970 ^j , 50 CFR 224.104 ^{4d} .
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Wherever found	E	35 FR 8491; 6/2/1970 ^j , 50 CFR 224.104 ^{4d} , 50 CFR 17.95(c) ^{CH} , 50 CFR 226.207 ^{CH} .
Sea turtle, loggerhead [Mediterranean Sea DPS]	<i>Caretta caretta</i>	Mediterranean Sea DPS—Loggerhead sea turtles originating from the Mediterranean Sea east of 5°36' W. Long	E	76 FR 58868; 9/22/2011 ^j , 50 CFR 224.104 ^{4d} .
Sea turtle, loggerhead [North Indian Ocean DPS]	<i>Caretta caretta</i>	North Indian Ocean DPS— Loggerhead sea turtles originating from the North Indian Ocean north of the equator and south of 30° N. Lat	E	76 FR 58868; 9/22/2011 ^j , 50 CFR 224.104 ^{4d} .

Sea turtle, loggerhead [North Pacific Ocean DPS]	Caretta caretta	North Pacific Ocean DPS— Loggerhead sea turtles originating from the North Pacific north of the equator and south of 60° N. Lat	E	76 FR 58868; 9/22/2011 ^J , 50 CFR 224.104 ^{4d} .
Sea turtle, loggerhead [Northeast Atlantic Ocean DPS]	Caretta caretta	Northeast Atlantic Ocean DPS— Loggerhead sea turtles originating from the Northeast Atlantic Ocean north of the equator, south of 60° N. Lat., and east of 40° W. Long., except in the vicinity of the Strait of Gibraltar where the eastern boundary is 5°36' W. Long	E	76 FR 58868; 9/22/2011 ^J , 50 CFR 224.104 ^{4d} .
Sea turtle, loggerhead [Northwest Atlantic Ocean DPS]	Caretta caretta	Northwest Atlantic Ocean DPS— Loggerhead sea turtles originating from the Northwest Atlantic Ocean north of the equator, south of 60° N. Lat., and west of 40° W. Long.	T	76 FR 58868; 9/22/2011 ^J , 50 CFR 223.205, 50 CFR 223.206, 50 CFR 223.207, 50 CFR 17.95(c) ^{CH} , 50 CFR 226.223 ^{CH} .

Sea turtle, loggerhead [South Atlantic Ocean DPS]	Caretta caretta	South Atlantic Ocean DPS— Loggerhead sea turtles originating from the South Atlantic Ocean south of the equator, north of 60° S. Lat., west of 20° E. Long., and east of 67° W. Long	T	76 FR 58868; 9/22/2011 ^j , 50 CFR 223.205, 50 CFR 223.206, 50 CFR 223.207.
Sea turtle, loggerhead [South Pacific Ocean DPS]	Caretta caretta	South Pacific Ocean DPS— Loggerhead sea turtles originating from the South Pacific south of the equator, north of 60° S. Lat., west of 67° W. Long., and east of 141° E. Long	E	76 FR 58868; 9/22/2011 ^j , 50 CFR 224.104 ^{4d} .
Sea turtle, loggerhead [Southeast Indo- Pacific Ocean DPS]	Caretta caretta	Southeast Indo- Pacific Ocean DPS—Loggerhead sea turtles originating from the Southeast Indian Ocean south of the equator, north of 60° S. Lat., and east of 80° E. Long.; South Pacific Ocean south of the equator, north of 60° S. Lat., and	T	76 FR 58868; 9/22/2011 ^j , 50 CFR 223.205, 50 CFR 223.206, 50 CFR 223.207.

		west of 141° E. Long	
Sea turtle, loggerhead [Southwest Indian Ocean DPS]	<i>Caretta caretta</i>	Southwest Indian Ocean DPS— Loggerhead sea turtles originating from the Southwest Indian Ocean north of the equator, south of 30° N. Lat., east of 20° E. Long., and west of 80° E. Long	T 76 FR 58868; 9/22/2011 ^j , 50 CFR 223.205, 50 CFR 223.206, 50 CFR 223.207.
Sea turtle, olive ridley [Pacific coast of Mexico breeding DPS]	<i>Lepidochelys olivacea</i>	Breeding colony populations on Pacific coast of Mexico	E 43 FR 32800; 7/28/1978 ^j , 50 CFR 224.104 ^{4d} .
Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	Wherever found except when listed as endangered under 50 CFR 224.101	T 43 FR 32800; 7/28/1978 ^j , 50 CFR 17.42(b) ^{4d} , 50 CFR 223.205, 50 CFR 223.206, 50 CFR 223.207.
Skink, blue-tail mole	<i>Eumeces egregius lividus</i>	Wherever found	T 52 FR 42658; 11/6/1987, 50 CFR 17.42(b) ^{4d} .
Skink, Round Island	<i>Leiolopisma telfairi</i>	Wherever found	T 48 FR 28460; 6/22/1983.

Skink, sand	<i>Neoseps reynoldsi</i>	Wherever found	T	52 FR 42658; 11/6/1987, 50 CFR 17.42(b) ^{4d} .
Skink, Slevin's (Gualiik halumtanu, Gholuuf)	<i>Emoia slevini</i>	Wherever found	E	80 FR 59423; 10/1/2015.
Snake, Atlantic salt marsh	<i>Nerodia clarkii taeniata</i>	Wherever found	T	42 FR 60743; 11/29/1977.
Snake, copperbelly water [Northern DPS]	<i>Nerodia erythrogaster neglecta</i>	U.S.A. (IN north of 40° N. Lat., MI, OH)	T	62 FR 4183; 1/29/1997.
Snake, eastern indigo	<i>Drymarchon couperi</i>	Wherever found	T	43 FR 4026, 1/31/1978.
Snake, giant garter	<i>Thamnophis gigas</i>	Wherever found	T	58 FR 54053; 10/20/1993.
Snake, Maria Island	<i>Liophus ornatus</i>	Wherever found	E	56 FR 49469; 9/30/1991.
Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>	Wherever found	E	32 FR 4001; 3/11/1967.
Tartaruga	<i>Podocnemis expansa</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Terrapin, river	<i>Batagur baska</i>	Wherever found	E	35 FR 8491; 6/2/1970.

Tomistoma	<i>Tomistoma schlegelii</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Tortoise, angulated	<i>Geochelone yniphora</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Tortoise, Bolson	<i>Gopherus flavomarginatus</i>	Wherever found	E	44 FR 23062; 4/17/1979.
Tortoise, desert [Mojave DPS]	<i>Gopherus agassizii</i>	Wherever found, except AZ south and east of Colorado R., and Mexico	T	45 FR 55654; 8/20/1980, 54 FR 32326; 8/4/1989, 55 FR 12178; 4/2/1990, 50 CFR 17.95(c) ^{CH} .
Tortoise, desert	<i>Gopherus agassizii</i>	AZ south and east of Colorado R., and Mexico, when found outside of Mexico or said range in AZ	T(S/A)	55 FR 12178; 4/2/1990, 50 CFR 17.42(e) ^{4d} .
Tortoise, Egyptian	<i>Testudo kleinmanni</i> (syn. <i>Testudo wernerii</i>)	Wherever found	T	88 FR 19004, March 30, 2023; 50 CFR 17.42(l). ^{4d}
Tortoise, Galapagos	<i>Geochelone nigra</i> (= <i>elephantopus</i>)	Wherever found	E	35 FR 8491; 6/2/1970.

Tortoise, gopher [West of Mobile and Tombigbee Rivers DPS]	<i>Gopherus</i> <i>polyphemus</i>	Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA	T	52 FR 25376; 7/7/1987.
Tortoise, Madagascar radiated	<i>Geochelone</i> <i>radiata</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Tracaja	<i>Podocnemis</i> <i>unifilis</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Tuatara	<i>Sphenodon</i> <i>punctatus</i>	Wherever found	E	35 FR 8491; 6/2/1970, 65 FR 16053; 3/24/2000.
Tuatara, Brother's Island	<i>Sphenodon</i> <i>guntheri</i>	Wherever found	E	35 FR 8491; 6/2/1970, 65 FR 16053; 3/24/2000.
Turtle, Alabama map	<i>Graptemys</i> <i>pulchra</i>	Wherever found	T (S/A)	89 FR 57206, 7/12/2024; 50 CFR 17.42(n). ^{4d}
Turtle, Alabama redbellied	<i>Pseudemys</i> <i>alabamensis</i>	Wherever found	E	52 FR 22939; 6/16/1987.
Turtle, aquatic box	<i>Terrapene</i> <i>coahuila</i>	Wherever found	E	38 FR 14678; 6/4/1973.
Turtle, Barbour's map	<i>Graptemys</i> <i>barbouri</i>	Wherever found	T (S/A)	89 FR 57206, 7/12/2024; 50 CFR 17.42(n). ^{4d}

Turtle, black softshell	<i>Trionyx nigricans</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Turtle, bog (=Muhlenberg) [Northern DPS]	<i>Glyptemys muhlenbergii</i>	Wherever found, except GA, NC, SC, TN, VA	T	62 FR 59605, 11/4/1997.
Turtle, bog (=Muhlenberg)	<i>Glyptemys muhlenbergii</i>	U.S.A. (GA, NC, SC, TN, VA)	T (S/A)	62 FR 59605, 11/4/1997; 50 CFR 17.42(f). ^{4d}
Turtle, Brazilian sideneck	<i>Phrynops hogei</i>	Wherever found	E	56 FR 49469; 9/30/1991.
Turtle, Burmese peacock	<i>Morenia ocellata</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Turtle, Cat Island	<i>Trachemys terrapen</i>	Cat Island in the Bahamas	E	56 FR 49469; 9/30/1991.
Turtle, Central American river	<i>Dermatemys mawii</i>	Wherever found	E	48 FR 28460; 6/22/1983.
Turtle, Cuatro Cienegas softshell	<i>Trionyx ater</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Turtle, Escambia map	<i>Graptemys ernsti</i>	Wherever found	T (S/A)	89 FR 57206, 7/12/2024; 50 CFR 17.42(n). ^{4d}
Turtle, flattened musk [Black Warrior River DPS]	<i>Sternotherus depressus</i>	Black Warrior R. system upstream from Bankhead Dam	T	52 FR 22418; 6/11/1987.

Turtle, geometric	<i>Psammobates geometricus</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Turtle, Inagua Island	<i>Trachemys stejnegeri malonei</i>	Wherever found	E	56 FR 49469; 9/30/1991.
Turtle, Indian sawback	<i>Kachuga tecta tecta</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Turtle, Indian softshell	<i>Trionyx gangeticus</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Turtle, Pascagoula map	<i>Graptemys gibbonsi</i>	Wherever found	T (S/A)	89 FR 57206, 7/12/2024; 50 CFR 17.42(n). ^{4d}
Turtle, peacock softshell	<i>Trionyx hurum</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Turtle, Pearl River map	<i>Graptemys pearlensis</i>	Wherever found	T	89 FR 57206, 7/12/2024; 50 CFR 17.42(m). ^{4d}
Turtle, Plymouth redbelly	<i>Pseudemys rubriventris bangsi</i>	Wherever found	E	45 FR 21828; 4/2/1980, 50 CFR 17.95(c) ^{CH} .
Turtle, ringed map	<i>Graptemys oculifera</i>	Wherever found	T	51 FR 45907; 12/23/1986.

Turtle, short-necked or western swamp	<i>Pseudemydura umbrina</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Turtle, Sonoyta mud	<i>Kinosternon sonoriense longifemorale</i>	Wherever found	E	82 FR 43897, 9/20/2017; 50 CFR 17.95(c). ^{CH}
Turtle, South American red-lined	<i>Trachemys scripta callirostris</i>	Wherever found	E	56 FR 49469; 9/30/1991.
Turtle, spotted pond	<i>Geoclemys hamiltonii</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Turtle, Suwannee alligator snapping	<i>Macrochelys suwanniensis</i>	Wherever found	T	89 FR 53507, 6/27/2024; 50 CFR 17.42(k). ^{4d}
Turtle, three-keeled Asian	<i>Melanochelys tricarinata</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Turtle, yellow-blotched map	<i>Graptemys flavimaculata</i>	Wherever found	T	56 FR 1459; 1/14/1991.
Viper, Lar Valley	<i>Vipera latifii</i>	Wherever found	E	48 FR 28460; 6/22/1983.
Whipsnake, Alameda (=striped racer)	<i>Masticophis lateralis euryxanthus</i>	Wherever found	T	62 FR 64306; 12/5/1997 50 CFR 17.95(c) ^{CH} .

Amphibians

Coqui, golden	<i>Eleutherodactylus jasperi</i>	Wherever found	T	42 FR 58756; 11/11/1977, 50 CFR 17.95(d) ^{CH} .
Coqui, llanero	<i>Eleutherodactylus juanariveroi</i>	Wherever found	E	77 FR 60777; 10/4/2012, 50 CFR 17.95(d) ^{CH} .
Frog, California red-legged	<i>Rana draytonii</i>	Wherever found	T	61 FR 25813; 5/23/1996, 50 CFR 17.43(b) ^{4d} , 50 CFR 17.95(d) ^{CH} .
Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	Wherever found	T	67 FR 40790; 6/13/2002, 50 CFR 17.43(b) ^{4d} .
Frog, dusky gopher	<i>Rana sevosa</i> (= <i>Lithobates sevosus</i>)	Wherever found	E	66 FR 63002; 12/4/2001, 50 CFR 17.95(d) ^{CH} .
Frog, foothill yellow-legged [Central Coast DPS].	<i>Rana boylii</i>	California (All foothill yellow- legged frogs in the Central Coast Range south of San Francisco Bay to San Benito and Fresno Counties).	T	88 FR 59698, 8/29/2023; 50 CFR 17.43(g). ^{4d}
Frog, foothill yellow-legged [North Feather DPS].	<i>Rana boylii</i>	California (All foothill yellow- legged frogs in the North Feather River watershed largely in Plumas and Butte Counties).	T	88 FR 59698, 8/29/2023; 50 CFR 17.43(g). ^{4d}

Frog, foothill yellow-legged [South Coast DPS].	<i>Rana boylii</i>	California (All foothill yellow-legged frogs in the Coast Range from Coastal Monterey County south to Los Angeles County).	E	88 FR 59698, 8/29/2023.
Frog, foothill yellow-legged [South Sierra DPS].	<i>Rana boylii</i>	California (All foothill yellow-legged frogs in the Sierra Nevada Mountains south of the American River sub-basin south to the Transverse Range in Kern County).	E	88 FR 59698, 8/29/2023.
Frog, Goliath	<i>Conraua goliath</i>	Wherever found	T	59 FR 63261; 12/8/1994.
Frog, Israel painted	<i>Discoglossus nigriventer</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Frog, mountain yellow-legged [Northern California DPS]	<i>Rana muscosa</i>	Northern California DPS—U.S.A., northern California	E	79 FR 24255; 4/29/2014, 50 CFR 17.95(d) ^{CH} .
Frog, mountain yellow-legged [Southern California DPS]	<i>Rana muscosa</i>	Southern California DPS—U.S.A., southern California	E	67 FR 44382; 7/2/2002, 50 CFR 17.95(d) ^{CH} .

Frog, Oregon spotted	<i>Rana pretiosa</i>	Wherever found	T	79 FR 51657; 8/29/2014, 50 CFR 17.95(d) ^{CH} .
Frog, Panamanian golden	<i>Atelopus varius zeteki</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Frog, Sierra Nevada yellow-legged	<i>Rana sierrae</i>	Wherever found	E	79 FR 24255; 4/29/2014, 50 CFR 17.95(d) ^{CH} .
Frog, Stephen Island	<i>Leiopelma hamiltoni</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Guajón	<i>Eleutherodactylus cooki</i>	Wherever found	T	62 FR 31757; 6/11/1997, 50 CFR 17.95(d) ^{CH} .
Hellbender, eastern [Missouri DPS]	<i>Cryptobranchus alleganiensis</i>	Missouri <i>alleganiensis</i>	E	86 FR 13465; 3/9/2021.
Hellbender, Ozark	<i>Cryptobranchus alleganiensis</i>	Wherever found <i>bishopi</i>	E	76 FR 61956; 10/6/2011.
Salamander, Austin blind	<i>Eurycea waterlooensis</i>	Wherever found	E	78 FR 51277; 8/20/2013 50 CFR 17.95(d) ^{CH} .
Salamander, Barton Springs	<i>Eurycea sosorum</i>	Wherever found	E	62 FR 23377; 4/30/1997.
Salamander, California tiger	<i>Ambystoma californiense</i>	Santa Barbara County DPS—	E	65 FR 3109; 1/19/2000, 65 FR 57242;

[Santa Barbara County DPS]		U.S.A. (CA-Santa Barbara County)		9/21/2000, 50 CFR 17.95(d) ^{CH} .
Salamander, California tiger [Central California DPS]	<i>Ambystoma californiense</i>	Central California DPS—U.S.A. (CA-Central California)	T	69 FR 47248; 8/4/2004, 50 CFR 17.43(c) ^{4d} , 50 CFR 17.95(d) ^{CH} .
Salamander, California tiger [Sonoma County DPS]	<i>Ambystoma californiense</i>	Sonoma County DPS—U.S.A. (CA-Sonoma County)	E	67 FR 47739; 7/22/2002, 68 FR 13520; 3/19/2003, 50 CFR 17.95(d) ^{CH} .
Salamander, Cheat Mountain	<i>Plethodon nettingi</i>	Wherever found	T	54 FR 34464; 8/18/1989.
Salamander, Chinese giant	<i>Andrias davidianus</i> (=davidianus d.)	Wherever found	E	41 FR 24062; 6/14/1976.
Salamander, desert slender	<i>Batrachoseps aridus</i>	Wherever found	E	38 FR 14678; 6/4/1973.
Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>	Wherever found	T	64 FR 15691; 4/1/1999, 50 CFR 17.95(d) ^{CH} .
Salamander, Georgetown	<i>Eurycea naufragia</i>	Wherever found	T	79 FR 10236, 2/24/2014; 50 CFR 17.43(e); ^{4d} 50 CFR 17.95(d). ^{CH}

Salamander, Japanese giant	<i>Andrias japonicus</i> (= <i>davidianus</i> j.)	Wherever found	E	41 FR 24062; 6/14/1976.
Salamander, Jemez Mountains	<i>Plethodon neomexicanus</i>	Wherever found	E	78 FR 55599; 9/10/2013, 50 CFR 17.95(d) ^{CH} .
Salamander, Jollyville Plateau	<i>Eurycea tonkawae</i>	Wherever found	T	78 FR 51277; 8/20/2013, 50 CFR 17.95(d) ^{CH} .
Salamander, Red Hills	<i>Phaeognathus hubrichti</i>	Wherever found	T	41 FR 53032; 12/3/1976.
Salamander, reticulated flatwoods	<i>Ambystoma bishopi</i>	Wherever found	E	74 FR 6700; 2/10/2009, 50 CFR 17.95(d) ^{CH} .
Salamander, Salado	<i>Eurycea chisholmensis</i>	Wherever found	T	79 FR 10236, 2/24/2014; 50 CFR 17.95(d). ^{CH}
Salamander, San Marcos	<i>Eurycea nana</i>	Wherever found	T	45 FR 47355; 7/14/1980, 50 CFR 17.43(a) ^{4d} , 50 CFR 17.95(d) ^{CH} .
Salamander, Santa Cruz long-toed	<i>Ambystoma macrodactylum croceum</i>	Wherever found	E	32 FR 4001; 3/11/1967.
Salamander, Shenandoah	<i>Plethodon shenandoah</i>	Wherever found	E	54 FR 34464; 8/18/1989.

Salamander, Sonoran tiger	<i>Ambystoma mavortium stebbinsi</i>	Wherever found	E	62 FR 665, 1/6/1977.
Salamander, Texas blind	<i>Eurycea rathbuni</i>	Wherever found	E	32 FR 4001, 3/11/1967.
Toad, arroyo (=arroyo southwestern)	<i>Anaxyrus californicus</i>	Wherever found	E	59 FR 64859; 12/16/1994, 50 CFR 17.95(d) ^{CH} .
Toad, Cameroon	<i>Bufo supercilialis</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Toad, Dixie Valley	<i>Anaxyrus williamsi</i>	Wherever found	E	87 FR 73971, 12/2/2022.
Toad, Houston	<i>Bufo houstonensis</i>	Wherever found	E	35 FR 16047; 10/13/1970, 50 CFR 17.95(d) ^{CH} .
Toad, Monte Verde golden	<i>Bufo periglenes</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Toad, Puerto Rican crested	<i>Peltophryne lemur</i>	Wherever found	T	52 FR 28828; 8/4/1987.
Toad, Wyoming	<i>Bufo hemiophrys baxteri</i>	Wherever found	E	49 FR 1992; 1/17/1984.

Toad, Yosemite	<i>Anaxyrus canorus</i>	Wherever found	T	79 FR 24255; 4/29/2014, 50 CFR 17.95(d) ^{CH} .
Toads, African viviparous	Nectophrynoidea spp.	Wherever found	E	41 FR 24062; 6/14/1976.
Waterdog, Black Warrior	<i>Necturus alabamensis</i>	Wherever found	E	83 FR 257, 1/3/2018.
Waterdog, Neuse River	<i>Necturus lewisi</i>	Wherever found	T	86 FR 30688, June 9, 2021; 50 CFR 17.43(f); ^{4d} 50 CFR 17.95(d). ^{CH}
Fishes				
Ala Balik (trout)	<i>Salmo platycephalus</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Angelshark, Argentine	<i>Squatina argentina</i>	Wherever found	E	82 FR 21722, 5/10/2017; ^N 84 FR 13809, 4/8/2019.
Angelshark, common	<i>Squatina squatina</i>	Wherever found	E	81 FR 50394, 8/1/2016; ^N 81 FR 76311, 11/2/2016.
Angelshark, sawback	<i>Squatina aculeata</i>	Wherever found	E	81 FR 50394, 8/1/2016; ^N 81 FR 76311, 11/2/2016.
Angelshark, smoothback	<i>Squatina oculata</i>	Wherever found	E	81 FR 50394, 8/1/2016; ^N 81 FR 76311, 11/2/2016.

Angelshark, spiny	<i>Squatina guggenheim</i>	Wherever found	E	82 FR 21722, 5/10/2017; ^N 84 FR 13809, 4/8/2019.
Ayumodoki (loach)	<i>Hymenophysa curta</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Blindcat, Mexican (catfish)	<i>Prietella phreatophila</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Bocaccio [Puget Sound-Georgia Basin DPS]	<i>Sebastes paucispinis</i>	Puget Sound-Georgia Basin DPS—see 50 CFR 224.101	E	75 FR 22276; 4/28/2010 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 226.224 ^{CH} .
Bonytongue, Asian	<i>Scleropages formosus</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Cardinalfish, Banggai	<i>Pterapogon kauderni</i>	Wherever found	T	81 FR 3023, 1/20/2016; ^N 81 FR 76311, 11/2/2016.
Catfish (Thailand)	<i>Pangasius sanitwongsei</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Catfish, Thailand giant	<i>Pangasianodon gigas</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Catfish, Yaqui	<i>Ictalurus pricei</i>	Wherever found	T	49 FR 34490; 8/31/1984, 50 CFR 17.44(h) ^{4d} , 50 CFR 17.95(e) ^{CH} .

Cavefish, Alabama	<i>Speoplatyrhinus poulsoni</i>	Wherever found	E	42 FR 45526; 9/9/1977, 53 FR 37968; 9/28/1988, 50 CFR 17.95(e) ^{CH} .
Cavefish, Ozark	<i>Amblyopsis rosae</i>	Wherever found	T	49 FR 43965; 11/1/1984.
Chub, bonytail	<i>Gila elegans</i>	Wherever found	E	45 FR 27710; 4/23/1980, 50 CFR 17.95(e) ^{CH} .
Chub, Chihuahua	<i>Gila nigrescens</i>	Wherever found	T	48 FR 46053; 10/11/1983, 50 CFR 17.44(g) ^{4d} .
Chub, Gila	<i>Gila intermedia</i>	Wherever found	E	70 FR 66664; 11/2/2005, 50 CFR 17.95(e) ^{CH} .
Chub, humpback	<i>Gila cypha</i>	Wherever found	T	32 FR 4001, 3/11/1967;
				86 FR 57588; 10/18/2021; 50 CFR 17.44(dd); ^{4d} 50 CFR 17.95(e). ^{CH}
Chub, Hutton tui	<i>Gila bicolor</i> ssp.	Wherever found	T	50 FR 12302; 3/28/1985, 50 CFR 17.44(j) ^{4d} .
Chub, Mohave tui	<i>Gila bicolor</i> <i>mohavensis</i>	Wherever found	E	35 FR 16047; 10/13/1970.
Chub, Owens tui	<i>Gila bicolor</i> <i>snyderi</i>	Wherever found	E	50 FR 31592; 8/5/1985, 50 CFR 17.95(e) ^{CH} .

Chub, Lahontan roundtail	<i>Gila robusta jordani</i>	Wherever found	E	35 FR 16047; 10/13/1970.
Chub, peppered	<i>Macrhybopsis tetraneura</i>	Wherever found	E	87 FR 11188; 2/28/2022; 50 CFR 17.95(e) ^{CH} .
Chub, slender	<i>Erimystax cahni</i>	Wherever found, except where listed as an experimental population	T	42 FR 45526; 9/9/1977, 50 CFR 17.44(c) ^{4d} , 50 CFR 17.95(e) ^{CH} .
Chub, slender	<i>Erimystax cahni</i>	U.S.A. (TN— specified portions of the French Broad and Holston Rivers; see § 17.84(s)(1)(i))	XN	72 FR 52434; 9/13/2007, 50 CFR 17.84(sr) ^{10j} .
Chub, Sonora	<i>Gila ditaenia</i>	Wherever found	T	51 FR 16042; 4/30/1986, 50 CFR 17.44(o) ^{4d} , 50 CFR 17.95(e) ^{CH} .
Chub, spotfin	<i>Erimonax monachus</i>	Wherever found, except where listed as an experimental population	T	42 FR 45526; 9/9/1977, 50 CFR 17.44(c) ^{4d} , 50 CFR 17.95(e) ^{CH} .
Chub, spotfin	<i>Erimonax monachus</i>	U.S.A. (TN— specified portions of the Tellico River; see § 17.84(m)(1)(i))	XN	67 FR 52420; 8/12/2002, 50 CFR 17.84(m) ^{10j} .

Chub, spotfin	<i>Erimonax monachus</i>	U.S.A. (AL, TN— specified portions of Shoal Creek; see § 17.84(m)(1)(ii))	XN	70 FR 1286; 1/6/2005, 50 CFR 17.84(m) ^{10j} .
Chub, spotfin	<i>Erimonax monachus</i>	U.S.A. (TN— specified portions of the French Broad and Holston Rivers; see § 17.84(m)(1)(iii))	XN	72 FR 52434; 9/13/2007, 50 CFR 17.84(m) ^{10j} .
Chub, Virgin River	<i>Gila robusta semidnuda</i>	Wherever found	E	54 FR 35305; 8/24/1989, 50 CFR 17.95(e) ^{CH} .
Chub, Yaqui	<i>Gila purpurea</i>	Wherever found	E	49 FR 34490; 8/31/1984, 50 CFR 17.95(e) ^{CH} .
Cicek (minnow)	<i>Acanthorutilus handlirschi</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Coelacanth, African [Tanzanian DPS]	<i>Latimeria chalumnae</i>	Tanzanian DPS— see 50 CFR 223.102	T	81 FR 17398, 3/29/2016; ^N 81 FR 76311, 11/2/2016.
Cui-ui	<i>Chasmistes cujus</i>	Wherever found	E	32 FR 4001; 3/11/1967.
Dace, Ash Meadows speckled	<i>Rhinichthys osculus nevadensis</i>	Wherever found	E	47 FR 19995; 5/10/1982, 48 FR 608; 1/5/1983, 48 FR 40178; 9/2/1983, 50 CFR 17.95(e) ^{CH} .

Dace, blackside	<i>Phoxinus</i> (=Chrosomus), cumberlandensis	Wherever found	T	52 FR 22580; 6/12/1987.
Dace, Clover Valley speckled	<i>Rhinichthys</i> <i>osculus</i> <i>oligoporus</i>	Wherever found	E	54 FR 41448; 10/10/1989.
Dace, desert	<i>Eremichthys</i> <i>acros</i>	Wherever found	T	32 FR 4001; 3/11/1967, 35 FR 16047; 10/13/1970, 50 FR 50304; 12/10/1985, 50 CFR 17.44(m) ^{4d} , 50 CFR 17.95(e) ^{CH} .
Dace, Independence Valley speckled	<i>Rhinichthys</i> <i>osculus</i> <i>lethoporus</i>	Wherever found	E	54 FR 41448; 10/10/1989, 54 FR 47861; 11/17/1989.
Dace, Kendall Warm Springs	<i>Rhinichthys</i> <i>osculus</i> <i>thermalis</i>	Wherever found	E	35 FR 16047; 10/13/1970.
Dace, laurel	<i>Chrosomus</i> <i>saylori</i>	Wherever found	E	76 FR 48722; 8/9/2011, 50 CFR 17.95(e) ^{CH} .
Dace, Moapa	<i>Moapa</i> <i>coriacea</i>	Wherever found	E	32 FR 4001; 3/11/1967.
Darter, amber	<i>Percina</i> <i>antesella</i>	Wherever found	E	50 FR 31597; 8/5/1985, 50 CFR 17.95(e) ^{CH} .

Darter, bayou	<i>Etheostoma rubrum</i>	Wherever found	T	40 FR 44149; 9/25/1975, 50 CFR 17.44(b) ^{4d} .
Darter, bluemask	<i>Etheostoma akatulo</i>	Wherever found	E	58 FR 68480; 12/27/1993.
Darter, boulder	<i>Etheostoma wapiti</i>	Wherever found, except where listed as an experimental population	E	53 FR 33996; 9/1/1988.
Darter, boulder	<i>Etheostoma wapiti</i>	Shoal Creek (from Shoal Creek mile 41.7 (66.7 km)) at the mouth of Long Branch, Lawrence County, TN, downstream to the backwaters of Wilson Reservoir (Shoal Creek mile 14 (22 km)) at Goose Shoals, Lauderdale County, AL, including the lower 5 miles (8 km) of all tributaries that enter this reach	XN	70 FR 1286; 1/6/2005, 50 CFR 17.84(o) ^{10j} .
Darter, candy	<i>Etheostoma osburni</i>	Wherever found	E	83 FR 58747, 11/21/2018;
				50 CFR 17.95(e). ^{CH}

Darter, Cherokee	<i>Etheostoma scotti</i>	Wherever found	T	59 FR 65505; 12/20/1994.
Darter, Cumberland	<i>Etheostoma susanae</i>	Wherever found	E	76 FR 48722; 8/9/2011, 50 CFR 17.95(e) ^{CH} .
Darter, diamond	<i>Crystallaria cincotta</i>	Wherever found	E	78 FR 45074; 7/26/2013, 50 CFR 17.95(e) ^{CH} .
Darter, duskytail	<i>Etheostoma percnurum</i>	Wherever found, except where listed as an experimental population	E	58 FR 25758; 4/27/1993.
Darter, duskytail	<i>Etheostoma percnurum</i>	U.S.A. (TN— specified portions of the Tellico River; see § 17.84(p)(1)(i))	XN	67 FR 52420; 8/12/2002, 50 CFR 17.84(q) ^{10j} .
Darter, duskytail	<i>Etheostoma percnurum</i>	U.S.A. (TN— specified portions of the French Broad and Holston Rivers; see § 17.84(q)(1)(ii))	XN	72 FR 52434; 9/13/2007, 50 CFR 17.84(q) ^{10j} .
Darter, Etowah	<i>Etheostoma etowahae</i>	Wherever found	E	59 FR 65505; 12/20/1994.
Darter, fountain	<i>Etheostoma fonticola</i>	Wherever found	E	35 FR 16047; 10/13/1970, 50 CFR 17.95(e) ^{CH} .

Darter, goldline	<i>Percina aurolineata</i>	Wherever found	T	57 FR 14786; 4/22/1992.
Darter, Kentucky arrow	<i>Etheostoma spilotum</i>	Wherever found	T	81 FR 68963; 10/5/2016, 50 CFR 17.44(p) ^{4d} , 50 CFR 17.95(e) ^{CH} .
Darter, leopard	<i>Percina pantherina</i>	Wherever found	T	43 FR 3711; 1/27/1978, 50 CFR 17.44(d) ^{4d} , 50 CFR 17.95(e) ^{CH} .
Darter, Maryland	<i>Etheostoma sellare</i>	Wherever found	E	32 FR 4001; 3/11/1967, 50 CFR 17.95(e) ^{CH} .
Darter, Niangua	<i>Etheostoma nianguae</i>	Wherever found	T	50 FR 24649; 6/12/1985, 50 CFR 17.44(k) ^{4d} , 50 CFR 17.95(e) ^{CH} .
Darter, pearl	<i>Percina aurora</i>	Wherever found	T	82 FR 43885, 9/20/2017; 50 CFR 17.95(e). ^{CH}
Darter, relict	<i>Etheostoma chienense</i>	Wherever found	T	58 FR 68480, 12/27/1993; 88 FR 66280, 9/27/2023; 50 CFR 17.44(hh). ^{4d}
Darter, rush	<i>Etheostoma phytophilum</i>	Wherever found	E	76 FR 48722; 8/9/2011, 50 CFR 17.95(e) ^{CH} .
Darter, sickle	<i>Percina williamsi</i>	Wherever found	T	87 FR 67380, 11/8/2022;

				50 CFR 17.44(ee). ^{4d}
Darter, slackwater	<i>Etheostoma boschungi</i>	Wherever found	T	42 FR 45526; 9/9/1977, 50 CFR 17.44(c) ^{4d} , 50 CFR 17.95(e) ^{CH} .
Darter, trispot	<i>Etheostoma trisella</i>	Wherever found	T	83 FR 67131, 12/28/2018; 50 CFR 17.44(q); ^{4d} 50 CFR 17.95(e). ^{CH}
Darter, vermillion	<i>Etheostoma chermocki</i>	Wherever found	E	66 FR 59367; 11/28/2001, 50 CFR 17.95(e) ^{CH} .
Darter, watercress	<i>Etheostoma nuchale</i>	Wherever found	E	35 FR 16047; 10/13/1970.
Darter, yellowcheek	<i>Etheostoma moorei</i>	Wherever found	E	76 FR 48722; 8/9/2011, 50 CFR 17.95(e) ^{CH} .
Eulachon [Southern DPS]	<i>Thaleichthys pacificus</i>	Southern DPS— see 50 CFR 223.102	T	75 FR 13012; 3/18/2010 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 226.222 ^{CH} .
Gambusia, Big Bend	<i>Gambusia gaigei</i>	Wherever found	E	32 FR 4001; 3/11/1967.
Gambusia, Clear Creek	<i>Gambusia heterochir</i>	Wherever found	E	32 FR 4001; 3/11/1967.

Gambusia, Pecos	<i>Gambusia nobilis</i>	Wherever found	E	35 FR 16047; 10/13/1970.
Goby, tidewater	<i>Eucyclogobius newberryi</i>	Wherever found	E	59 FR 5494; 2/4/1994, 50 CFR 17.95(e) ^{CH} .
Grouper, gulf	<i>Mycteroperca jordani</i>	Wherever found	E	81 FR 72545, 10/20/2016; ^N 84 FR 13809, 4/8/2019.
Grouper, island	<i>Mycteroperca fusca</i>	Wherever found	T	81 FR 72545, 10/20/2016; ^N 84 FR 13809, 4/8/2019.
Grouper, Nassau	<i>Epinephelus striatus</i>	Wherever found	T	81 FR 42268, 6/29/2016; ^N 81 FR 76311, 11/2/2016.
Guitarfish, blackchin	<i>Rhinobatos cemiculus</i>	Wherever found	T	82 FR 6309, 1/19/2017; ^N 84 FR 13809, 4/8/2019.
Guitarfish, Brazilian	<i>Rhinobatos horkelii</i>	Wherever found	E	82 FR 21722, 5/10/2017; ^N 84 FR 13809, 4/8/2019.
Guitarfish, common	<i>Rhinobatos rhinobatos</i>	Wherever found	T	82 FR 6309, 1/19/2017; ^N 84 FR 13809, 4/8/2019.
Logperch, Conasauga	<i>Percina jenkinsi</i>	Wherever found	E	50 FR 31597; 8/5/1985, 50 CFR 17.95(e) ^{CH} .

Logperch, Roanoke	<i>Percina rex</i>	Wherever found	E	54 FR 34468; 8/18/1989.
Madtom, Carolina	<i>Noturus furiosus</i>	Wherever found	E	86 FR 30688, June 9, 2021; 50 CFR 17.95(e). ^{CH}
Madtom, Chucky	<i>Noturus crypticus</i>	Wherever found	E	76 FR 48722; 8/9/2011, 50 CFR 17.95(e) ^{CH} .
Madtom, frecklebelly [Upper Coosa River DPS]	<i>Noturus munitus</i>	Upper Coosa River Basin (GA, TN)	T	88 FR 13038; 3/2/2023; 50 CFR 17.44(ff); ^{4d} 50 CFR 17.95(e). ^{CH}
Madtom, Neosho	<i>Noturus placidus</i>	Wherever found	T	55 FR 21148; 5/22/1990.
Madtom, pygmy	<i>Noturus stanauli</i>	Wherever found, except where listed as an experimental population	E	58 FR 25758; 4/27/1993.
Madtom, pygmy	<i>Noturus stanauli</i>	U.S.A. (TN— specified portions of the French Broad and Holston Rivers; see § 17.84(t)(1)(i))	XN	72 FR 52434; 9/13/2007, 50 CFR 17.84(t) ^{10j} .
Madtom, smoky	<i>Noturus baileyi</i>	Wherever found, except where listed as an experimental population	E	49 FR 43065; 10/26/1984, 50 CFR 17.95(e) ^{CH} .

Madtom, smoky	<i>Noturus baileyi</i>	U.S.A. (TN— specified portions of the Tellico River; see § 17.84(r)(1)(i))	XN	67 FR 52420; 8/12/2002, 50 CFR 17.84(r) ^{10j} .
Madtom, yellowfin	<i>Noturus flavipinnis</i>	Wherever found, except where listed as an experimental population	T	42 FR 45526; 9/9/1977, 50 CFR 17.44(c) ^{4d} , 50 CFR 17.95(e) ^{CH} .
Madtom, yellowfin	<i>Noturus flavipinnis</i>	U.S.A. (TN, VA— specified portions of the Holston River and watershed; see § 17.84(e)(1)(i))	XN	53 FR 29335; 8/4/1988, 50 CFR 17.84(e) ^{10j} .
Madtom, yellowfin	<i>Noturus flavipinnis</i>	U.S.A. (TN— specified portions of the Tellico River; see § 17.84(e)(1)(ii))	XN	67 FR 52420; 8/12/2002, 50 CFR 17.84(e) ^{10j} .
Madtom, yellowfin	<i>Noturus flavipinnis</i>	U.S.A. (TN— specified portions of the French Broad and Holston Rivers; see § 17.84(e)(1)(iii))	XN	72 FR 52434; 9/13/2007, 50 CFR 17.84(e) ^{10j} .
Minnow, Devils River	<i>Dionda diaboli</i>	Wherever found	T	64 FR 56596; 10/20/1999, 50 CFR 17.95(e) ^{CH} .
Minnow, loach	<i>Tiaroga cobitis</i>	Wherever found	E	51 FR 39468, 10/28/1986; 77 FR 10810,

				2/23/2012; 50 CFR 17.95(e). ^{CH}
Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Wherever found, except where listed as an experimental population	E	59 FR 36988; 7/20/1994, 50 CFR 17.95(e) ^{CH} .
Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Rio Grande, from Little Box Canyon (approximately 10.4 river miles downstream of Fort Quitman, TX) to Amistad Dam; and on the Pecos River, from its confluence with Independence Creek to its confluence with the Rio Grande	XN	73 FR 74357; 12/8/2008, 50 CFR 17.84(u) ^{10j} .
Nekogigi (catfish)	<i>Coreobagrus ichikawai</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Pikeminnow, Colorado	<i>Ptychocheilus lucius</i>	Wherever found, except where listed as an experimental population	E	32 FR 4001; 3/11/1967, 50 FR 30188; 7/24/1985, 50 CFR 17.95(e) ^{CH} .
Pikeminnow, Colorado	<i>Ptychocheilus lucius</i>	Salt and Verde R. drainages, AZ	XN	50 FR 30188; 7/24/1985, 50 CFR 17.84(b) ^{10j} .
Poolfish, Pahrump	<i>Empetrichthys latos</i>	Wherever found	E	32 FR 4001; 3/11/1967.

Pupfish, Ash Meadows Amargosa	<i>Cyprinodon nevadensis mionectes</i>	Wherever found	E	47 FR 19995; 5/10/1982, 48 FR 608; 1/5/1983, 48 FR 40178; 9/2/1983, 50 CFR 17.95(e) ^{CH} .
Pupfish, Comanche Springs	<i>Cyprinodon elegans</i>	Wherever found	E	32 FR 4001; 3/11/1967.
Pupfish, desert	<i>Cyprinodon macularius</i>	Wherever found	E	51 FR 10842; 3/31/1986, 50 CFR 17.95(e) ^{CH} .
Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>	Wherever found	E	32 FR 4001; 3/11/1967.
Pupfish, Leon Springs	<i>Cyprinodon bovinus</i>	Wherever found	E	45 FR 54678; 8/15/1980, 50 CFR 17.95(e) ^{CH} .
Pupfish, Owens	<i>Cyprinodon radiosus</i>	Wherever found	E	32 FR 4001; 3/11/1967.
Pupfish, Warm Springs	<i>Cyprinodon nevadensis pectoralis</i>	Wherever found	E	35 FR 16047; 10/13/1970.
Ray, giant manta	<i>Manta birostris</i>	Wherever found	T	83 FR 2916, 1/22/2018; ^N 84 FR 13809, 4/8/2019.
Rockfish, yelloweye [Puget Sound-Georgia Basin DPS]	<i>Sebastodes ruberrimus</i>	Puget Sound-Georgia Basin DPS—see 50 CFR 223.102	T	75 FR 22276; 4/28/2010, ^N 76 FR 20558; 4/13/2011, 79 FR 42687;

Salmon, Atlantic [Gulf of Maine DPS]	<i>Salmo</i> <i>salar</i>	Gulf of Maine DPS—see 50 CFR 224.101	E	7/23/2014, 50 CFR 226.224. ^{CH}
Salmon, Chinook [California Coastal ESU]	<i>Oncorhynchus</i> <i>tshawytscha</i>	California Coastal ESU—see 50 CFR 223.102	T	65 FR 69459; 11/17/2000 ^J , 74 FR 29344; 6/19/2009 ^J , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 226.217 ^{CH} .
Salmon, Chinook [Central Valley spring-run ESU]	<i>Oncorhynchus</i> <i>tshawytscha</i>	Central Valley spring-run ESU— see 50 CFR 223.102	T	64 FR 50394; 9/16/1999 ^N , 64 FR 72960; 12/29/1999, 70 FR 37160, 6/28/2005 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 ^{4d} , 50 CFR 226.211 ^{CH} .
Salmon, Chinook [Central Valley spring-run ESU]	<i>Oncorhynchus</i> <i>tshawytscha</i>	Central Valley spring-run ESU— see 50 CFR 223.102	T	64 FR 50394; 9/16/1999 ^N , 64 FR 72960; 12/29/1999, 70 FR 37160, 6/28/2005 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.20 ^{4d} , 50 CFR 226.211 ^{CH} .
Salmon, Chinook [Central Valley spring-run ESU—XN]	<i>Oncorhynchus</i> <i>tshawytscha</i>	Central Valley spring-run ESU—	XN	78 FR 79622; 12/31/2013 ^N , 79 FR 42687;

		XN—see 50 CFR 223.102	7/23/2014, 50 CFR 223.301 ^{10j} .
Salmon, Chinook [Central Valley spring-run ESU-XN Shasta].	Oncorhynchus tshawytscha	Central Valley spring-run ESU-XN Shasta—see 50 CFR 223.102.	XN 88 FR 58511, 8/28/2023; ^N 89 FR 65552, 8/12/2024; 50 CFR 223.301. ^{10j}
Salmon, Chinook [Central Valley spring-run ESU-XN Yuba].	Oncorhynchus tshawytscha	Central Valley spring-run ESU-XN Yuba—see 50 CFR 223.102.	XN 87 FR 79808, 12/28/2022; ^N 89 FR 65552, 8/12/2024; 50 CFR 223.301. ^{10j}
Salmon, Chinook [Lower Columbia River ESU]	Oncorhynchus tshawytscha	Lower Columbia River ESU—see 50 CFR 223.102	T 64 FR 14308; 3/24/1999 ^N , 64 FR 41835; 8/2/1999, 70 FR 37160, 6/28/2005 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 ^{4d} , 50 CFR 226.212 ^{CH} .
Salmon, Chinook [Puget Sound ESU]	Oncorhynchus tshawytscha	Puget Sound ESU—see 50 CFR 223.102	T 64 FR 14308; 3/24/1999 ^N , 64 FR 41835; 8/2/1999, 70 FR 37160, 6/28/2005 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 ^{4d} , 50 CFR 226.212 ^{CH} .

			55 FR 12191; 4/2/1990 ^N , 55 FR 12831; 4/6/1990, 55 FR 46515; 11/4/1990 ^N , 55 FR 49623; 11/30/1990, 59 FR 440; 1/4/1994 ^N , 59 FR 13836; 3/23/1994, 70 FR 37160; 6/28/2005 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 226.204 ^{CH} .
Salmon, Chinook [Sacramento River winter-run ESU]	<i>Oncorhynchus tshawytscha</i>	Sacramento River winter-run ESU— see 50 CFR 224.101	E
Salmon, Chinook [Sacramento River winter-run ESU-XN Shasta].	<i>Oncorhynchus tshawytscha</i>	Sacramento winter-run ESU-XN Shasta—see 50 CFR 223.102.	XN
Salmon, Chinook [Snake River fall-run ESU]	<i>Oncorhynchus tshawytscha</i>	Snake River fall-run ESU—see 50 CFR 223.102	T

Salmon, Chinook [Snake River spring/summer-run ESU]	Oncorhynchus tshawytscha	Snake River spring/summer-run ESU—see 50 CFR 223.102	T	57 FR 14653; 4/22/1992 ^N , 58 FR 49880; 9/23/1993, 59 FR 42529; 8/18/1994 ^N , 59 FR 54840; 11/2/1994, 70 FR 37160, 6/28/2005 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 ^{4d} , 50 CFR 226.205 ^{CH} .
Salmon, Chinook [Upper Columbia River spring-run ESU]	Oncorhynchus tshawytscha	Upper Columbia River spring-run ESU—see 50 CFR 224.101	E	64 FR 14308; 3/24/1999 ^N , 64 FR 41835; 8/2/1999, 70 FR 37160; 6/28/2005 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 226.212 ^{CH} .
Salmon, Chinook [Upper Columbia River spring-run ESU-XN]	Oncorhynchus tshawytscha	Upper Columbia River spring-run ESU-XN—see 50 CFR 223.102	XN	79 FR 40004, 7/11/2014 ^N , 79 FR 52576; 9/4/2014, 50 CFR 223.301 ^{10j} .
Salmon, Chinook [Upper Willamette River ESU]	Oncorhynchus tshawytscha	Upper Willamette River ESU—see 50 CFR 223.102	T	64 FR 14308; 3/24/1999 ^N , 64 FR 41835; 8/2/1999, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50

Salmon, chum [Columbia River ESU]	Oncorhynchus keta	Columbia River ESU—see 50 CFR 223.102	T	CFR 223.203 ^{4d} , 50 CFR 226.212 ^{CH} . 64 FR 14508; 3/25/1999 ^N , 64 FR 41835; 8/2/1999, 70 FR 37160; 6/28/2005 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 ^{4d} , 50 CFR 226.212 ^{CH} .
Salmon, chum [Hood Canal summer-run ESU]	Oncorhynchus keta	Hood Canal summer-run ESU— see 50 CFR 223.102	T	64 FR 14508; 3/25/1999 ^N , 64 FR 41835; 8/2/1999, 70 FR 37160; 6/28/2005 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 ^{4d} , 50 CFR 226.212 ^{CH} .
Salmon, coho [Central California Coast ESU]	Oncorhynchus kisutch	Central California Coast ESU—see 50 CFR 224.101	E	61 FR 56138; 10/31/1996 ^N , 61 FR 59028; 11/20/1996, 70 FR 37160; 6/28/2005 ^N , 77 FR 19552; 4/2/2012 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687;

Salmon, coho [Lower Columbia River ESU]	Oncorhynchus kisutch	Lower Columbia River ESU—see 50 CFR 223.102	T	7/23/2014, 50 CFR 226.210 ^{CH} . 70 FR 37160; 6/28/2005 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203, ^{4d} 50 CFR 226.212. ^{CH}
Salmon, coho [Oregon Coast ESU]	Oncorhynchus kisutch	Oregon Coast ESU—see 50 CFR 223.102	T	75 FR 29489; 5/26/2010 ^N , 76 FR 20558; 4/13/2011, 76 FR 35755; 6/20/2011 ^N , 79 FR 42687; 7/23/2014, 50 CFR 223.203 ^{4d} , 50 CFR 226.212. ^{CH} .
Salmon, coho [Southern Oregon-Northern California Coast ESU]	Oncorhynchus kisutch	Southern Oregon—Northern California Coast ESU—see 50 CFR 223.102	T	62 FR 24588; 5/6/1997 ^N , 62 FR 33038; 6/18/1997, 70 FR 37160; 6/28/2005 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 ^{4d} , 50 CFR 226.210. ^{CH}
Salmon, sockeye [Ozette Lake ESU]	Oncorhynchus nerka	Ozette Lake ESU—see 50 CFR 223.102	T	64 FR 14528; 3/25/1999 ^N , 64 FR 41835; 8/2/1999, 70 FR 37160; 6/28/2005 ^N , 76

			FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 ^{4d} , 50 CFR 226.212 ^{CH} .
Salmon, sockeye [Snake River ESU]	Oncorhynchus nerka	Snake River ESU— see 50 CFR 224.101	E 56 FR 58619; 11/20/1991 ^N , 57 FR 212; 1/3/1992, 70 FR 37160; 6/28/2005 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 226.205 ^{CH} .
Sawfish, dwarf	Pristis clavata	Wherever found	E 79 FR 73978; 12/12/2014 ^N , 79 FR 3914; 1/26/2015.
Sawfish, green	Pristis zijsron	Wherever found	E 79 FR 73978; 12/12/2014 ^N , 79 FR 3914; 1/26/2015.
Sawfish, largetooth	Pristis pristis (formerly Pristis perotteti, Pristis pristis, and Pristis microdon)	Wherever found	E 76 FR 40822; 9/12/2011 ^N , 79 FR 42687; 7/23/2014, 79 FR 73978; 12/12/2014 ^N , 79 FR 3914; 1/26/2015.
Sawfish, narrow	Anoxypristis cuspidata	Wherever found	E 79 FR 73978; 12/12/2014 ^N , 79 FR 3914; 1/26/2015.

Sawfish, smalltooth [Non-U.S. DPS]	Pristis pectinata	Non-U.S. DPS— Smalltooth sawfish originating from non-U.S. waters	E	79 FR 73978; 12/12/2014 ^N , 79 FR 3914; 1/26/2015.
Sawfish, smalltooth [U.S. DPS]	Pristis pectinata	U.S. DPS— Smalltooth sawfish originating from U.S. waters	E	68 FR 15674; 4/1/2003 ^N , 70 FR 69464; 11/16/2005, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 226.218 ^{CH} .
Sculpin, grotto	Cottus specus	Wherever found	E	78 FR 58938; 9/25/2013, 50 CFR 17.95(e) ^{CH} .
Sculpin, pygmy	Cottus pygmaeus	Wherever found	T	54 FR 39846; 9/28/1989, 50 CFR 17.44(u) ^{4d} .
Shark, daggernose	Isogomphodon oxyrhynchus	Wherever found	E	82 FR 21722, 5/10/2017; ^N 84 FR 13809, 4/8/2019.
Shark, narrownose smoothhound	Mustelus schmitti	Wherever found	T	82 FR 21722, 5/10/2017; ^N 84 FR 13809, 4/8/2019.
Shark, oceanic whitetip	Carcharhinus longimanus	Wherever found	T	83 FR 4153, 1/30/2018; ^N 84 FR 13809, 4/8/2019.
Shark, scalloped hammerhead [Central & SW Atlantic DPS]	Sphyraна lewini	Central & SW Atlantic DPS—see 50 CFR 223.102	T	79 FR 38214; 7/3/2014 ^N , 79 FR 52576; 9/4/2014.

Shark, scalloped hammerhead [Eastern Atlantic DPS]	<i>Sphyraна lewini</i>	Eastern Atlantic DPS—see 50 CFR 224.101	E	79 FR 38214; 7/3/2014 ⁿ , 79 FR 52576; 9/4/2014.
Shark, scalloped hammerhead [Eastern Pacific DPS]	<i>Sphyraна lewini</i>	Eastern Pacific DPS—see 50 CFR 224.101	E	79 FR 38214; 7/3/2014 ⁿ , 79 FR 52576; 9/4/2014.
Shark, scalloped hammerhead [Indo-West Pacific DPS]	<i>Sphyraна lewini</i>	Indo-West Pacific DPS—see 50 CFR 223.102	T	79 FR 38214; 7/3/2014 ⁿ , 79 FR 52576; 9/4/2014.
Shark, striped smoothhound	<i>Mustelus fasciatus</i>	Wherever found	E	82 FR 21722, 5/10/2017; ⁿ 84 FR 13809, 4/8/2019.
Shiner, Arkansas River [Arkansas River Basin DPS]	<i>Notropis girardi</i>	Arkansas River Basin (AR, KS, NM, OK, TX)	T	63 FR 64772; 11/23/1998, 50 CFR 17.95(e) ^{CH} .
Shiner, beautiful	<i>Cyprinella formosa</i>	Wherever found	T	49 FR 34490; 8/31/1984, 50 CFR 17.44(h) ^{4d} , 50 CFR 17.95(e) ^{CH} .
Shiner, blue	<i>Cyprinella caerulea</i>	Wherever found	T	57 FR 14786; 4/22/1992.
Shiner, Cahaba	<i>Notropis cahabae</i>	Wherever found	E	55 FR 42961; 10/25/1990.

Shiner, Cape Fear	<i>Notropis mekistocholas</i>	Wherever found	E	52 FR 36034; 9/25/1987, 50 CFR 17.95(e) ^{CH} .
Shiner, palezone	<i>Notropis albizonatus.</i>	Wherever found	E	58 FR 25758; 4/27/1993.
Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	Wherever found	T	52 FR 5295; 2/20/1987, 50 CFR 17.44(r) ^{4d} , 50 CFR 17.95(e) ^{CH} .
Shiner, sharpnose	<i>Notropis oxyrhynchus</i>	Wherever found	E	79 FR 45273; 8/4/2014, 50 CFR 17.95(e) ^{CH} .
Shiner, smalleye	<i>Notropis buccula</i>	Wherever found	E	79 FR 45273; 8/4/2014, 50 CFR 17.95(e) ^{CH} .
Shiner, Topeka	<i>Notropis topeka</i>	Wherever found, except where listed as an experimental population	E	63 FR 69008; 12/15/1998, 50 CFR 17.95(e) ^{CH} .
Shiner, Topeka	<i>Notropis topeka</i>	U.S.A. (MO— specified portions of Little Creek, Big Muddy Creek, and Spring Creek watersheds in Adair, Gentry, Harrison, Putnam, Sullivan, and Worth Counties; see § 17.84(d)(1)(i))	XN	78 FR 42702; 7/17/2013, 50 CFR 17.84(d) ^{10j} .

Silverside, Waccamaw	<i>Menidia extensa</i>	Wherever found	T	52 FR 11277; 4/8/1987, 50 CFR 17.44(s) ^{4d} , 50 CFR 17.95(e) ^{CH} .
Smelt, delta	<i>Hypomesus transpacificus</i>	Wherever found	T	58 FR 12854; 3/5/1993, 50 CFR 17.95(e) ^{CH} .
Smelt, longfin [San Francisco Bay-Delta DPS]	<i>Spirinchus thaleichthys</i>	U.S.A. (CA)	E	89 FR 61049, 7/30/2024.
Spikedace	<i>Meda fulgida</i>	Wherever found	E	51 FR 23769; 7/1/1986, 77 FR 10810; 2/23/2012, 50 CFR 17.95(e) ^{CH} .
Spinedace, Big Spring	<i>Lepidomeda mollispinis pratensis</i>	Wherever found	T	50 FR 12298; 3/28/1985, 50 CFR 17.44(i) ^{4d} , 50 CFR 17.95(e) ^{CH} .
Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	Wherever found	T	32 FR 4001; 3/11/1967, 35 FR 16047; 10/13/1970, 52 FR 35034; 9/16/1987, 50 CFR 17.44(t) ^{4d} , 50 CFR 17.95(e) ^{CH} .
Spinedace, White River	<i>Lepidomeda albivallis</i>	Wherever found	E	50 FR 37194; 9/12/1985, 50 CFR 17.95(e) ^{CH} .

Springfish, Hiko White River	<i>Crenichthys baileyi grandis</i>	Wherever found	E	50 FR 39123; 9/27/1985, 50 CFR 17.95(e) ^{CH} .
Springfish, Railroad Valley	<i>Crenichthys nevadae</i>	Wherever found	T	51 FR 10857; 3/31/1986, 50 CFR 17.44(n) ^{4d} , 50 CFR 17.95(e) ^{CH} .
Springfish, White River	<i>Crenichthys baileyi baileyi</i>	Wherever found	E	50 FR 39123; 9/27/1985, 50 CFR 17.95(e) ^{CH} .
Steelhead [California Central Valley DPS]	<i>Oncorhynchus mykiss</i>	California Central Valley DPS—see 50 CFR 223.102	T	63 FR 13347; 3/19/1998 ^N , 63 FR 32996; 6/17/1998, 71 FR 834; 1/5/2006 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 ^{4d} , 50 CFR 226.211 ^{CH} .
Steelhead [Central California Coast DPS]	<i>Oncorhynchus mykiss</i>	Central California Coast DPS—see 50 CFR 223.102	T	62 FR 43937; 8/18/1997 ^N , 63 FR 32996; 6/17/1998, 71 FR 834; 1/5/2006 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 ^{4d} , 50 CFR 226.211 ^{CH} .

Steelhead [Lower Columbia River DPS]	<i>Oncorhynchus mykiss</i>	Lower Columbia River DPS—see 50 CFR 223.102	T	63 FR 13347; 3/19/1998 ^N , 63 FR 32996; 6/17/1998, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 ^{4d} , 50 CFR 226.212 ^{CH} .
Steelhead [Middle Columbia River DPS]	<i>Oncorhynchus mykiss</i>	Middle Columbia River DPS—see 50 CFR 223.102	T	64 FR 14517; 3/25/1999 ^N , 64 FR 41835; 8/2/1999, 71 FR 834; 1/5/2006 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 ^{4d} , 50 CFR 226.212 ^{CH} .
Steelhead [Middle Columbia River DPS—XN]	<i>Oncorhynchus mykiss</i>	Middle Columbia River DPS—XN—see 50 CFR 223.102	XN	78 FR 2893, 1/15/2013 ^N , 79 FR 42687; 7/23/2014, 50 CFR 223.301 ^{10j} .
Steelhead [Northern California DPS]	<i>Oncorhynchus mykiss</i>	Northern California DPS—see 50 CFR 223.102	T	65 FR 36075; 6/7/2000 ^N , 65 FR 54177; 9/7/2000, 71 FR 834; 1/5/2006 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 ^{4d} ,

Steelhead [Puget Sound DPS]	Oncorhynchus mykiss	Puget Sound DPS—see 50 CFR 223.102	T	50 CFR 226.211 ^{CH} .
Steelhead [Snake River Basin DPS]	Oncorhynchus mykiss	Snake River Basin DPS—see 50 CFR 223.102	T	72 FR 26722; 5/11/2007, ^N 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203, ^{4d} 50 CFR 226.212. ^{CH}
Steelhead [South Central California Coast DPS]	Oncorhynchus mykiss	South-Central California Coast DPS—see 50 CFR 223.102	T	62 FR 43937; 8/18/1997 ^N , 63 FR 32996; 6/17/1998, 71 FR 834; 1/5/2006 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 ^{4d} , 50 CFR 226.212 ^{CH} .
Steelhead [Southern California DPS]	Oncorhynchus mykiss	Southern California DPS—	E	62 FR 43937; 8/18/1997 ^N , 63 FR 32996; 6/17/1998, 71

		see 50 CFR 224.101		FR 834; 1/5/2006 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 226.211 ^{CH} .
Steelhead [Upper Columbia River DPS]	<i>Oncorhynchus mykiss</i>	Upper Columbia River DPS—see 50 CFR 223.102	T	62 FR 43937; 8/18/1997 ^N , 63 FR 32996; 6/17/1998, 71 FR 834; 1/5/2006 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 ^{4d} , 50 CFR 226.212 ^{CH} .
Steelhead [Upper Willamette River DPS]	<i>Oncorhynchus mykiss</i>	Upper Willamette River DPS—see 50 CFR 223.102	T	64 FR 14517; 3/25/1999 ^N , 64 FR 41835; 8/2/1999, 71 FR 834; 1/5/2006 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.203 ^{4d} , 50 CFR 226.212 ^{CH} .
Stickleback, unarmored threespine	<i>Gasterosteus aculeatus</i> <i>williamsoni</i>	Wherever found	E	35 FR 16047; 10/13/1970.
Sturgeon, Adriatic	<i>Acipenser naccarii</i>	Wherever found	E	79 FR 31222; 6/2/2014 ^N , 79

				FR 52576; 9/4/2014.
Sturgeon, Alabama	<i>Scaphirhynchus suttkusi</i>	Wherever found	E	65 FR 26438; 5/5/2000, 50 CFR 17.95(e) ^{CH} .
Sturgeon, Atlantic (Atlantic subspecies) [Carolina DPS]	<i>Acipenser oxyrinchus oxyrinchus</i>	Carolina DPS—see 50 CFR 224.101	E	77 FR 5914, 2/6/2012; ^N 79 FR 42687, 7/23/2014; 50 CFR 226.225. _{CH}
Sturgeon, Atlantic (Atlantic subspecies)[Chesapeake Bay DPS]	<i>Acipenser oxyrinchus oxyrinchus</i>	Chesapeake Bay DPS—see 50 CFR 224.101	E	77 FR 5880, 2/6/2012; ^N 79 FR 42687, 7/23/2014; 50 CFR 226.225. _{CH}
Sturgeon, Atlantic (Atlantic subspecies)[Gulf of Maine DPS]	<i>Acipenser oxyrinchus oxyrinchus</i>	Gulf of Maine DPS—see 50 CFR 223.102	T	77 FR 5880, 2/6/2012; ^N 79 FR 42687, 7/23/2014; 50 CFR 223.211; ^{4d} 50 CFR 226.225. _{CH}
Sturgeon, Atlantic (Atlantic subspecies)[New York Bight DPS]	<i>Acipenser oxyrinchus oxyrinchus</i>	New York Bight DPS—see 50 CFR 224.101	E	77 FR 5880, 2/6/2012; ^N 79 FR 42687, 7/23/2014; 50 CFR 226.225. _{CH}
Sturgeon, Atlantic (Atlantic subspecies)[South Atlantic DPS]	<i>Acipenser oxyrinchus oxyrinchus</i>	South Atlantic DPS—see 50 CFR 224.101	E	77 FR 5914, 2/6/2012; ^N 79 FR 42687, 7/23/2014; 50 CFR 226.225. _{CH}

Sturgeon, Atlantic (Gulf subspecies)	<i>Acipenser oxyrinchus desotoi</i>	Wherever found	T	56 FR 49653; 9/30/1991 ^N , 56 FR 49658; 9/30/1991, 50 CFR 17.44 ^{4d} , 50 CFR 17.95(e) ^{CH} , 50 CFR 226.214 ^{CH} .
Sturgeon, beluga	<i>Huso huso</i>	Wherever found	T	69 FR 18499; 4/8/2004, 50 CFR 17.44(y) ^{4d} .
Sturgeon, Chinese	<i>Acipenser sinensis</i>	Wherever found	E	79 FR 31222; 6/2/2014 ^N , 79 FR 52576; 9/4/2014.
Sturgeon, European	<i>Acipenser sturio</i>	Wherever found	E	79 FR 31222; 6/2/2014 ^N , 79 FR 52576; 9/4/2014.
Sturgeon, green [Southern DPS]	<i>Acipenser medirostris</i>	Southern DPS— see 50 CFR 223.102	T	71 FR 26835; 5/9/2006, 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 223.210 ^{4d} , 50 CFR 226.219 ^{CH} .
Sturgeon, Kaluga	<i>Huso dauricus</i>	Wherever found	E	79 FR 31222; 6/2/2014 ^N , 79 FR 52576; 9/4/2014.
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	Wherever found	E	55 FR 36641; 9/6/1990.
Sturgeon, Sakhalin	<i>Acipenser mikadoi</i>	Wherever found	E	79 FR 31222; 6/2/2014 ^N , 79

				FR 52576; 9/4/2014.
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	Wherever found	E	32 FR 4001; 3/11/1967.
Sturgeon, shovelnose	<i>Scaphirhynchus platorynchus</i>	Wherever found	T (S/A)	75 FR 53598; 9/1/2010, 50 CFR 17.44(aa) ^{4d} .
Sturgeon, white [Kootenai River DPS]	<i>Acipenser transmontanus</i>	Kootenai River DPS—U.S.A. (ID, MT), Canada (BC), (Kootenai R. system)	E	59 FR 45989; 9/6/1994, 50 CFR 17.95(e) ^{CH} .
Sturgeon, Yangtze	<i>Acipenser dabryanus</i>	Wherever found	E	86 FR 21961, 4/26/2021.
Sucker, June	<i>Chasmistes liorus</i>	Wherever found	T	51 FR 10851, 3/31/1986; 86 FR 192, 1/4/2021; 50 CFR 17.44(cc) ^{4d} ; 50 CFR 17.95(e) ^{CH} .
Sucker, Lost River	<i>Deltistes luxatus</i>	Wherever found	E	53 FR 27130; 7/18/1988, 50 CFR 17.95(e) ^{CH} .
Sucker, razorback	<i>Xyrauchen texanus</i>	Wherever found	E	56 FR 54957; 10/23/1991, 50 CFR 17.95(e) ^{CH} .
Sucker, Santa Ana [Three CA river basins DPS]	<i>Catostomus santaanae</i>	Los Angeles River basin, San Gabriel River basin, Santa Ana River basin	T	65 FR 19686; 4/12/2000, 50 CFR 17.95(e) ^{CH} .

Sucker, shortnose	<i>Chasmistes brevirostris</i>	Wherever found	E	53 FR 27130; 7/18/1988, 50 CFR 17.95(e) ^{CH} .
Sucker, Warner	<i>Catostomus warnerensis</i>	Wherever found	T	50 FR 39117; 9/27/1985, 50 CFR 17.44(l) ^{4d} , 50 CFR 17.95(e) ^{CH} .
Sucker, Zuni bluehead	<i>Catostomus discobolus yarrowi</i>	Wherever found	E	79 FR 43131; 7/24/2014, 50 CFR 17.95(e) ^{CH} .
Sunfish, spring pygmy	<i>Elassoma alabamae</i>	Wherever found	T	78 FR 60766, 10/2/2013; 50 CFR 17.95(e). ^{CH}
Tango, Miyako (Tokyo bitterling)	<i>Tanakia tanago</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Temoleh, Ikan (minnow)	<i>Probarbus jullieni</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Topminnow, Barrens	<i>Fundulus julisia</i>	Wherever found	E	84 FR 56131, 10/21/2019.
Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	Wherever found	E	32 FR 4001, 3/11/1967.
Totoaba (seatrout or weakfish)	<i>Cynoscion macdonaldi</i>	Wherever found	E	44 FR 29478; 5/21/1979.

Trout, bull [Lower 48 States DPS]	<i>Salvelinus confluentus</i>	U.S.A., coterminous (lower 48 states), except where listed as an experimental population	T	63 FR 31647; 6/10/1998, 63 FR 42757; 8/11/1998, 64 FR 17110; 4/8/1999, 64 FR 58910; 11/1/1999, 50 CFR 17.44(w) ^{4d} , 50 CFR 17.44(x) ^{4d} , 50 CFR 17.95(e) ^{CH} .
Trout, bull	<i>Salvelinus confluentus</i>	Clackamas River subbasin and the mainstem Willamette River, from Willamette Falls to its points of confluence with the Columbia River, including Multnomah Channel	XN	76 FR 35979; 6/21/2011, 50 CFR 17.84(v) ^{10j} .
Trout, Gila	<i>Oncorhynchus gilae</i>	Wherever found	T	32 FR 4001; 3/11/1967, 71 FR 40657; 7/18/2006, 50 CFR 17.44(z) ^{4d} .
Trout, greenback cutthroat	<i>Oncorhynchus clarkii stomias</i>	Wherever found	T	32 FR 4001; 3/11/1967, 43 FR 16343; 4/18/1978, 50 CFR 17.44(f) ^{4d} .
Trout, Lahontan cutthroat	<i>Oncorhynchus clarkii henshawi</i>	Wherever found	T	35 FR 16047; 10/13/1970, 40 FR 29863; 7/16/1975, 50 CFR 17.44(a) ^{4d} .

Trout, Little Kern golden	<i>Oncorhynchus aguabonita</i>	Wherever found	T	43 FR 15427; 4/13/1978, 50 CFR 17.44(e) ^{4d} , 50 CFR 17.95(e) ^{CH} .
Trout, Paiute cutthroat	<i>Oncorhynchus clarkii seleniris</i>	Wherever found	T	32 FR 4001; 3/11/1967, 40 FR 29863; 7/16/1975, 50 CFR 17.44(a) ^{4d} .
Woundfin	<i>Plagopterus argentissimus</i>	Wherever found, except where listed as an experimental population	E	35 FR 16047; 10/13/1970, 50 FR 30188; 7/24/1985, 50 CFR 17.95(e) ^{CH} .
Woundfin	<i>Plagopterus argentissimus</i>	Gila R. drainage, AZ, NM	XN	50 FR 30188; 7/24/1985, 50 CFR 17.84(b) ^{10j} .
Clams				
Bankclimber, purple	<i>Elliptoideus sloatianus</i>	Wherever found	T	63 FR 12664; 3/16/1998, 50 CFR 17.95(f) ^{CH} .
Bean, Choctaw	<i>Obovaria choctawensis</i>	Wherever found	E	77 FR 61663, 10/10/2012; 50 CFR 17.95(f). ^{CH}
Bean, Cumberland	<i>Villosa trabalis</i>	Wherever found, except where listed as an experimental population	E	41 FR 24062; 6/14/1976.
Bean, Cumberland	<i>Villosa trabalis</i>	U.S.A. (AL— specified portions of the Tennessee River; see § 17.85(a)(1))	XN	66 FR 32250; 6/14/2001, 50 CFR 17.85(a) ^{10j} .

Bean, Cumberland	<i>Villosa trabalis</i>	U.S.A. (TN— specified portions of the French Broad and Holston Rivers; see § 17.85(b)(1))	XN	72 FR 52434; 9/13/2007, 50 CFR 17.85(b) ^{10j} .
Bean, Purple	<i>Villosa perpurpurea</i>	Wherever found	E	62 FR 1647; 1/10/1997, 50 CFR 17.95(f) ^{CH} .
Clubshell	<i>Pleurobema clava</i>	Wherever found, except where listed as an experimental population	E	58 FR 5638; 1/22/1993.
Clubshell	<i>Pleurobema clava</i>	U.S.A. (AL— specified portions of the Tennessee River; see § 17.85(a)(1))	XN	66 FR 32250; 6/14/2001, 50 CFR 17.85(a) ^{10j} .
Clubshell, black	<i>Pleurobema curtum</i>	Wherever found	E	52 FR 11162; 4/7/1987.
Clubshell, Canoe Creek	<i>Pleurobema athearni</i>	Wherever found	E	87 FR 40115, July 6, 2022; 50 CFR 17.95(f). ^{CH}
Clubshell, ovate	<i>Pleurobema perovatum</i>	Wherever found	E	58 FR 14330; 3/17/1993, 50 CFR 17.95(f) ^{CH} .
Clubshell, southern	<i>Pleurobema decisum</i>	Wherever found	E	58 FR 14330; 3/17/1993, 50 CFR 17.95(f) ^{CH} .

Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	Wherever found, except where listed as an experimental population	E	62 FR 1647; 1/10/1997, 50 CFR 17.95(f) ^{CH} .
Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	U.S.A. (AL— specified portions of the Tennessee River; see § 17.85(a)(1))	XN	66 FR 32250; 6/14/2001, 50 CFR 17.85(a) ^{10j} .
Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	U.S.A. (TN— specified portions of the French Broad and Holston Rivers; see § 17.85(b)(1))	XN	72 FR 52434; 9/13/2007, 50 CFR 17.85(b) ^{10j} .
Combshell, southern	<i>Epioblasma (=Dysnomia) penita</i>	Wherever found	E	52 FR 11162; 4/7/1987.
Ebonyshell, round	<i>Reginaia rotulata</i>	Wherever found	E	58 FR 14330, 3/17/1993; 50 CFR 17.95(f). ^{CH}
Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	Wherever found	E	59 FR 60324; 11/23/1994, 50 CFR 17.95(f) ^{CH} .
Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>	Wherever found	E	62 FR 1647; 1/10/1997, 50 CFR 17.95(f) ^{CH} .
Fanshell	<i>Cyprogenia stegaria</i>	Wherever found, except where listed	E	55 FR 25591; 6/21/1990.

			as an experimental population	
Fanshell	<i>Cyprogenia stegaria</i>	U.S.A. (TN— specified portions of the French Broad and Holston Rivers; see § 17.85(b)(1))	XN	72 FR 52434; 9/13/2007, 50 CFR 17.85(b) ^{10j} .
Fanshell, “Ouachita”	<i>Cyprogenia cf. aberti</i>	Wherever found	T	88 FR 41724, June 27, 2023; 50 CFR 17.45(f); ^{4d} 50 CFR 17.95(f). ^{CH}
Fanshell, western	<i>Cyprogenia aberti</i>	Wherever found	T	88 FR 41724, June 27, 2023; 50 CFR 17.45(f); ^{4d} 50 CFR 17.95(f). ^{CH}
Fatmucket, Arkansas	<i>Lampsilis powelli</i>	Wherever found	T	55 FR 12797; 4/5/1990.
Fatmucket, Guadalupe	<i>Lampsilis bergmanni</i>	Wherever found	E	89 FR 48034, June 4, 2024;
Fatmucket, Texas	<i>Lampsilis bracteata</i>	Wherever found	E	50 CFR 17.95(f). ^{CH}
				89 FR 48034, June 4, 2024;
				50 CFR 17.95(f). ^{CH}

Fawnsfoot, Texas	<i>Truncilla macrodon</i>	Wherever found	T	89 FR 48034, June 4, 2024;
				50 CFR 17.45(c); ^{4d}
				50 CFR 17.95(f). ^{CH}
Heelsplitter, inflated	<i>Potamilus inflatus</i>	Wherever found	T	55 FR 39868; 9/28/1990.
Heelsplitter, Carolina	<i>Lasmigona decorata</i>	Wherever found	E	58 FR 34926; 6/30/1993, 50 CFR 17.95(f) ^{CH} .
Hickorynut, round	<i>Obovaria subrotunda</i>	Wherever found	T	88 FR 14794, March 9, 2023; 50 CFR 17.45(d); ^{4d} 50 CFR 17.95(f). ^{CH}
Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Hornshell, Texas	<i>Popenaias popeii</i>	Wherever found	E	83 FR 5720, 2/9/2018.
Kidneyshell, fluted	<i>Ptychobranchus subtentus</i>	Wherever found	E	78 FR 59269; 9/26/2013, 50 CFR 17.95(f) ^{CH} .
Kidneyshell, southern	<i>Ptychobranchus jonesi</i>	Wherever found	E	77 FR 61663; 10/10/2012, 50 CFR 17.95(f) ^{CH} .

Kidneyshell, triangular	<i>Ptychobranchus greenii</i>	Wherever found	E	58 FR 14330; 3/17/1993, 50 CFR 17.95(f) ^{CH} .
Lampmussel, Alabama	<i>Lampsilis virescens</i>	Wherever found, except where listed as an experimental population	E	41 FR 24062; 6/14/1976.
Lampmussel, Alabama	<i>Lampsilis virescens</i>	U.S.A. (AL— specified portions of the Tennessee River; see § 17.85(a)(1))	XN	66 FR 32250; 6/14/2001, 50 CFR 17.85(a) ^{10j} .
Lance, yellow	<i>Elliptio lanceolata</i>	Wherever found	T	83 FR 14189, 4/3/2018; 50 CFR 17.95(f). ^{CH}
Lilliput, pale	<i>Toxolasma cylindrellus</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Longsolid	<i>Fusconaia subrotunda</i>	Wherever found	T	88 FR 14794, March 9, 2023; 50 CFR 17.45(d); ^{4d} 50 CFR 17.95(f). ^{CH}
Mapleleaf, winged (mussel)	<i>Quadrula fragosa</i>	Wherever found, except where listed as an experimental population	E	56 FR 28345; 6/20/1991.
Mapleleaf, winged (mussel)	<i>Quadrula fragosa</i>	U.S.A. (AL— specified portions of the Tennessee River; see § 17.85(a)(1))	XN	66 FR 32250; 6/14/2001, 50 CFR 17.85(a) ^{10j} .

Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	Wherever found	T	58 FR 14330; 3/17/1993, 50 CFR 17.95(f) ^{CH} .
Moccasinshell, Coosa	<i>Medionidus parvulus</i>	Wherever found	E	58 FR 14330; 3/17/1993, 50 CFR 17.95(f) ^{CH} .
Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	Wherever found	E	63 FR 12664; 3/16/1998, 50 CFR 17.95(f) ^{CH} .
Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>	Wherever found	E	63 FR 12664; 3/16/1998, 50 CFR 17.95(f) ^{CH} .
Moccasinshell, Suwannee	<i>Medionidus walkeri</i>	Wherever found	T	81 FR 69417, 10/6/2016; 50 CFR 17.95(f). ^{CH}
Monkeyface, Appalachian (pearlymussel)	<i>Theliderma sparsa</i>	Wherever found, except where listed as an experimental population	E	41 FR 24062, 6/14/1976.
Monkeyface, Appalachian (pearlymussel)	<i>Theliderma sparsa</i>	U.S.A. (TN— specified portions of the French Broad and Holston Rivers; see § 17.85(b)(1))	XN	72 FR 52434, 9/13/2007; 50 CFR 17.85(b). ^{10j}
Monkeyface, Cumberland	<i>Theliderma intermedia</i>	Wherever found, except where listed as an experimental population	E	41 FR 24062, 6/14/1976.

Monkeyface, Cumberland	<i>Theliderma intermedia</i>	U.S.A. (AL— specified portions of the Tennessee River; see § 17.85(a)(1))	XN	66 FR 32250, 6/14/2001; 50 CFR 17.85(a). ^{10j}
Monkeyface, Cumberland	<i>Theliderma intermedia</i>	U.S.A. (TN— specified portions of the French Broad and Holston Rivers; see § 17.85(b)(1))	XN	72 FR 52434, 9/13/2007; 50 CFR 17.85(b). ^{10j}
Mucket, Neosho	<i>Lampsilis rafinesqueana</i>	Wherever found	E	78 FR 57076; 9/17/2013, 50 CFR 17.95(f) ^{CH} .
Mucket, orangenacre	<i>Hamiota perovalis</i>	Wherever found	T	58 FR 14330, 3/17/1993; 50 CFR 17.95(f). ^{CH}
Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Mussel, oyster	<i>Epioblasma capsaeformis</i>	Wherever found, except where listed as an experimental population	E	62 FR 1647; 1/10/1997, 50 CFR 17.95(f) ^{CH} .
Mussel, oyster	<i>Epioblasma capsaeformis</i>	U.S.A. (AL— specified portions of the Tennessee River; see § 17.85(a)(1))	XN	66 FR 32250; 6/14/2001, 50 CFR 17.85(a) ^{10j} .

Mussel, oyster	<i>Epioblasma capsaeformis</i>	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see § 17.85(b)(1))	XN	72 FR 52434; 9/13/2007, 50 CFR 17.85(b) ^{10j} .
Mussel, rayed bean	<i>Villosa fabalis</i>	Wherever found	E	77 FR 8632; 2/14/2012.
Mussel, scaleshell	<i>Leptodea leptodon</i>	Wherever found	E	66 FR 51322; 10/9/2001.
Orb, Guadalupe	<i>Cyclonaias necki</i>	Wherever found	E	89 FR 48034, June 4, 2024;
Pearlshell, Alabama	<i>Margaritifera marrianae</i>	Wherever found	E	50 CFR 17.95(f). ^{CH}
Pearlshell, Louisiana	<i>Margaritifera hembeli</i>	Wherever found	T	77 FR 61663; 10/10/2012, 50 CFR 17.95(f) ^{CH} .
Pearlymussel, birdwing	<i>Lemiox rimosus</i>	Wherever found, except where listed as an experimental population	E	53 FR 3567; 2/5/1988, 58 FR 49935; 9/24/1993.
Pearlymussel, birdwing	<i>Lemiox rimosus</i>	U.S.A. (AL—specified portions of the Tennessee River; see § 17.85(a)(1))	XN	41 FR 24062; 6/14/1976.
				66 FR 32250; 6/14/2001, 50 CFR 17.85(a) ^{10j} .

Pearlymussel, birdwing	<i>Lemiox rimosus</i>	U.S.A. (TN— specified portions of the French Broad and Holston Rivers; see § 17.85(b)(1))	XN	72 FR 52434; 9/13/2007, 50 CFR 17.85(b) ^{10j} .
Pearlymussel, cracking	<i>Hemistena lata</i>	Wherever found, except where listed as an experimental population	E	54 FR 39850; 9/28/1989.
Pearlymussel, cracking	<i>Hemistena lata</i>	U.S.A. (AL— specified portions of the Tennessee River; see § 17.85(a)(1))	XN	66 FR 32250; 6/14/2001, 50 CFR 17.85(a) ^{10j} .
Pearlymussel, cracking	<i>Hemistena lata</i>	U.S.A. (TN— specified portions of the French Broad and Holston Rivers; see § 17.85(b)(1))	XN	72 FR 52434; 9/13/2007, 50 CFR 17.85(b) ^{10j} .
Pearlymussel, Curtis	<i>Epioblasma curtisii</i>	Wherever found	E	41 FR 24062, 6/14/1976.
Pearlymussel, dromedary	<i>Dromus dromas</i>	Wherever found, except where listed as an experimental population	E	41 FR 24062; 6/14/1976.

Pearlymussel, dromedary	Dromus dromas	U.S.A. (AL— specified portions of the Tennessee River; see § 17.85(a)(1))	XN	66 FR 32250; 6/14/2001, 50 CFR 17.85(a) ^{10j} .
Pearlymussel, dromedary	Dromus dromas	U.S.A. (TN— specified portions of the French Broad and Holston Rivers; see § 17.85(b)(1))	XN	72 FR 52434; 9/13/2007, 50 CFR 17.85(b) ^{10j} .
Pearlymussel, littlewing	Pegias fabula	Wherever found	E	53 FR 45861; 11/14/1988.
Pearlymussel, Nicklin's	Megalonaia nicklineana	Wherever found	E	41 FR 24062; 6/14/1976.
Pearlymussel, purple cat's paw	Epioblasma obliquata	Wherever found, except where listed as an experimental population	E	55 FR 28209, 7/10/1990.
Pearlymussel, purple cat's paw	Epioblasma obliquata	U.S.A. (AL— specified portions of the Tennessee River; see § 17.85(a)(1))	XN	66 FR 32250, 6/14/2001; 50 CFR 17.85(a). ^{10j}
Pearlymussel, slabside	Pleuronaia dolabelloides	Wherever found	E	78 FR 59269; 9/26/2013, 50 CFR 17.95(f) ^{CH} .

Pearlymussel, Tampico	<i>Cyrtonaias tampicoensis</i> <i>tecomatensis</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Pearlymussel, white cat's paw	<i>Epioblasma perobliqua</i>	Wherever found	E	41 FR 24062, 6/14/1976.
Pigtoe, Atlantic	<i>Fusconaia masoni</i>	Wherever found	T	86 FR 64000, November 16, 2021; 50 CFR 17.45(a); ^{4d} 50 CFR 17.95(f). ^{CH}
Pigtoe, Cumberland	<i>Pleuronaia gibber</i>	Wherever found	E	56 FR 21084, 5/7/1991.
Pigtoe, dark	<i>Pleurobema furvum</i>	Wherever found	E	58 FR 14330; 3/17/1993, 50 CFR 17.95(f) ^{CH} .
Pigtoe, finerayed	<i>Fusconaia cuneolus</i>	Wherever found, except where listed as an experimental population	E	41 FR 24062; 6/14/1976.
Pigtoe, finerayed	<i>Fusconaia cuneolus</i>	U.S.A. (AL— specified portions of the Tennessee River; see § 17.85(a)(1))	XN	66 FR 32250; 6/14/2001, 50 CFR 17.85(a) ^{10j} .
Pigtoe, finerayed	<i>Fusconaia cuneolus</i>	U.S.A. (TN— specified portions of the French Broad and Holston Rivers; see § 17.85(b)(1))	XN	72 FR 52434; 9/13/2007, 50 CFR 17.85(b) ^{10j} .

Pigtoe, fuzzy	<i>Pleurobema strodeanum</i>	Wherever found	T	77 FR 61663; 10/10/2012, 50 CFR 17.95(f) ^{CH} .
Pigtoe, Georgia	<i>Pleurobema hanleyianum</i>	Wherever found	E	75 FR 67512; 11/2/2010, 50 CFR 17.95(f) ^{CH} .
Pigtoe, heavy	<i>Pleurobema taitianum</i>	Wherever found	E	52 FR 11162; 4/7/1987.
Pigtoe, narrow	<i>Fusconaia escambia</i>	Wherever found	T	77 FR 61663; 10/10/2012, 50 CFR 17.95(f) ^{CH} .
Pigtoe, oval	<i>Pleurobema pyriforme</i>	Wherever found	E	63 FR 12664; 3/16/1998, 50 CFR 17.95(f) ^{CH} .
Pigtoe, rough	<i>Pleurobema plenum</i>	Wherever found, except where listed as an experimental population	E	41 FR 24062; 6/14/1976.
Pigtoe, rough	<i>Pleurobema plenum</i>	U.S.A. (TN— specified portions of the French Broad and Holston Rivers; see § 17.85(b)(1))	XN	72 FR 52434; 9/13/2007, 50 CFR 17.85(b) ^{10j} .
Pigtoe, shiny	<i>Fusconaia cor</i>	Wherever found, except where listed as an experimental population	E	41 FR 24062; 6/14/1976.

Pigtoe, shiny	<i>Fusconaia cor</i>	U.S.A. (AL— specified portions of the Tennessee River; see § 17.85(a)(1))	XN	66 FR 32250; 6/14/2001, 50 CFR 17.85(a) ^{10j} .
Pigtoe, shiny	<i>Fusconaia cor</i>	U.S.A. (TN— specified portions of the French Broad and Holston Rivers; see § 17.85(b)(1))	XN	72 FR 52434; 9/13/2007, 50 CFR 17.85(b) ^{10j} .
Pigtoe, southern	<i>Pleurobema georgianum</i>	Wherever found	E	58 FR 14330; 3/17/1993, 50 CFR 17.95(f) ^{CH} .
Pigtoe, tapered	<i>Fusconaia burkei</i>	Wherever found	T	77 FR 61663; 10/10/2012, 50 CFR 17.95(f) ^{CH} .
Pimpleback, orangefoot	<i>Plethobasus cooperianus</i>	Wherever found, except where listed as an experimental population	E	41 FR 24062; 6/14/1976.
Pimpleback, orangefoot	<i>Plethobasus cooperianus</i>	U.S.A. (TN— specified portions of the French Broad and Holston Rivers; see § 17.85(b)(1))	XN	72 FR 52434; 9/13/2007, 50 CFR 17.85(b) ^{10j} .
Pimpleback, Texas	<i>Cyclonaias petrina</i>	Wherever found	E	89 FR 48034, June 4, 2024;

				50 CFR 17.95(f). ^{CH}
Pink, ring	<i>Obovaria retusa</i>	Wherever found, except where listed as an experimental population	E	54 FR 40109; 9/29/1989.
Pink, ring	<i>Obovaria retusa</i>	U.S.A. (TN— specified portions of the French Broad and Holston Rivers; see § 17.85(b)(1))	XN	72 FR 52434; 9/13/2007, 50 CFR 17.85(b) ^{10j} .
Pocketbook, fat	<i>Potamilus capax</i>	Wherever found	E	41 FR 24062; 6/14/1976.
Pocketbook, finelined	<i>Hamiota altilis</i>	Wherever found	T	58 FR 14330, 3/17/1993; 50 CFR 17.95(f). ^{CH}
Pocketbook, shinyrayed	<i>Hamiota subangulata</i>	Wherever found	E	63 FR 12664, 3/16/1998; 50 CFR 17.95(f). ^{CH}
Pocketbook, speckled	<i>Lampsilis streckeri</i>	Wherever found	E	54 FR 8339; 2/28/1989.
Rabbitsfoot	<i>Quadrula cylindrica</i> <i>cylindrica</i>	Wherever found	T	78 FR 57076; 9/17/2013, 50 CFR 17.95(f) ^{CH} .
Rabbitsfoot, rough	<i>Quadrula cylindrica</i> <i>strigillata</i>	Wherever found	E	62 FR 1647; 1/10/1997, 50 CFR 17.95(f) ^{CH} .

Riffleshell, northern	<i>Epioblasma rangiana</i>	Wherever found	E	58 FR 5638, 1/22/1993.
Riffleshell, tan	<i>Epioblasma florentina</i> <i>walkeri</i> (= <i>E. walkeri</i>)	Wherever found	E	42 FR 42351; 8/23/1977.
Rock pocketbook, Ouachita	<i>Arcidens wheeleri</i>	Wherever found	E	56 FR 54950, 10/23/1991.
Sandshell, southern	<i>Hamiota australis</i>	Wherever found	T	77 FR 61663; 10/10/2012, 50 CFR 17.95(f) ^{CH} .
Sheepnose	<i>Plethobasus cyphyus</i>	Wherever found	E	77 FR 14914;3/13/20 12.
Slabshell, Chipola	<i>Elliptio chipolaensis</i>	Wherever found	T	63 FR 12664; 3/16/1998, 50 CFR 17.95(f) ^{CH} .
Snuffbox (mussel)	<i>Epioblasma triquetra</i>	Wherever found	E	77 FR 8632; 2/14/2012.
Spectaclecase	<i>Cumberlandia monodonta</i>	Wherever found	E	77 FR 14914; 3/13/2012.
Spike, Balcones	<i>Fusconaia iheringi</i>	Wherever found	E	89 FR 48034, June 4, 2024;

				50 CFR 17.95(f). ^{CH}
Spike, false	<i>Fusconaia mitchelli</i>	Wherever found	E	89 FR 48034, June 4, 2024;
Spiny mussel, Altamaha	<i>Elliptio spinosa</i>	Wherever found	E	50 CFR 17.95(f). ^{CH} 76 FR 62928; 10/11/2011, 50 CFR 17.95(f) ^{CH} .
Spiny mussel, James	<i>Parvaspina collina</i>	Wherever found	E	53 FR 27689, 7/22/1988.
Spiny mussel, Tar River	<i>Parvaspina steinstansana</i>	Wherever found	E	50 FR 26572, 6/27/1985.
Threeridge, fat	<i>Amblema neislerii</i>	Wherever found	E	63 FR 12664; 3/16/1998, 50 CFR 17.95(f) ^{CH} .
Wartyback, white	<i>Plethobasus cicatricosus</i>	Wherever found, except where listed as an experimental population	E	41 FR 24062; 6/14/1976.
Wartyback, white	<i>Plethobasus cicatricosus</i>	U.S.A. (TN— specified portions of the French Broad and Holston Rivers; see § 17.85(b)(1))	XN	72 FR 52434; 9/13/2007, 50 CFR 17.85(b) ^{10j} .
Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	Wherever found	E	55 FR 9447; 3/14/1990.

Snails

Abalone, Black	<i>Haliotis cracherodii</i>	Wherever found	E	74 FR 1937; 1/14/2009 ^N , 76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 50 CFR 226.221 ^{CH} .
Abalone, white	<i>Haliotis sorenseni</i>	Wherever found	E	66 FR 29054; 5/29/2001 ^N , 70 FR 69464; 11/16/2005.
Campeloma, slender	<i>Campeloma decampi</i>	Wherever found	E	65 FR 10033; 2/25/2000.
Cavesnail, Tumbling Creek	<i>Antrobia culveri</i>	Wherever found	E	67 FR 52879; 8/14/2002, 50 CFR 17.95(f) ^{CH} .
Elimia, lacy	<i>Elimia crenatella</i>	Wherever found	T	63 FR 57610; 10/28/1998.
Hornsnail, rough	<i>Pleurocera foremanii</i>	Wherever found	E	75 FR 67512; 11/2/2010, 50 CFR 17.95(f) ^{CH} .
Limpet, Banbury Springs	<i>Idaholanx fresti</i>	Wherever found	E	57 FR 59244, 12/14/1992.
Lioplax, cylindrical	<i>Lioplax cyclostomafor mis</i>	Wherever found	E	63 FR 57610; 10/28/1998.

Marstonia, armored (snail)	<i>Marstonia pachyta</i>	Wherever found	E	65 FR 10033, 2/25/2000.
Marstonia, royal	<i>Marstonia ogmorhaphe</i>	Wherever found	E	59 FR 17994, 4/15/1994.
Pebblesnail, flat	<i>Lepyrium showalteri</i>	Wherever found	E	63 FR 57610; 10/28/1998.
Pecos assiminea	<i>Assiminea pecos</i>	Wherever found	E	76 FR 33036; 6/7/2011, 50 CFR 17.95(f) ^{CH} .
Ramshorn, magnificent	<i>Planor bella magnifica</i>	Wherever found	E	88 FR 56471, 8/18/2023; 50 CFR 17.95(f). ^{CH}
Riversnail, Anthony's	<i>Atheastaria anthonyi</i>	Wherever found, except where listed as an experimental population	E	59 FR 17994; 4/15/1994.
Riversnail, Anthony's	<i>Atheastaria anthonyi</i>	U.S.A. (AL— specified portions of the Tennessee River; see § 17.85(a)(1))	XN	66 FR 32250; 6/14/2001, 50 CFR 17.85(a) ^{10j} .
Riversnail, Anthony's	<i>Atheastaria anthonyi</i>	U.S.A. (TN— specified portions of the French Broad and Holston Rivers; see § 17.85(b)(1))	XN	72 FR 52434; 9/13/2007, 50 CFR 17.85(b) ^{10j} .

Rocksnail, interrupted	<i>Leptoxis foremani</i>	Wherever found	E	75 FR 67512; 11/2/2010, 50 CFR 17.95(f) ^{CH} .
Rocksnail, painted	<i>Leptoxis taeniata</i>	Wherever found	T	63 FR 57610; 10/28/1998.
Rocksnail, plicate	<i>Leptoxis plicata</i>	Wherever found	E	63 FR 57610; 10/28/1998.
Rocksnail, round	<i>Leptoxis ampla</i>	Wherever found	T	63 FR 57610; 10/28/1998.
Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>	Wherever found	T	57 FR 59244; 12/14/1992.
Snail, Chittenango ovate amber	<i>Novisuccinea chittenangoensis</i>	Wherever found is	T	43 FR 28932, 7/3/1978.
Snail, flat-spired three-toothed	<i>Triodopsis platysayoides</i>	Wherever found	T	43 FR 28932; 7/3/1978.
Snail, fragile tree (Akaleha dogas, Denden)	<i>Samoana fragilis</i>	Wherever found	E	80 FR 59423; 10/1/2015.
Snail, Guam tree (Akaleha, Denden)	<i>Partula radiolata</i>	Wherever found	E	80 FR 59423; 10/1/2015.
Snail, humped tree (Akaleha, Denden)	<i>Partula gibba</i>	Wherever found	E	80 FR 59423; 10/1/2015.

Snail, Iowa Pleistocene	<i>Discus macclintocki</i>	Wherever found	E	43 FR 28932; 7/3/1978.
Snail, Lanai tree	<i>Partulina semicarinata</i>	Wherever found	E	78 FR 32013; 5/28/2013.
Snail, Lanai tree	<i>Partulina variabilis</i>	Wherever found	E	78 FR 32013; 5/28/2013.
Snail, Langford's tree (Akaleha, Denden)	<i>Partula langfordi</i>	Wherever found	E	80 FR 59423; 10/1/2015.
Snail, Manus Island tree	<i>Papustyla pulcherrima</i>	Wherever found	E	35 FR 8491; 6/2/1970.
Snail, Morro shoulderband	<i>Helmin thoglypta walkeriana</i>	Wherever found	T	59 FR 64613, 12/15/1994; 87 FR 6063, 2/3/2022; 50 CFR 17.45(b); ^{4d} 50 CFR 17.95(f). ^{CH}
Snail, Newcomb's	<i>Erinna newcombi</i>	Wherever found	T	65 FR 4162; 1/26/2000, 50 CFR 17.95(f) ^{CH} .
Snail, Newcomb's tree	<i>Newcombia cumingi</i>	Wherever found	E	78 FR 32013; 5/28/2013, 50 CFR 17.95(f) ^{CH} .
Snail [no common name]	<i>Eua zebrina</i>	Wherever found	E	81 FR 65466; 09/22/2016.

Snail [no common name]	<i>Ostodes strigatus</i>	Wherever found	E	81 FR 65466; 09/22/2016.
Snail, noonday	<i>Mesodon clarki nantahala</i>	Wherever found	T	43 FR 28932; 7/3/1978.
Snail, painted snake coiled forest	<i>Anguispira picta</i>	Wherever found	T	43 FR 28932; 7/3/1978.
Snail, Snake River physa	<i>Physella natricina</i>	Wherever found	E	57 FR 59244, 12/14/1992.
Snail, Stock Island tree	<i>Orthalicus reses</i> (not incl. <i>nesodryas</i>)	Wherever found	T	43 FR 28932; 7/3/1978.
Snail, tulotoma	<i>Tulotoma magnifica</i>	Wherever found	T	56 FR 797; 1/9/1991, 76 FR 31866; 6/2/2011.
Snail, Virginia fringed mountain	<i>Polygyruscus virginianus</i>	Wherever found	E	43 FR 28932; 7/3/1978.
Snails, Oahu tree	<i>Achatinella spp.</i>	Wherever found	E	46 FR 3178; 1/13/1981, 46 FR 40025; 8/6/1981.
Springsnail, Alamosa	<i>Tryonia alamosae</i>	Wherever found	E	56 FR 49646; 9/30/1991.
Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>	Wherever found	E	58 FR 5938; 1/25/1993.

Springsnail, Chupadera	<i>Pyrgulopsis chupaderae</i>	Wherever found	E	77 FR 41088; 7/12/2012, 50 CFR 17.95(f) ^{CH} .
Springsnail, Koster's	<i>Juturnia kosteri</i>	Wherever found	E	76 FR 33036, 6/7/2011; 50 CFR 17.95(f) ^{CH} .
Springsnail, Phantom	<i>Pyrgulopsis texana</i>	Wherever found	E	78 FR 41227; 7/9/2013, 50 CFR 17.95(f) ^{CH} .
Springsnail, Roswell	<i>Pyrgulopsis roswellensis</i>	Wherever found	E	76 FR 33036; 6/7/2011, 50 CFR 17.95(f) ^{CH} .
Springsnail, San Bernardino	<i>Pyrgulopsis bernardina</i>	Wherever found	T	77 FR 23060; 4/17/2012, 50 CFR 17.95(f) ^{CH} .
Springsnail, Socorro	<i>Pyrgulopsis neomexicana</i>	Wherever found	E	56 FR 49646; 9/30/1991.
Springsnail, Three Forks	<i>Pyrgulopsis trivialis</i>	Wherever found	E	77 FR 23060; 4/17/2012, 50 CFR 17.95(f) ^{CH} .
Tryonia, Diamond	<i>Pseudotryonia adamantina</i>	Wherever found	E	78 FR 41227; 7/9/2013, 50 CFR 17.95(f) ^{CH} .
Tryonia, Gonzales	<i>Tryonia circumstriata</i>	Wherever found	E	78 FR 41227; 7/9/2013, 50 CFR 17.95(f) ^{CH} .
Tryonia, Phantom	<i>Tryonia cheatumi</i>	Wherever found	E	78 FR 41227; 7/9/2013, 50 CFR 17.95(f) ^{CH} .

Insects

Bee, bumble, Franklin's	<i>Bombus franklini</i>	Wherever found	E	85 FR 47221, 8/24/21.
Bee, bumble, rusty patched	<i>Bombus affinis</i>	Wherever found	E	82 FR 3186, 1/11/2017.
Bee, yellow-faced	<i>Hylaeus anthracinus</i>	Wherever found	E	81 FR 67786; 09/30/2016.
Bee, yellow-faced	<i>Hylaeus assimulans</i>	Wherever found	E	81 FR 67786; 09/30/2016.
Bee, yellow-faced	<i>Hylaeus facilis</i>	Wherever found	E	81 FR 67786; 09/30/2016.
Bee, yellow-faced	<i>Hylaeus hilaris</i>	Wherever found	E	81 FR 67786; 09/30/2016.
Bee, yellow-faced	<i>Hylaeus kuakea</i>	Wherever found	E	81 FR 67786; 09/30/2016.
Bee, yellow-faced	<i>Hylaeus longiceps</i>	Wherever found	E	81 FR 67786; 09/30/2016.
Bee, yellow-faced	<i>Hylaeus mana</i>	Wherever found	E	81 FR 67786; 09/30/2016.
Beetle, American burying	<i>Nicrophorus americanus</i>	Wherever found, except where listed as an experimental population	T	54 FR 29652, 7/13/1989; 85 FR 65241, 10/15/2020; 50 CFR 17.47(d). ^{4d}

Beetle, American burying	<i>Nicrophorus americanus</i>	In southwestern Missouri, the counties of Cedar, St. Clair, Bates, and Vernon	XN	77 FR 16712, 3/22/2012; 50 CFR 17.85(c). ^{10j}
Beetle, Casey's June	<i>Dinacoma caseyi</i>	Wherever found	E	76 FR 58954; 9/22/2011, 50 CFR 17.95(i) ^{CH} .
Beetle, Coffin Cave mold	<i>Batrisodes texanus</i>	Wherever found	E	53 FR 36029; 9/16/1988, 58 FR 43818; 8/18/1993.
Beetle, Comal Springs dryopid	<i>Stygoparnus comalensis</i>	Wherever found	E	62 FR 66295; 12/18/1997, 50 CFR 17.95(i) ^{CH} .
Beetle, Comal Springs riffle	<i>Heterelmis comalensis</i>	Wherever found	E	62 FR 66295; 12/18/1997, 50 CFR 17.95(i) ^{CH} .
Beetle, delta green ground	<i>Elaphrus viridis</i>	Wherever found	T	45 FR 52807; 8/8/1980, 50 CFR 17.95(i) ^{CH} .
Beetle, Helotes mold	<i>Batrisodes venyivi</i>	Wherever found	E	65 FR 81419, 12/26/2000; 50 CFR 17.95(i) ^{CH}
Beetle, Hungerford's crawling water	<i>Brychius hungerfordi</i>	Wherever found	E	59 FR 10580; 3/7/1994.
Beetle, Kretschmarr Cave mold	<i>Texamaurops reddelli</i>	Wherever found	E	53 FR 36029; 9/16/1988, 58 FR 43818; 8/18/1993.

Beetle, Miami tiger	<i>Cicindelidia floridana</i>	Wherever found	E	81 FR 68985, 10/5/2016; 50 CFR 17.95(i). ^{CH}
Beetle, Mount Hermon June	<i>Polyphylla barbata</i>	Wherever found	E	62 FR 3616; 1/24/1997.
Beetle, (no common name)	<i>Rhadine exilis</i>	Wherever found	E	65 FR 81419, 12/26/2000; 50 CFR 17.95(i). ^{CH}
Beetle, (no common name)	<i>Rhadine infernalis</i>	Wherever found	E	65 FR 81419, 12/26/2000; 50 CFR 17.95(i). ^{CH}
Beetle, Northeastern beach tiger	<i>Habroscelimorpha dorsalis</i>	Wherever found	T	55 FR 32088, 8/7/1990.
Beetle, Ohlone tiger	<i>Cicindela ohlone</i>	Wherever found	E	66 FR 50340; 8/3/2001.
Beetle, Ohlone tiger	<i>Cicindela ohlone</i>	Wherever found	E	66 FR 50340, 10/3/2001.
Beetle, Salt Creek tiger	<i>Cicindela nevadica lincoliana</i>	Wherever found	E	70 FR 58335; 10/6/2005, 50 CFR 17.95(i). ^{CH}
Beetle, Tooth Cave ground	<i>Rhadine persephone</i>	Wherever found	E	53 FR 36029; 9/16/1988.
Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	Wherever found	T	45 FR 52803; 8/8/1980, 50 CFR 17.95(i). ^{CH}

Butterfly, Bartram's scrub-hairstreak	<i>Strymon acis bartrami</i>	Wherever found	E	79 FR 47221; 8/12/2014, 50 CFR 17.95(i) ^{CH} .
Butterfly, bay checkerspot	<i>Euphydryas editha bayensis</i>	Wherever found	T	52 FR 35366; 9/18/1987, 50 CFR 17.95(i) ^{CH} .
Butterfly, Behren's silverspot	<i>Speyeria zerene behrensi</i>	Wherever found	E	62 FR 64306; 12/5/1997.
Butterfly, callippe silverspot	<i>Speyeria callippe callippe</i>	Wherever found	E	62 FR 64306; 12/5/1997.
Butterfly, cassius blue	<i>Leptotes cassius theonus</i>	Coastal south and central FL	T (S/A)	77 FR 20948; 4/6/2012.
Butterfly, ceraunus blue	<i>Hemiargus ceraunus antibubastus</i>	Coastal south and central FL	T (S/A)	77 FR 20948; 4/6/2012.
Butterfly, Corsican swallowtail	<i>Papilio hospiton</i>	Wherever found	E	58 FR 4356; 1/14/1993.
Butterfly, El Segundo blue	<i>Euphilotes battoides allynii</i>	Wherever found	E	41 FR 22041; 6/14/1976.
Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>	Wherever found	T	65 FR 3875, 1/25/2000; 88 FR 2025, 1/12/2023; 50

				CFR 17.47(f); ^{4d} 50 CFR 17.95(i). ^{CH}
Butterfly, Florida leafwing	<i>Anaea troglodyta floridalis</i>	Wherever found	E	79 FR 47221; 8/12/2014, 50 CFR 17.95(i). ^{CH}
Butterfly, Fluminense swallowtail	<i>Parides ascanius</i>	Wherever found	E	89 FR 99129, December 10, 2024.
Butterfly, Hahnel's Amazonian swallowtail	<i>Parides hahneli</i>	Wherever found	E	89 FR 99129, December 10, 2024.
Butterfly Harris' mimic swallowtail	<i>Eurytides (=Mimoides) lysithous harrisianus</i>	Wherever found	E	89 FR 99129, December 10, 2024.
Butterfly, Hermes copper	<i>Lycaena hermes</i>	Wherever found	T	86 FR 72394; 12/21/2021; 50 CFR 17.47(e); ^{4d} 50 CFR 17.95(i). ^{CH}
Butterfly, Homerus swallowtail	<i>Papilio homerus</i>	Wherever found	E	58 FR 4356; 1/14/1993.
Butterfly, island marble	<i>Euchloe ausonides insulanus</i>	Wherever found	E	85 FR 26786, 5/5/2020; 50 CFR 17.95(i). ^{CH}

Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	Wherever found	E	57 FR 59236; 12/14/1992.
Butterfly, Lange's metalmark	<i>Apodemia mormo langei</i>	Wherever found	E	41 FR 22041; 6/14/1976.
Butterfly, lotis blue	<i>Lycaeides argyrogynomon</i>	Wherever found	E	41 FR 22041; 6/14/1976.
Butterfly, Luzon peacock swallowtail	<i>Papilio chikae</i>	Wherever found	E	58 FR 4356; 1/14/1993.
Butterfly, Mariana eight-spot (Ababbang, Libweibwogh)	<i>Hypolimnas octocula marianensis</i>	Wherever found	E	80 FR 59423; 10/1/2015.
Butterfly, Mariana wandering (Ababbang, Libweibwogh)	<i>Vagrans egistina</i>	Wherever found	E	80 FR 59423; 10/1/2015.
Butterfly, Miami blue	<i>Cyclargus thomasi bethunebakeri</i>	Wherever found	E	77 FR 20948; 4/6/2012.
Butterfly, mission blue	<i>Icaricia icarioides missionensis</i>	Wherever found	E	41 FR 22041; 6/14/1976.

Butterfly, Mitchell's satyr	<i>Neonympha mitchellii</i> <i>mitchellii</i>	Wherever found	E	56 FR 28825; 6/25/1991, 57 FR 21564; 5/20/1992.
Butterfly, Mount Charleston blue	<i>Icaricia (Plebejus) shasta</i> <i>charlestonensis</i>	Wherever found	E	78 FR 57749; 9/19/2013, 50 CFR 17.95(i) ^{CH} .
Butterfly, Myrtle's silverspot	<i>Speyeria zerene</i> <i>myrtleae</i>	Wherever found	E	57 FR 27848; 6/22/1992.
Butterfly, nickerbean blue	<i>Cyclargus ammon</i>	Coastal south and central FL	T (S/A)	77 FR 20948; 4/6/2012, 50 CFR 17.47(a) ^{4d} .
Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	Wherever found, except where listed as an experimental population	T	45 FR 44935, 7/2/1980; 50 CFR 17.95(i) ^{CH} .
Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	U.S.A. (OR— specified portions of Clatsop and Tillamook Counties; see § 17.85(d))	XN	82 FR 28567; 06/23/2017.
Butterfly, Palos Verdes blue	<i>Glaucopsyche lygdamus</i> <i>palosverdesensis</i>	Wherever found	E	45 FR 44935; 7/2/1980, 50 CFR 17.95(i) ^{CH} .

Butterfly, Puerto Rican harlequin	<i>Atlantea tulita</i>	Wherever found	T	87 FR 73655, 12/1/22; 50 CFR 17.47(g); ^{4d} 50 CFR 17.95(i). ^{CH}
Butterfly, Queen Alexandra's birdwing	<i>Troides alexandrae</i>	Wherever found	E	54 FR 38950; 9/21/1989.
Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i>	Wherever found	E	62 FR 2313; 1/16/1997, 50 CFR 17.95(i) ^{CH} .
Butterfly, Sacramento Mountains checkerspot	<i>Euphydryas anicia claudcrofti</i>	Wherever found	E	88 FR 6191, 1/31/2023.
Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>	Wherever found	E	59 FR 18324; 4/18/1994, 60 FR 5264; 1/26/1995.
Butterfly, San Bruno elfin	<i>Callophrys mossii bayensis</i>	Wherever found	E	41 FR 22041; 6/14/1976.
Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>	Wherever found	E	41 FR 17736; 4/28/1976, 49 FR 34501; 8/31/1984.
Butterfly, silverspot	<i>Speyeria nokomis</i>	Wherever found	T	89 FR 11750, February 15, 2024; 50 CFR 17.47(h). ⁴

^d

Butterfly, Smith's blue	<i>Euphilotes enoptes smithi</i>	Wherever found	E	41 FR 22041; 6/14/1976.
Butterfly, Taylor's checkerspot	<i>Euphydryas editha taylori</i>	Wherever found	E	78 FR 61451; 10/3/2013, 50 CFR 17.95(i) ^{CH} .
Butterfly, Uncompahgre fritillary	<i>Boloria acrocnema</i>	Wherever found	E	56 FR 28712; 6/24/1991.
Damselfly, blackline Hawaiian	<i>Megalagrion nigrohamatum</i> <i>nigrolineatum</i>	Wherever found	E	77 FR 57647; 9/18/2012, 50 CFR 17.95(i) ^{CH} .
Damselfly, crimson Hawaiian	<i>Megalagrion leptodemas</i>	Wherever found	E	77 FR 57647; 9/18/2012, 50 CFR 17.95(i) ^{CH} .
Damselfly, flying earwig Hawaiian	<i>Megalagrion nesiotes</i>	Wherever found	E	75 FR 35990, 6/24/2010; 50 CFR 17.95(i). ^{CH}
Damselfly, oceanic Hawaiian	<i>Megalagrion oceanicum</i>	Wherever found	E	77 FR 57647; 9/18/2012, 50 CFR 17.95(i) ^{CH} .
Damselfly, orangeblack Hawaiian	<i>Megalagrion xanthomelas</i>	Wherever found	E	81 FR 67786; 09/30/2016.
Damselfly, Pacific Hawaiian	<i>Megalagrion pacificum</i>	Wherever found	E	75 FR 35990, 6/24/2010; 50 CFR 17.95(i). ^{CH}

Damselfly, Rota blue (Dulalas Luta, Dulalas Luuta)	<i>Ischnura luta</i>	Wherever found	E	80 FR 59423; 10/1/2015.
Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>	Wherever found	E	60 FR 5267; 1/26/1995, 50 CFR 17.95(i) ^{CH} .
Fly, Delhi Sands flower-loving	<i>Rhaphiomidas terminatus abdominalis</i>	Wherever found	E	58 FR 49881; 9/23/1993.
Fly, Hawaiian picture-wing	<i>Drosophila aglaia</i>	Wherever found	E	71 FR 26835; 5/9/2006, 50 CFR 17.95(i) ^{CH} .
Fly, Hawaiian picture-wing	<i>Drosophila differens</i>	Wherever found	E	71 FR 26835; 5/9/2006, 50 CFR 17.95(i) ^{CH} .
Fly, Hawaiian picture-wing	<i>Drosophila digressa</i>	Wherever found	E	78 FR 64638, 10/29/2013;
				50 CFR 17.95(i). ^{CH}
Fly, Hawaiian picture-wing	<i>Drosophila hemipeza</i>	Wherever found	E	71 FR 26835; 5/9/2006, 50 CFR 17.95(i) ^{CH} .
Fly, Hawaiian picture-wing	<i>Drosophila heteroneura</i>	Wherever found	E	71 FR 26835; 5/9/2006, 50 CFR 17.95(i) ^{CH} .
Fly, Hawaiian picture-wing	<i>Drosophila montgomeryi</i>	Wherever found	E	71 FR 26835; 5/9/2006, 50 CFR 17.95(i) ^{CH} .

Fly, Hawaiian picture-wing	<i>Drosophila mulli</i>	Wherever found	T	71 FR 26835; 5/9/2006, 50 CFR 17.95(i) ^{CH} .
Fly, Hawaiian picture-wing	<i>Drosophila musaphilia</i>	Wherever found	E	71 FR 26835; 5/9/2006, 50 CFR 17.95(i) ^{CH} .
Fly, Hawaiian picture-wing	<i>Drosophila neoclavisetae</i>	Wherever found	E	71 FR 26835; 5/9/2006, 50 CFR 17.95(i) ^{CH} .
Fly, Hawaiian picture-wing	<i>Drosophila obatai</i>	Wherever found	E	71 FR 26835; 5/9/2006, 50 CFR 17.95(i) ^{CH} .
Fly, Hawaiian picture-wing	<i>Drosophila ochrobasis</i>	Wherever found	E	71 FR 26835; 5/9/2006, 50 CFR 17.95(i) ^{CH} .
Fly, Hawaiian picture-wing	<i>Drosophila sharpi</i>	Wherever found	E	71 FR 26835; 5/9/2006, 50 CFR 17.95(i) ^{CH} .
Fly, Hawaiian picture-wing	<i>Drosophila substenoptera</i>	Wherever found	E	71 FR 26835; 5/9/2006, 50 CFR 17.95(i) ^{CH} .
Fly, Hawaiian picture-wing	<i>Drosophila tarphytrichia</i>	Wherever found	E	71 FR 26835; 5/9/2006, 50 CFR 17.95(i) ^{CH} .
Grasshopper, Zayante band-winged	<i>Trimerotropis infantilis</i>	Wherever found	E	62 FR 3616; 1/24/1997, 50 CFR 17.95(i) ^{CH} .
Moth, Blackburn's sphinx	<i>Manduca blackburni</i>	Wherever found	E	65 FR 4770; 2/1/2000, 50 CFR 17.95(i) ^{CH} .

Moth, bog buck	Hemileuca maia menyanthesvora (=H. iroquois)	Wherever found	E	88 FR 15921, March 15, 2023.
Moth, Kern primrose sphinx	Euproserpinus euterpe	Wherever found	T	45 FR 24088; 4/8/1980.
Naucorid, Ash Meadows	Ambrysus amargosus	Wherever found	T	50 FR 20777; 5/20/1985, 50 CFR 17.95(i) ^{CH} .
Skipper, Carson wandering	Pseudo copaeodes eunus obscurus	Wherever found	E	67 FR 51116, 8/7/2002.
Skipper, Dakota	Hesperia dacotae	Wherever found	T	79 FR 63671;10/24/2014, 50 CFR 17.95(i) ^{CH} , 50 CFR 17.47(b) ^{4d} .
Skipper, Laguna Mountains	Pyrgus ruralis lagunae	Wherever found	E	62 FR 2313; 1/16/1997, 50 CFR 17.95(i) ^{CH} .
Skipper, Pawnee montane	Hesperia leonardus montana	Wherever found	T	52 FR 36176; 9/25/1987.
Skipperling, Poweshiek	Oarisma poweshiek	Wherever found	E	79 FR 63671;10/24/2014, 50 CFR 17.95(i) ^{CH} .

Stonefly, meltwater lednian	<i>Lednia tumana</i>	Wherever found	T	84 FR 64210; 11/21/2019; 50 CFR 17.47(c). ^{4d}
Stonefly, western glacier	<i>Zapada glacier</i>	Wherever found	T	84 FR 64210; 11/21/2019; 50 CFR 17.47(c). ^{4d}
Arachnids				
Harvestman, Bee Creek Cave	<i>Texella reddelli</i>	Wherever found	E	53 FR 36029; 9/16/1988, 58 FR 43818; 8/18/1993.
Harvestman, Bone Cave	<i>Texella reyesi</i>	Wherever found	E	53 FR 36029; 9/16/1988, 58 FR 43818; 8/18/1993.
Harvestman, Cokendolpher cave	<i>Texella cokendolpheri</i>	Wherever found	E	65 FR 81419, 12/26/2000; 50 CFR 17.95(g). ^{CH}
Meshweaver, Government Canyon Bat Cave	<i>Cicurina vespera</i>	Wherever found	E	65 FR 81419, 12/26/2000; 50 CFR 17.95(g). ^{CH}
Meshweaver, Madla Cave	<i>Cicurina madla</i>	Wherever found	E	65 FR 81419, 12/26/2000; 50 CFR 17.95(g). ^{CH}
Meshweaver, Robber Baron Cave	<i>Cicurina baronia</i>	Wherever found	E	65 FR 81419, 12/26/2000; 50 CFR 17.95(g). ^{CH}
Pseudoscorpion, Tooth Cave	<i>Tartarocreagris texana</i>	Wherever found	E	53 FR 36029; 9/16/1988.

Spider, Government Canyon Bat Cave	Tayshaneta microps	Wherever found	E	65 FR 81419, 12/26/2000; 50 CFR 17.95(g) ^{CH} .
Spider, ivory ornamental tiger	Poecilotheria subfusca	Wherever found	E	83 FR 36755, 7/31/2018.
Spider, Kauai cave wolf	Adelocosa anops	Wherever found	E	65 FR 2348; 1/14/2000, 50 CFR 17.95(g) ^{CH} .
Spider, ornate tiger	Poecilotheria ornata	Wherever found	E	83 FR 36755, 7/31/2018.
Spider, Pedersen's tiger	Poecilotheria vittata	Wherever found	E	83 FR 36755, 7/31/2018.
Spider, Smith's tiger	Poecilotheria smithi	Wherever found	E	83 FR 36755, 7/31/2018.
Spider, spruce-fir moss	Microhexura montivaga	Wherever found	E	60 FR 6968; 2/6/1995, 50 CFR 17.95(g) ^{CH} .
Spider, Sri Lanka ornamental tiger	Poecilotheria fasciata	Wherever found	E	83 FR 36755, 7/31/2018.
Spider, Tooth Cave	Tayshaneta myopica	Wherever found	E	53 FR 36029, 9/16/1988.
Crustaceans				
Amphipod, diminutive	Gammarus hyaleloides	Wherever found	E	78 FR 41227; 7/9/2013, 50 CFR 17.95(h) ^{CH} .

Amphipod, Hay's Spring	<i>Stygobromus hayi</i>	Wherever found	E	47 FR 5425; 2/5/1982.
Amphipod, Illinois Cave	<i>Gammarus acherondytes</i>	Wherever found	E	63 FR 46900; 9/3/1998.
Amphipod, Kauai cave	<i>Spelaeorchestia koloana</i>	Wherever found	E	65 FR 2348; 1/14/2000, 50 CFR 17.95(h) ^{CH} .
Amphipod, Noel's	<i>Gammarus desperatus</i>	Wherever found	E	76 FR 33036; 6/7/2011, 50 CFR 17.95(h) ^{CH} .
Amphipod, Peck's cave	<i>Stygobromus (=Stygonectes) Pecki</i>	Wherever found	E	62 FR 66295; 12/18/1997, 50 CFR 17.95(h) ^{CH} .
Amphipod, Pecos	<i>Gammarus pecos</i>	Wherever found	E	78 FR 41227; 7/9/2013, 50 CFR 17.95(h) ^{CH} .
Crayfish, Big Creek	<i>Faxonius peruncus</i>	Wherever found	T	88 FR 25512, 4/27/2023; 50 CFR 17.46(c); ^{4d} 50 CFR 17.95(h). ^{CH}
Crayfish, Big Sandy	<i>Cambarus callainus</i>	Wherever found	T	81 FR 20450, 4/7/2016; 50 CFR 17.95(h). ^{CH}
Crayfish, cave	<i>Cambarus aculabrum</i>	Wherever found	E	58 FR 25742; 4/27/1993.

Crayfish, cave	<i>Cambarus zophonastes</i>	Wherever found	E	52 FR 11170; 4/7/1987.
Crayfish, Guyandotte River	<i>Cambarus veteranus</i>	Wherever found	E	81 FR 20450, 4/7/2016; 50 CFR 17.95(h). ^{CH}
Crayfish, Nashville	<i>Orconectes shoupi</i>	Wherever found	E	51 FR 34410; 9/3/1986.
Crayfish, Panama City	<i>Procambarus econfinae</i>	Wherever found	T	87 FR 546, 1/5/22; 50 CFR 17.46(b); ^{4d} 50 CFR 17.95(h). ^{CH}
Crayfish, Shasta	<i>Pacifastacus fortis</i>	Wherever found	E	53 FR 38460; 9/30/1988.
Crayfish, slenderclaw	<i>Cambarus cracens</i>	Wherever found	E	86 FR 50264, 9/8/21; 50 CFR 17.95(h) ^{CH} .
Crayfish, St. Francis River	<i>Faxonius quadruncus</i>	Wherever found	T	88 FR 25512, 4/27/2023; 50 CFR 17.46(c); ^{4d} 50 CFR 17.95(h). ^{CH}
Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>	Wherever found	E	59 FR 48136; 9/19/1994, 50 CFR 17.95(h) ^{CH} .
Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>	Wherever found	E	59 FR 48136; 9/19/1994, 50 CFR 17.95(h) ^{CH} .
Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>	Wherever found	E	58 FR 41384; 8/3/1993, 50 CFR 17.95(h) ^{CH} .

Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>	Wherever found	E	62 FR 4925; 2/3/1997, 50 CFR 17.95(h) ^{CH} .
Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	Wherever found	T	59 FR 48136, 9/19/1994; 50 CFR 17.95(h). ^{CH}
Isopod, Lee County cave	<i>Lirceus usdagalun</i>	Wherever found	E	57 FR 54722; 11/20/1992.
Isopod, Madison Cave	<i>Antrolana lira</i>	Wherever found	T	47 FR 43699; 10/4/1982, 50 CFR 17.46(a) ^{4d} .
Isopod, Socorro	<i>Thermosphaeroma thermophilus</i>	Wherever found	E	43 FR 12690; 3/27/1978.
Shrimp, Alabama cave	<i>Palaemonias alabamae</i>	Wherever found	E	53 FR 34696; 9/7/1988.
Shrimp, anchialine pool	<i>Procaris hawaiana</i>	Wherever found	E	81 FR 67786; 09/30/2016.
Shrimp, anchialine pool	<i>Vetericaris chaceorum</i>	Wherever found	E	78 FR 64637; 10/29/2013.
Shrimp, California freshwater	<i>Syncaris pacifica</i>	Wherever found	E	53 FR 43884; 10/31/1988.

Shrimp, Kentucky cave	Palaemonias ganteri	Wherever found	E	48 FR 46337; 10/12/1983, 50 CFR 17.95(h) ^{CH} .
Shrimp, Squirrel Chimney cave	Palaemonetes cummingi	Wherever found	T	55 FR 25588; 6/21/1990.
Tadpole shrimp, vernal pool	Lepidurus packardi	Wherever found	E	59 FR 48136; 9/19/1994, 50 CFR 17.95(h) ^{CH} .
Corals				
Coral, (no common name)	Acropora globiceps	Wherever found	T	79 FR 53852; 9/10/2014 ^N , 79 FR 67356; 11/13/2014.
Coral, (no common name)	Acropora jacquelineae	Wherever found	T	79 FR 53852; 9/10/2014 ^N , 79 FR 67356; 11/13/2014.
Coral, (no common name)	Acropora lokani	Wherever found	T	79 FR 53852; 9/10/2014 ^N , 79 FR 67356; 11/13/2014.
Coral, (no common name)	Acropora pharaonis	Wherever found	T	79 FR 53852; 9/10/2014 ^N , 79 FR 67356; 11/13/2014.
Coral, (no common name)	Acropora retusa	Wherever found	T	79 FR 53852; 9/10/2014 ^N , 79 FR 67356; 11/13/2014.
Coral, (no common name)	Acropora rudis	Wherever found	T	79 FR 53852; 9/10/2014 ^N , 79 FR 67356; 11/13/2014.

Coral, (no common name)	<i>Acropora speciosa</i>	Wherever found	T	79 FR 53852; 9/10/2014 ^N , 79 FR 67356; 11/13/2014.
Coral, (no common name)	<i>Acropora tenella</i>	Wherever found	T	79 FR 53852; 9/10/2014 ^N , 79 FR 67356; 11/13/2014.
Coral, (no common name)	<i>Anacropora spinosa</i>	Wherever found	T	79 FR 53852; 9/10/2014 ^N , 79 FR 67356; 11/13/2014.
Coral, (no common name)	<i>Cantharellus noumeae</i>	Wherever found	E	80 FR 60560, 10/7/2015; ^N 81 FR 76311, 11/2/2016.
Coral, (no common name)	<i>Euphyllia paradivisa</i>	Wherever found	T	79 FR 53852; 9/10/2014 ^N , 79 FR 67356; 11/13/2014.
Coral, (no common name)	<i>Isopora crateriformis</i>	Wherever found	T	79 FR 53852; 9/10/2014 ^N , 79 FR 67356; 11/13/2014.
Coral, (no common name)	<i>Montipora australiensis</i>	Wherever found	T	79 FR 53852; 9/10/2014 ^N , 79 FR 67356; 11/13/2014.
Coral, (no common name)	<i>Pavona diffluens</i>	Wherever found	T	79 FR 53852; 9/10/2014 ^N , 79 FR 67356; 11/13/2014.
Coral, (no common name)	<i>Porites napopora</i>	Wherever found	T	79 FR 53852; 9/10/2014 ^N , 79 FR 67356; 11/13/2014.

Coral, (no common name)	<i>Seriatopora aculeata</i>	Wherever found	T	79 FR 53852; 9/10/2014 ^N , 79 FR 67356; 11/13/2014.
Coral, (no common name)	<i>Tubastraea floreana</i>	Wherever found	E	80 FR 60560, 10/7/2015; ^N 81 FR 76311, 11/2/2016.
Coral, boulder star	<i>Orbicella franksi</i>	Wherever found	T	79 FR 53852, 9/10/2014; ^N 79 FR 67356, 11/13/2014; 50 CFR 226.230. ^{CH}
Coral, elkhorn	<i>Acropora palmata</i>	Wherever found	T	76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 79 FR 53852; 9/10/2014 ^N , 79 FR 67356; 11/13/2014, 50 CFR 223.208 ^{4d} , 50 CFR 226.216 ^{CH} .
Coral, lobed star	<i>Orbicella annularis</i>	Wherever found	T	79 FR 53852, 9/10/2014; ^N 79 FR 67356, 11/13/2014; 50 CFR 226.230. ^{CH}
Coral, mountainous star	<i>Orbicella faveolata</i>	Wherever found	T	79 FR 53852, 9/10/2014; ^N 79 FR 67356, 11/13/2014; 50 CFR 226.230. ^{CH}
Coral, pillar	<i>Dendrogyra cylindrus</i>	Wherever found	T	79 FR 53852, 9/10/2014; ^N 79 FR 67356, 11/13/2014; 50 CFR 226.230. ^{CH}

Coral, rough cactus	<i>Mycetophyllia ferox</i>	Wherever found	T	79 FR 53852, 9/10/2014; ^N 79 FR 67356, 11/13/2014; 50 CFR 226.230. ^{CH}
Coral, staghorn	<i>Acropora cervicornis</i>	Wherever found	T	76 FR 20558; 4/13/2011, 79 FR 42687; 7/23/2014, 79 FR 53852; 9/10/2014 ^N , 79 FR 67356; 11/13/2014, 50 CFR 223.208 ^{4d} , 50 CFR 226.216 ^{CH} .
Cephalopods				
Nautilus, chambered	<i>Nautilus pompilius</i>	Wherever found	T	83 FR 48976, 9/28/2018; ^N 84 FR 13809, 4/8/2019.